2004 CHRYSLER/DODGE MINIVAN (RS)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Other Type Other Type Series Body Style Engine Check Digit Year Plant Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description								
1	Country of Origin	1 = Built in U.S. by DaimlerChrysler Corporation 2 = Built in Canada by DaimlerChrysler Canada Inc								
2	Make	D = Dodge C = Chrysler								
3	Vehicle type	4 = Multipurpose Passenger Vehicle With Side Air Bags								
4	GVWR & Pass. Safety	D=0-1360 kg (0-3000 lbs) E=1361-1814 kg (3001-4000 lbs) F=1815-2267 kg (4001-5000 lbs) G=2268-2721 kg (5001-6000 lbs) H=2722-3175 kg (6001-7000 lbs) J=3176-3628 kg (7001-8000 lbs) K=3629-4082 kg (8001-9000 lbs)								
5	Vehicle Line	J = Voyager/Grand Voyager(FWD) P = Caravan/Grand Caravan; Town & Country(FWD) T = Grand Caravan/Town & Country (AWD) 1 = Caravan (FWD)								
6	Series	2 = Voyager (FWD) 2 = Caravan/Grand Caravan SE, LX, C/V (FWD) 3 = Grand Caravan/Town & Country EL (FWD) 4 = Caravan/Grand Caravan Sport (FWD/AWD) 4 = Grand Voyager LX; Town & Country LX(FWD) 5 = Grand Caravan ES (FWD/AWD) 7 = Grand Caravan EX (FWD)								
7	Body Style	4= NS - 53 5 = NS - 52								
8	Engine	B = 2.4L 4 Cyl.,16V DOHC (EDZ) L = 3,8 6 Cyl. MPI (EGH) R = 3.3L 6 Cyl (SMPI) (EGA) 3 = 3.3L 6 Cyl (FFV) (EGM)								
9	Check Digit									
10	Model Year	4 = 2004								
11	Assembly Plant	B = St. Louis Assembly South R = Windsor Assembly								
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence								

Group – 001

Component Parts for Mopar Accessories



001–100	001–200	001–300	001–400
Audio & Electronics	Carriers & Cargo Hauling	Driver Convenience	Exterior Appearance
001-500 Exterior Protection	001–900 Security		

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title	Group-Fig. No
Audio & Electronics	
Player Kit - CD Changer - 6 Disc	Fig. 001-110
Navigation Kit	Fig. 001-130
Navigation Kit With RB4 Radio	Fig. 001-135
Media System - Rear Seat, With Sunroof	Fig. 001-140
Media System - Rear Seat, Without Sunroof	Fig. 001-145
Satellite Receiver Kit	Fig. 001-155
Install Kit Satellite Receiver Without CD	Fig. 001-160
Install Kit Satellite Receiver With CD	Fig. 001-165
Carriers & Cargo Hauling	
Bike Carrier - Hitch Mount 1.25 inch Receiver 1.25 inch Receiver	Fig. 001-210
Bike Carrier - Hitch Mount 2.0 inch Receiver 2.0 inch Receiver	ū
Bike Carrier Roof - Fork Mount	Fig. 001-220
Bike Carrier Roof - Upright Mount	Fig. 001-225
Carrier Kit Ski 3 Pair	Fig. 001-230
Carrier Kit - Ski, Hitch Mount	Fig. 001-235
Carrier Kit - Canoe	Fig. 001-240
Carrier Kit - Water Sports	Fig. 001-245
Carrier Kit - Luggage Roof	Fig. 001-250
Carrier kit - Vinyl Roof	Fig. 001-255
Rack Kit - Mulitpurpose	Fig. 001-260
Driver Convenience	
Hands Free Kit - Cellular Phone	Fig. 001-310
Exterior Appearance	
Running Boards	Fig. 001-430
Exterior Protection	
Shield Kit - Air Front	Fig. 001-520
Security	
Alarm - Without Power Door Locks	Fig. 001-910

1)

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBLK	<u> </u>	LINE	SERIES	ВОВТ	LIVOIVE	TIVANO	TIXIIVI	DESCRIF HON
Note; For	r Warranty Rep	air On	Item 3, Ord	der Throug	h [GPOP]	Function 1	1, Using Z	Prefix	
1 2	8220 7876 4671 841AA	1							PLAYER KIT, CD Changer - 6 Disc WIRING, Compact Disc Changer
3	5064 003AG	1 1							CHANGER, CD 6 Disc
DODGE - CH	RYSLER MINIVA	N (RS) —							
SERIES H = Sport	LINE C = Chrys	ler (AWD		ODY : 113 WB	ENG EDZ, ED	INE 0 = 2.4L 4 C	yl. DO		SMISSION pd. Auto. (41TE)
_ = LX, SE P = LXI, ES	D = Dodge	e (AWD)	53 =	: 119 WB	EGA = 3	.3L 6 Cyl. 30 = 3.8L 6 C	DO	30 = All	Automatic Transm
S = Limited M = EL	K = Dodge	e (FWD)	,		EGM = 3	3.3L 6 Cyl. FF	ŧν		
X = EX									

1	
4	3


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
ote: For	Warranty Rep 8220 8715	pair On 1	Item 2, Ord	der Throug	h [GPOP]	Function 1	1, Using Z	Prefix	RADIO, AM/FM CD W/NAV/DVD
ı	0220 07 13	'							CD-CTRL
2	56038 629AB	1							RADIO, AM/FM CD W/NAV/DVD
									CD-CTRL
3	56038 630AA								ANTENNA, GPS
4	56038 642AF	1							DVD, Geographic Database
	RYSLER MINIVA	N (RS) —							
ERIES Sport	LINE C = Chrys			ODY = 113 WB	ENG EDZ. ED	INE 0 = 2.4L 4 C	vl. Do		SMISSION pd. Auto. (41TE)
LX, SE LXI, ES Limited	D = Dodge Y = Chrysl K = Dodge	e (AWD) ler (FWD	53 =	: 119 WB	EGA = 3 EGH, EG	.3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	DO Cyl.		Automatic Transm
= EL : EX									

Navigation Kit With RB4 Radio Figure 001-135

1	
2	
4	3


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DE	ESCRIPTION
	l									
	Warranty Rep		Item 2, Ord	der Throug	h [GPOP]	Function 1	1, Using Z	Prefix		
1	8220 8481	1								CD W/NAV/DVD 8
2	56043 286AB	1							CD-CTRL RADIO AM/FM	CD W/NAV/DVD 8
_		·							CD-CTRL	
3	56043 276AB								ANTENNA, Glo	
4	5091 501AC	1							COMPACT DIS	C, Navigation
DOGE - CH	RYSLER MINIVA	N (RS) —		DDY	ENG			TRAN	SMISSION	
= Sport	C = Chrys) 52 =	: 113 WB	EDZ, ED	0 = 2.4L 4 C		GL = 4 s	pd. Auto. (41TE)	
= LX, SE = LXI, ES	D = Dodge Y = Chrys	ler (FWD		: 119 WB	EGH, EG	.3L 6 Cyl. 30 = 3.8L 6 C	Syl.	. All = ∪ى	Automatic Transm	
= Limited = EL	K = Dodge	(FWD)			EGM = 3	3.3L 6 Cyl. FF	V			
= EX										

Media System - Rear Seat, With Sunroof Figure 001-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							ļ	•	
Note: Fo	r Warranty Rep	air On	Item 2, Ord	der Throug	h [GPOP]	Function 1	1, Using Z	Prefix	
1	8220 8659	1							MEDIA SYSTEM, Monitor with DV
2	4685 932AC	1							DVD CHANGER
3	4685 936AE	1							HEADPHONES, Wireless
4	5082 013AA	1							REMOTE, Wireless Infrared
5	5135 242AA	1							HOUSING, Monitor
-6	5135 244AA-	1							LATCH KIT, Video Screen
7	4685 999AC	1							WIRING, Compact Disc Changer, DVD to Radio
8	4869 298AB	1							WIRING, DVD Jumper, Instrument Panel to A Pillar
9	4869 373AB	1							WIRING, DVD to Screen, A Pillar Monitor
	HRYSLER MINIVA	N (RS) —							
SERIES = Sport = LX, SE = LXI, ES = Limited		e (AWD) ler (FWD	52 = 53 =	ODY : 113 WB : 119 WB	EGA = 3 EGH, EG	INE 0 = 2.4L 4 C 3L 6 Cyl. 30 = 3.8L 6 C 3.3L 6 Cyl. FF	De Cyl.	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm
= LXI, ES = Limited 1 = EL := EX			')		EGM = 3	3.3L 6 Cyl. FF	FV		

Media System - Rear Seat, Without Sunroof Figure 001-145




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1			0220	202.			1	2200 1.0
Note: For	r Warranty Rep	oair On I	tom 2 Or	der Throug	h ICDODI	Function 1	1 Heina 7	Drofiv	
1	8220 8660	1	tem 2, On	der miloug		i diletion i	1, USING Z	I ICIIX	MEDIA SYSTEM, Monitor with DVD
2	4685 932AC	1							DVD CHANGER
3	5135 243AA	1							HOUSING, Monitor
-4	5135 244AA-	1							LATCH KIT, Video Screen
5	5028 424AC	1							BRACKET ASSY, REAR SEAT
									VIDEO
6	4685 999AC	1							WIRING, Compact Disc Changer, DVD to Radio
7	4869 298AB	1							WIRING, DVD Jumper, Instrument
•	1000 200/12	•							Panel to A Pillar
8	4869 373AB	1							WIRING, DVD to Screen, A Pillar to
									Monitor
9	4685 936AE	1							HEADPHONES, Wireless
10	5082 013AA	1							REMOTE, Wireless Infrared
ODGE - CH SERIES	IRYSLER MINIVA LINE	N (RS) —		DDY	ENGI			TRAN	SMISSION
= Sport	C = Chrys) 52 =	: 113 WB	EDZ, ED	0 = 2.4L 4 C		GL = 4 s	pd. Auto. (41TE)
= LX, SE = LXI, ES	D = Dodge Y = Chrys			: 119 WB	EGA = 3 EGH. FO	.3L 6 Cyl. 30 = 3.8L 6 (اAll = 0ئ	Automatic Transm
= Limited	K = Dodge				EGM = 3	3.3L 6 Cyl. Fl	FV		
= EL = EX									

Satellite Receiver Kit Figure 001-155




	ı				1	ı		1	
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: For	Warranty Rep	air on I	tem 3, Orc	ler Through	n [GPOP] I	- - - - - - - - - - - - - - - - - - -	, Using Z	Prefix	
1	82206 488AA	. 1							RECEIVER, Satelite
2	5066 205AC	1							ANTENNA, Satellite
3	5064 020AG	1							RECEIVER, Satellite
DODGE - CHI	RYSLER MINIVA	N (RS) —							
SERIES	LINE			ODY	ENG		ul D		SMISSION
H = Sport L = LX, SE	C = Chrys D = Dodge	ier (AWD) e (AWD)) 52 = 53 =	: 113 WB : 119 WB	EGA = 3	0 = 2.4L 4 C .3L 6 Cyl.	yı. DO	∍∟ = 4 s 30 = All	pd. Auto. (41TE) Automatic Transm
P = LXI, ES	Y = Chrys	ler (FWD)		_	EGH, EC	60 = 3.8L 6 C	Syl.		
S = Limited M = EL	K = Dodge	e (FWD)			EGM = 3	3.3L 6 Cyl. FF	- V		
X = EX									

Install Kit Satellite Receiver Without CD Figure 001-160




1 2 3	8220 7925 5066 207AA 5066 203AA	1 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2	5066 207AA								
2	5066 207AA								INSTALL KIT, Satelite Receiver
									CABLE, Antenna
		1							WIRING, Rcvr to Radio
									·
GE - CH	IRYSLER MINIVA	N (RS) —							
RIES Sport	LINE C = Chrys			ODY = 113 WB	ENGI EDZ, ED	NE 0 = 2.4L 4 Cy	d. D0	TRAN: GL = 4 si	SMISSION od. Auto. (41TE)
X, SE	D = Dodge	e (AWD)	53 =	= 119 WB	EGA = 3	.3L 6 Cyl.	D	30 = All	Automatic Transm
∟XI, ES ∟imited EL	Y = Chrys K = Dodge	e (FWD))		EGH, EG EGM = 3	30 = 3.8L 6 C 3L 6 Cyl. FF	yı. V		

Install Kit Satellite Receiver With CD Figure 001-165




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7779	1							INSTALL KIT, Satelite Receiver
2	5059 112AC	1							MODULE, Radio Control
3	5066 207AA	1							CABLE, Antenna
4	5086 643AA	1							WIRING, Rcvr to Radio
DGE - CI	HRYSLER MINIVA	N (RS) —							O.W.O.O.O.U
ERIES Sport	LINE C = Chrys	ler (AWD		ODY = 113 WB	ENGI EDZ, ED	0 = 2.4L 4 C	ıl. Do	GL = 4 s	SMISSION pd. Auto. (41TE)
LX, SE LXI, ES Limited	D = Dodge Y = Chrys	e (AWD) ler (FWD	53 =	= 119 WB	EGA = 3 EGH, EG	.3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	DO yl.	G0 = All	Automatic Transm
EL EX	· ·					•			

Bike Carrier - Hitch Mount 1.25 inch Receiver 1.25 inch Receiver Figure 001-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-							•	
NOTE: F	Folds down for a	access t	to rear dec	ck.					
	des anti-theft bo								
1	8220 4452	1							CARRIER KIT, Bike
2	4762 880	1							STRAP KIT, Velcro, Contains: 1-
									Long and 1-short Strap
3	5016 775AA	1							STRAP KIT, Bike Carrier Latch,
									Contains: 2-Rubber Straps
4	5016 774AA	1							BOLT KIT, Security, Contains: 1-
									Security Bolt, 1-Wrench, 1-Washe
-	5040 005AA	4							and Nut
5	5018 825AA	1							HARDWARE KIT, Bike Carrier,
									Contains: t-Handle, Top Clamp an Nylon Washer
									INVIOLIT VVASILEI
ODGE - CI SERIES	HRYSLER MINIVA LINE	N (RS) —		ODY	ENG	INF		TRAN	ISMISSION
l = Sport	C = Chrys)) 52 =	= 113 WB	EDZ, ED	0 = 2.4L 4 C		GL = 4 s	spd. Auto. (41TE)
= LX, SE = LXI, ES		e (AWD) ler (FWD	53 =	= 119 WB	EGA = 3	.3L 6 Cyl. 30 = 3.8L 6 C		G0 = All	Automatic Transm
= Limited		e (FWD)	,		EGM = 3	3.3L 6 Cyl. FF	=V		
1 = EL . = EX									

Bike Carrier - Hitch Mount 2.0 inch Receiver 2.0 inch Receiver Figure 001-215




ITEM	PART								
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Jota: C	arriers fold dow	n for ooo	ace to roo	ar hatch					
	ides anti-theft be		U 10 10 10 10 10 10 10 10 10 10 10 10 10	ai riatori					
1									CARRIER KIT, Bike
	8220 4453	1							Two Bike
	8220 4328	1							Four Bike
2	4762 880	1							STRAP KIT, Velcro, Contains: 1- Long and 1-Short Velcro Strap
3	5016 775AA	1							STRAP KIT, Bike Carrier Latch,
		•							Contains: 2 - Rubber Straps
4	5016 776AA	1							BOLT KIT, Security, Contains: Bol
									Wrench, Washer and Nut
5	5018 825AA	1							HARDWARE KIT, Bike Carrier,
									Contains: T-Handle, Lock Strap, Top Clamp and Washer
									Top Clamp and Washer
DDGE - C	:HRYSLER MINIVA	.N (RS)							
SERIES	CHRYSLER MINIVA			ODY	ENG				SMISSION
SERIES = Sport	LINE C = Chrys	sler (AWD)	52 =	= 113 WB	EDZ, ED	0 = 2.4L 4 Cy		GL = 4 s	pd. Auto. (41TE)
SERIES = Sport = LX, SE	LINE C = Chrys D = Dodg	sler (AWD) e (AWD)	52 =		EDZ, ED EGA = 3	0 = 2.4L 4 Cy .3L 6 Cyl.	D	GL = 4 s	
SERIES = Sport	LINE	sler (AWD) e (AWD) sler (FWD)	52 =	= 113 WB	EDZ, ED EGA = 3 EGH, EG	0 = 2.4L 4 Cy	yl.	GL = 4 s	pd. Auto. (41TE)




te; Require 1 822 2 509	es Sport Ut 20 7943 93 779AA 14 532AA	Itility Rack	LINE SERIES	BODY	ENGINE	TRANS T	HARDV	ER KIT, Bike WARE KIT, Accessory P, Cargo Tie Down
1 822 2 509	20 7943 93 779AA	1 1					HARDV	WARE KIT, Accessory
2 509	93 779AA	1					HARDV	WARE KIT, Accessory
3 511	14 532AA	1					STRAP	P, Cargo Tie Down
GE - CHRYSL	LER MINIVA	N (RS)					TD 41101 112 215	
RIES Sport	LINE C = Chrysl		BODY 52 = 113 WB	ENG EDZ, ED			TRANSMISSION	d .
.X, SE .XI, ES	•	sler (AWD)		$FG\Delta = 3$	00 = 2.4L 4 Cyl	. DGL :	= 4 spd. Auto. ((41TE)
Limited EL	D = Dodge Y = Chrysl	e (AWD)	53 = 119 WB	EGH. FO	00 = 2.4L 4 Cyl 3.3L 6 Cyl. 30 = 3.8L 6 Cyl	DG0 :		(41TE)

Bike Carrier Roof - Upright Mount Figure 001-225




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DE	SCRIPTION
		_ ~	-1111-	0211120	2001			1	<u> </u>	
ote; Re	quires Sport U	tility Rad	ck							
1	8220 7942	1							CARRIER KIT, E	
2	5093 779AA	1							HARDWARE KI	
3	5114 532AA	1							STRAP, Cargo	ie Down
GE C'	JDVOI ED BAINIVA	N (Be)								
RIES	HRYSLER MINIVA LINE			ODY	ENG		, 0,		SMISSION	
Sport X, SE	C = Chrys D = Dodge	e (AWD)	53 =	= 113 WB = 119 WB	EGA = 3	0 = 2.4L 4 C: .3L 6 Cyl.	D	G0 = 4 S	pd. Auto. (41TE) Automatic Transm	
LXI, ES Limited	Y = Chrys K = Dodge	ler (FWD) e (FWD))		EGH, EG EGM = 3	60 = 3.8L 6 C 3.3L 6 Cyl. FF	yl. V			
EL EX	3	. ,				,				



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote: D-	usiroo Co Lii	illia De	ale						
Note; Red	uires Sport U	шку кас	JK.						CARRIER KIT, Ski
	8220 7312	1							3 Pair Skies or 2 Snowboards
	8220 7308	1							6 Pair Skies or 4 Snowboards
	5086 158AA	1							HARDWARE KIT, Accessory
-3	5066 632AA-	1							TOOL, Screw Driver
ODGE - CH	RYSLER MINIVA	N (RS) —							0.410.010.1
SERIES = Sport	LINE C = Chrys	ler (AWD		ODY = 113 WB	ENGI EDZ, ED	0 = 2.4L 4 C	yl. D	GL = 4 s	SMISSION pd. Auto. (41TE)
= LX, SE = LXI, ES	D = Dodge Y = Chrysl	e (AWD)	53 =	= 119 WB	EGA = 3	.3L 6 Cyl. 60 = 3.8L 6 C	D	G0 = All	Automatic Transm
= Limited	K = Dodge	e (FWD))		EGM = 3	3.3L 6 Cyl. FF	yı. ∀		
= EL = EX									


Carrier Kit - Ski, Hitch Mount Figure 001-235



17514	PART	OTY		OFFICE	DODY	ENGINE	TDANO	TD.M	DECORIDEION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Ca	arrier folds dowr	n for acc	cess to rea	ar hatch					
	des anti-theft bo								
1	8220 4455	1							CARRIER KIT, Ski - 4 Pair, Used with 2.0 inch Receiver
2	5016 775AA	1							STRAP KIT, Bike Carrier Latch,
3	5016 776AA	1							Contains: 2-Rubber Straps BOLT KIT, Security, Bolt. Wrench, Nut and Washer
DGE - CI	HRYSLER MINIVA	N (RS) —							
	LINE		B,	ODY	ENG	IN⊢		IRAN	SMISSION

1)——	
	3

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								1	
	quires Sport U		ck						CARRIER KIT Course
1 2	8220 4700 5016 389AA	1 1							CARRIER KIT, Canoe HARDWARE KIT, Accessory, Contains:4 - 25MM Button Head Screws, 4 - 30MM Button Head
3	5016 511AA	1							Screws, 4 Lock Washers, 4 Dome Washers, 4 T-Nuts STRAP, Cargo Tie Down
		'							- Crivili, Gaige no Bown
OODGE - CH	HRYSLER MINIVA	N (RS) —							
SERIES H = Sport L = LX, SE P = LXI, ES S = Limited M = EL	LINE C = Chrys D = Dodge Y = Chrys K = Dodge	e (AWD) ler (FWD)) 52 = 53 =	ODY : 113 WB : 119 WB	EGA = 3 EGH, EG	INE 10 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	D _i Syl.	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm




	PART		1						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote: Re	quires Sport Ut	tility Ra	ck						
1	8220 5416	1	<u> </u>						CARRIER KIT, Water Sports, Kay
2	5016 389AA	1							Surfboard, Sail Board HARDWARE KIT, Accessory,
									Consists of : 4-25MM Button Hea
									Screws, 4-30MM Button Head Screws, 4-Lock Washers, 4- Don
									Washers, 4- Rubber Washers an
									4-T-Nuts
3	5016 511AA	1							STRAP, Cargo Tie Down
DGE - CH	RYSLER MINIVAI	N (RS) —							
SERIES = Sport	LINE C = Chrysl	-l (A)A/D		ODY = 113 WB	ENGI	INE 00 = 2.4L 4 C	'vl D		ISMISSION spd. Auto. (41TE)


L = LX, SE P = LXI, ES S = Limited M = EL X = EX D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) 53 = 119 WB

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

DG0 = All Automatic Transm




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				1					
	quires Product	ion Roo	f Rack						
1	8220 7353	1							CARRIER KIT, Luggage 31 inch x 71 inch, 440 Liter Capacity
	8220 7341	1							28 inch x 90 inch, 480 Liter
									Capacity
2	5086 160AA	1							STRAP, Cargo Tie Down
3	5086 159AA	4							HARDWARE KIT
ERIES	HRYSLER MINIVA LINE			ODY	ENG				SMISSION
Sport LX, SE LXI, ES	C = Chrys D = Dodge Y = Chrys	e (AWD)	53 =	= 113 WB = 119 WB	EDZ, ED EGA = 3	00 = 2.4L 4 Cy 3.3L 6 Cyl. 30 = 3.8L 6 C	D	GL = 4 s	pd. Auto. (41TE) Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
TIEW	NOWIDER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
lote; Sp	ort Utility or Pro	oduction	n Rack Red	quired					
1	8220 7198	1		•					CARRIER KIT, Luggage, 39 inch
0	E000 000 A A								37 inch x 12 inch
2	5066 332AA	1							STRAP KIT, Luggage Carrier
DGE - CH ERIES	HRYSLER MINIVA LINE	N (RS) —		ODY	ENGI	INE		TRAN	SMISSION
= Sport = LX, SE	C = Chrys	ler (AWD) 52 =	= 113 WB	EDZ, ED	0 = 2.4L 4 C	yl. De	GL = 4 s	pd. Auto. (41TE) Automatic Transm
= LXI, ES	D = Dodge Y = Chrys	ler (FWD	၁၁ =)	= 119 WB	EGH, EG	.3L 6 Cyl. 30 = 3.8L 6 C	Cyl.	OU = AII	Automatic Hansill
= Limited = EL	K = Dodge	e (FWD)			EGM = 3	3.3L 6 Cyl. FF	=V		
EL EX	· ·	. ,				-			

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
- -		8220 7959	1	LINE	SERIES	BODT	LINGINE	IIVANS		CK KIT, Multipurpose
	-2	5066 632AA- 5072 276AA							TO	OL, Screw Driver O CAP, Roof Rack Side Rail
3										
ם	ODGE - CH	IRYSLER MINIVA	N (RS) —							
H L P	SERIES = Sport = LX, SE = LXI, ES	HRYSLER MINIVAL LINE C = Chrys D = Dodge Y = Chrys K = Dodge	ler (AWD) e (AWD) er (FWD)	B0 52 = 53 =	ODY : 113 WB : 119 WB	ENGI EDZ, ED EGA = 3 EGH, EG	NE 0 = 2.4L 4 C 3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	yl. Do Do Syl.	TRANSMIS GL = 4 spd. A G0 = All Auton	SION uto. (41TE) natic Transm
S N X	= LX, SL = LXI, ES = Limited I = EL = EX	K = Dodge	e (FWD)			EGM = 3	.3L 6 Cyl. FF	- V		

Hands Free Kit - Cellular Phone Figure 001-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: For	Warranty Rep		Item 2, Or	der Throug	h [GPOP]	Function 1	I, Using Z	Prefix	
1	82207 853AC								HANDS FREE KIT, Cellular Phone
2	5114 359AC	1							MODULE, U Connect
3 4	5102 026AA 5102 025AA	1 1							SPEAKER, Front MICROPHONE, Audio
5	5102 023AA 5102 027AA	1							CONTROLLER, Audio
ODGE - CH	IRYSLER MINIVA	N (RS) —							
0202 0	LINE	. (4)4/5	.) B(ODY	ENGI		.1 50		SMISSION
SERIES	C = Chrvs	ier (Avvi)	1) 52 =	= 3 VV	EDZ. FD	0 = 2.4L 4 C	VI. 170	JL = 4 S	30. Auto. (411E)
SERIES I = Sport = LX, SE	C = Chrys D = Dodge	e (AWD)	53 =	= 113 WB = 119 WB	EGA = 3	0 = 2.4L 4 C .3L 6 Cyl.	DO	30 = 4 s	od. Auto. (41TE) Automatic Transm
SERIES = Sport	C = Chrys D = Dodge Y = Chrys K = Dodge	e (AWD) ler (FWD	53 =		EGA = 3 EGH, EG	0 = 2.4L 4 C .3L 6 Cyl. 30 = 3.8L 6 C 3.3L 6 Cyl. FF	byl.	3L = 4 S 30 = All	Automatic Transm

3

1						RUNNING BOARD KIT, Full
	8220 6237	1		52		Stone White [SW1]
	8220 6243	1		52		Dark Garnet Red [XRV]
	8220 7857	1		52		Inferno Red Wel
	8220 7855	1		52		Patriot Blue [WB7]
	8220 7859	1		52		Bright Silver [WS2]
	8220 7626	1		52		Light Almond Pearl [ZRJ]
	8220 8462	1		52		Brilliant Black Crystal [AXR]
	8220 8138	1		52		Black Molded - Paintable
	8220 6236	1		53		Stone White [SW1]
	8220 6242	1		53		Dark Garnet Red [XRV]
	8220 7856	1		53		Inferno Red Wel
	8220 7858	1		53		Bright Sliver [WS2]
	8220 7625	1		53		Light Almond Pearl [ZRJ]
	8220 8461	1		53		Brilliant Black Crystal [AXR]
	8220 8137	1		53		Black Molded - Paintable
2						END CAP, Running Board
	5134 183AA	1		52		
_		1		53		
3	5404 4074 4					RUNNING BOARD, Left Side
	5134 187AA	1		53		Primed, Left
4	5134 189AA	1		52		Primed, Left
-4	5404 400AA			50		RUNNING BOARD, Right Side
	5134 186AA-	1		53		Primed
	5134 188AA-	1		52		Primed

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

Shield Kit - Air Front Figure 001-520


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	8220 5903	1							SHIELD KIT, Air - Front
	2	5014 754AA	1							SPACER, Air Deflector
-										
- -										
										_
[OODGE - CH	RYSLER MINIVA	N (RS) —							
H L F	SERIES H = Sport L = LX, SE P = LXI, ES	RYSLER MINIVAI LINE C = Chrysi D = Dodge Y = Chrysl K = Dodge	er (AWD) e (AWD) er (FWD)	B0) 52 = 53 =	DDY : 113 WB : 119 WB	ENGI EDZ, ED EGA = 3. EGH, EG	NE 0 = 2.4L 4 C 3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	Cyl. DC	1RANS GL = 4 sp GO = All A	SMISSION od. Auto. (41TE) Automatic Transm
E M >	S = Limited M = EL K = EX	K = Dodge	(FWD) [′]			EGM = 3	.3L 6 Cyl. FF	FV		


Alarm - Without Power Door Locks Figure 001-910

1	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyles
2	5012 164AA	1							MODULE, Security Alarm
3	8220 3198	1							SIREN, Alarm
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	4636 141	1							BATTERY, Transmitter
-6 -	4886 259AA-								INDICATOR, Valet Status
-7	4886 258AA-	1							SWITCH, Programing Bypass
OGE - C	HRYSLER MINIVA	N (RS)							
RIES	HRYSLER MINIVAI			ODY	ENG				SMISSION
RIES Sport	LINE C = Chrysl	ler (AWD)	52 =	= 113 WB	EDZ, ED	0 = 2.4L 4 Cy	rl. De	GL = 4 s	od. Auto. (41TE)
ERIES Sport LX, SE LXI, ES	$\begin{array}{c} \text{LINE} \\ \text{C = Chrysl} \\ \text{D = Dodge} \\ \text{S} & \text{Y = Chrysl} \end{array}$	ler (AWD) e (AWD) ler (FWD)	52 = 53 =		EDZ, ED EGA = 3 EGH, EG	0 = 2.4L 4 Cy .3L 6 Cyl. 30 = 3.8L 6 Cy	Dı yl.	GL = 4 s	
RIES Sport LX, SE	$\begin{array}{c} \text{LINE} \\ \text{C = Chrysl} \\ \text{D = Dodge} \\ \text{S} & \text{Y = Chrysl} \end{array}$	ler (AWD) e (AWD) ler (FWD)	52 = 53 =	= 113 WB	EDZ, ED EGA = 3 EGH, EG	0 = 2.4L 4 Cy .3L 6 Cyl.	Dı yl.	GL = 4 s	od. Auto. (41TE)

Group – 002 Front Suspension & Drive





GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
Suspension, Front	Fig. 002-110
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-210

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE


TRANS

TRIM


DESCRIPTION

	THE NOMBER OF THE SERVE BO	DI ERONE IRAN DESCRIPTION
	NOTE Out	
$ \overbrace{\hspace{1cm}} (11) \qquad \underbrace{\hspace{1cm}} (10) \qquad \overbrace{\hspace{1cm}} (10) \qquad \overbrace{\hspace{1cm}} (10) \qquad \overbrace{\hspace{1cm}} (10) \qquad \overbrace{\hspace{1cm}} (10) \qquad \underbrace{\hspace{1cm}} (10) \qquad \hspace$	NOTE:Sales codes	
() (1) (35)	[SDA]=NORMAL DUTY	
	[SDB]=HEAVY DUTY	
	[SDC]=SUSPENSION - TOURING	
	[SDH]= COMMERCIAL WAGON [SDM]= EXPORT TUNED	
5 9 9		Edduct Vahiala Calaa Cada Listina
	[ZAA] Through[ZZX]= Spring Group Types; Found on Ind	DAMPER, Strut
(8)	5066 333AA 1 K, Y 13,	
	1 K, Y 13,	
4	1 K, Y 13,	
-7	1 K, Y 13,	
	1 K, Y 13,	
	1 K, Y 13,	
	1 K, Y 13,	
(3) (6) (6) (7) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	1 K, Y 13,	
	1 K, Y 13,	
	1 K, Y 13,	
\downarrow	1 K, Y 13,	
	1 K, Y 13,	
	1 K, Y 13,	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	5066 337AA 1 K, Y 12,	
	1 K, Y 12,	
	1 K, Y 12,	
	1 K, Y 12,	
	1 K, Y 12,	
\sim	1 K, Y 12,	
12 29	1 K, Y 12,	
	5066 334AA 1 K, Y 13,	
	1 K, Y 13,	53 [ZPF]
	1 K, Y 13,	53 [ZPG]
	1 K, Y 13,	53 [ZPH]
	1 K, Y 13,	
21 (28)	1 K, Y 13,	
(29)	1 K, Y 13,	
	1 K, Y 13,	
	1 K, Y 13,	
(14)	1 K, Y 13,	
	1 K, Y 13,	
	1 K, Y 13,	53 [ZBK]
(15) (33)		
16 (28)		
34)	DODGE - CHRYSLER MINIVAN (RS) SERIES LINE BODY	ENGINE TRANSMISSION
	H = Sport $C = Chrysler (AWD)$ 52 = 113 WB ED	Z, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE)
(32)	L = LX, SE $D = Dodge (AWD)$ 53 = 119 WB EG P = LXI, ES Y = Chrysler (FWD)	GA = 3.3L 6 Cyl. DG0 = All Automatic Transm GH, EG0 = 3.8L 6 Cyl.
	S = Limited $K = Dodge (FWD)$ EG	M = 3.3L 6 Cyl. FFV
34	M = EL X = EX	
	AR = Use as required -= Non illustrated part #= New this m	nodel year September 19, 2005
	AR = Use as required -= Non infostrated part # - Now this in	louer year September 15, 2005
<i>II</i>		11

PART



Suspension, Front Figure 002-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
	4694 932AA	1	C, D		53				
	100 1 0027 0 1	<u>·</u> 1	K, Y		13, 53				
		1	K, Y		12, 52				
5		-	, .		,				SPRING, Front Coil
	5006 703AA	1	K, Y		12, 52				[ZNC]
		1	K, Y		13, 53				[ZNC]
	5006 704AA	1	K, Y		12, 52				ZND]
		1	K, Y		13, 53				ZND]
	5006 705AA	1	K, Y		12, 52				ZNE]
		1	K, Y		13, 53				[ZNE]
	5006 706AA	1	K, Y		12, 52				[ZNF]
		1	K, Y		13, 53				[ZNF]
	5006 707AA	1	K, Y		12, 52				[ZNG]
		1	K, Y		13, 53				[ZNG]
	5006 708AA	1	K, Y		12, 52				[ZNH]
		1	K, Y		13, 53				[ZNH]
	5006 709AA	1	K, Y		12, 52				[ZNJ]
		1	K, Y		13, 53				[ZNJ]
	5006 710AA	1	K, Y		12, 52				[ZNK]
		1	K, Y		13, 53				[ZNK]
	5006 711AA	1	K, Y		12, 52				[ZNL]
		1	K, Y		13, 53				[ZNL]
	5006 726AA	1	K, Y		12, 52				[ZAF]
		1	K, Y		13, 53				[ZAF]
	5006 727AA	1	K, Y		12, 52				[ZAG]
		1	K, Y		13, 53				[ZAG]
	5006 728AA	1	K, Y		12, 52				[ZAH]
		1	K, Y		13, 53				[ZAH]
	5006 729AA	1	K, Y		12, 52				[ZAJ]
	5000 70044	1	K, Y		13, 53				[ZAJ]
	5006 730AA	1	K, Y		12, 52				[ZAK]
	E006 724 A A	1	K, Y		13, 53				[ZAK]
	5006 731AA	1	K, Y		12, 52				[ZAL]
	5006 75444	1	K, Y		13, 53				[ZAL]
	5006 754AA	1 1	C, D K, Y		53 12, 52				[ZPD]
		1	K, 1 K, Y		12, 52 13, 53				[ZPD] [ZPD]
	5006 755AA	1	C, D		53				[ZPE]
	3000 733AA	1	С, D К, Y		12, 52				[ZPE]
		1	K, Y		13, 53				[ZPE]
		'	13, 1		10, 00				[—· —]

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES


S = Limited M = ELX = EX

D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm






	PART							
ITEM	NUMBER	QTY	LINE	SERIES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5006 756AA	1	C, D	53				[ZPF]
		1	K, Y	13, 53				[ZPF]
		1	K, Y	12, 52				[ZPF]
	5006 757AA	1	K, Y	13, 53				[ZPG]
		1	K, Y	12, 52				[ZPG]
		1	C, D	53				[ZPG]
	5006 758AA	1	K, Y	13, 53				[ZPH]
		1	K, Y	12, 52				[ZPH]
		1	C, D	53				[ZPH]
	5006 759AA	1	K, Y	12, 52				[ZPJ]
		1	K, Y	13, 53				[ZPJ]
		1	C, D	53				[ZPJ]
	5006 760AA	1	K, Y	13, 53				[ZPK]
		1	K, Y	12, 52				[ZPK]
		1	C, D	53				[ZPK]
	5006 775AA	1	K, Y	13, 53				[ZBE]
		1	K, Y	12, 52				[ZBE]
		1	C, D	53				[ZBE]
	5006 776AA	1	K, Y	13, 53				[ZBF]
		1	C, D	53				[ZBF]
		1	K, Y	12, 52				[ZBF]
	5006 777AA	1	K, Y	12, 52				[ZBG]
		1	K, Y	13, 53				[ZBG]
		1	C, D	53				[ZBG]
	5006 778AA	1	K, Y	12, 52				[ZBH]
		1	C, D	53				[ZBH]
		1	K, Y	13, 53				[ZBH]
	5006 779AA	1	K, Y	12, 52				[ZBJ]
		1	C, D	53				[ZBJ]
		1	K, Y	13, 53				[ZBJ]
	5006 780AA	1	K, Y	13, 53				[ZBK]
		1	C, D	53				[ZBK]
		1	K, Y	12, 52				
6								ISOLATOR, Spring Seat
	4694 934AA	1	C, D	53				Upper
		1	K, Y	12, 52				Upper
		1	K, Y	13, 53				Upper
7								SEAT, Spring
	4743 043AB	1	C, D	53				Upper
		1	K, Y	13, 53				Upper


ENGINE EDZ, ED0 = 2.4L 4 Cyl.

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



DESCRIPTION



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24									BUSHING, Pivot
	4684 120	1	K, Y						
		1	C, D		53				
25									BUSHING, Lower Control Arm
	4743 094AA	1	K, Y						P. S. X Series, without [SDB],
									Right
		1	C, D		53				Right
	4743 095AA	1	K, Y						P. S. X Series, without [SDB],
									Left
		1	C, D		53				Left
	4684 548	1	K, Y						E. H. L. M Series, Right & Left
26	6507 506AA	2							SCREW AND WASHER, Hex Head
27	6502 698	2							NUT, Hex Flange Lock, Control Arm
									Pivot Bolt
28	4743 454AB	2							LINK, Sway Eliminator
29	6505 291AA	4							NUT AND WASHER, Hex, M12x1.7
30	6502 954	2							SCREW AND WASHER, Hex Head
									M10x1.5x53
31	4684 298AC	2							CLAMP, Stabilizer Bar to Sill
32									CUSHION, Sway Eliminator
	4743 041AC	2	C, D		53				[SDA]
	4743 024AC	2	K, Y						[SDA] [SDB]
	4743 041AC	2							[SDH] [SDC] [SDM]
33									BAR, Front Sway
	4743 027AA	1	C, D		53				[SDA]
	4743 026AA	1	K, Y						[SDA] [SDB]
	4743 027AA	1							[SDH] [SDC] [SDM]
34	6502 696	2							NUT, Hex Flange Lock, M10x1.5
35									BOLT PACKAGE, Camber
									Adjustment
	5013 687AA	1	C, D		53				Right or Left
		1	K, Y		13, 53				Right or Left


DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


H = Sport C = Chrysler (AWD) D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX







ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220					2200
1									SHAFT, Axle Half
	4641 855AA	1	K, Y						Left Front
		1	C, D		53				Left Front
	4641 856AC	1	K, Y						Right Front
	4641 894AA	1	C, D		53				Right Front
2									CIRCLIP, Half Shaft
	4797 704	1	C, D		53				
		1	K, Y						
3									BOOT KIT, Half Shaft, Inner
	5017 781AA	1	C, D		53				Right
	4797 700	1	C, D		53				Left
		1	K, Y						Left
	5017 781AA	1	K, Y						Right
4									BOOT KIT, Half Shaft, Outer
	4641 181	1	C, D		53				
		1	K, Y						
5	4641 698	1	C, D		53				SHIELD, Wheel Bearing
6									WASHER, Flat, M23x38.0x405
	6503 352	2	K, Y						
		4	C, D		53				
7									NUT, Hub, M22x1.5
	6500 298	2	K, Y						
		4	C, D		53				
8									NUT AND WASHER PACKAGE
									Front Hub
	4293 167	4	C, D		53				
_		2	K, Y						
9									PIN, Cotter, M5x36.00
	6500 336	<u>4</u> 2	C, D K, Y		53				

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX

Group – 003 Rear Axle






GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No.
Rear Axle	
Differential, Rear-All Wheel Drive	Fig. 003-110
Rear Differential Mounting-All Wheel Drive	Fig. 003-120
Rear Axle Shafts	
Shaft, Rear Axle-All Wheel Drive	Fig. 003-410

Differential, Rear-All Wheel Drive Figure 003-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-			-		-			
1	5019 757AA	1	C, D		53				DIFFERENTIAL, Rear Axle
2	5019 763AA	1	C, D		53				SEAL, Rear Axle Flange
-3	5102 198AA-	2	C, D		53				RING, Retaining
4	5102 199AA	2	C, D		53				FLANGE, Axle Output
-5	5102 198AA-	2	C, D		53				RING, Retaining
6	5019 764AC	1	C, D		53				BDORC/VISCOUS UNIT KIT, Rear
									axle
7	5019 758AA	1	C, D		53				SEAL KIT, Rear Axle
8	5102 108AA	1	C, D		53				O RING
9	5019 759AA	1	C, D		53				FLANGE, Driveshaft Yoke
10	5019 760AA	1	C, D		53				HOUSING, Oil Fill
11	5019 761AA	1	C, D		53				BEARING
12	5019 762AC	1	C, D		53				BDORC UNIT, AWD Rear Axle
13	4809 684AB	1	C, D		53				VISCOUS COUPLING
14	5019 617AA	1	C, D		53				TORQUE ARM, Rear Axle
15	5019 622AA	1	C, D		53				NUT, Flange
16	5019 775AA	1	C, D		53				VENT, Rear Axle Overrunning Clutch
-17	5126 311AA-	1	C, D		53				SEAL, Input

X = EX

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Rear Differential Mounting-All Wheel Drive Figure 003-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WASHER, Shipping Purpose Only
									(NOT REQUIRED)
2 4	518 308	2	C, D		53				WASHER, Rear Axle Isolator
3 4	486 902	4	C, D		53				SLEEVE, Carrier Rubber
4 4	486 903	2	C, D		53				WASHER, Rear Axle Isolator
5 4	486 901	4	C, D		53				BUSHING, Isolator
6									BOLT, M10x1.5-120.0, (NOT
									SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport $L = L\dot{X}, SE$ P = LXI, ES

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

S = Limited

Shaft, Rear Axle-All Wheel Drive Figure 003-410



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							_
1									SHAFT, Axle Half
	4641 896AA	1	C, D		53				Right
	4641 897AB	1	C, D		53				Left
2	6502 350	12	C, D		53				BOLT, Hex Flange Head, M10x1.
									50x25
3	5016 941AA	1	C, D		53				BOOT KIT, Half Shaft, Inner or Outer
4	6503 352	4	C, D		53				WASHER, Flat, M23x38.0x405
5	6500 298	4	C, D		53				NUT, Hub, M22x1.5
6	4293 167	4	C, D		53				NUT AND WASHER PACKAGE,
									Front Hub
7	6500 336	4	C, D		53				PIN, Cotter, M5x36.00

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl.


EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Group – 004 Parking Brake


GROUP 4 - Parking Brake







Lever, Parking Brake Figure 004-110



1 4 2	NUMBER 683 277AF	QTY	LINE	SERIES	BODY	ENGINE	TRANS		DECODIDETION
	683 277AF	4					IKANS	TRIM	DESCRIPTION
	683 277AF								
2		1							LEVER, Park Brake
									HANDLE, Parking Brake
V	C29 BD5AA	. 1							[D5]
V	VC29 ZJ3AA	1							[J3]
V	VC29 ZP7AA	1							[P7]
3 6	100 584	2							BOLT AND CONED WASHER, Hex
									Head, M8x30x20
4 6	100 517	1							NUT, Hex Flange Lock, Parking
									Brake Lever Mounting
5 4	683 478AB	1							PAD, Parking Brake Lever
6									LEVER, Locking Pin, (NOT
									SERVICED) (Not Serviced)
7									PIN, Auto Adjust Lockout Pin, (NOT
									SERVICED) (Not Serviced)
8									CABLE, Parking Brake, See Group
									400, ILL. 120, (NOT REQUIRED)
9 4	685 395	1							SWITCH, Parking Brake
-10 0	154 553	1							SCREW, Hex Head, .19-16x1,
									Parking Brake Switch Attaching

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Cables, Parking Brake Figure 004-120

PART

		PART							
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
	Sales Co	odes							
		POWER FRON	T DISC/	REAR DR	RUM				
		-WHEEL DISC							
	1	4683 285AD							CABLE, Parking Brake, Front
	2								CABLE, Parking Brake
		4683 299AE	1	K, Y		12, 52			[BRB], Left Rear
		4721 027AL	1	,		13, 53			[BRE], Left Rear
		4721 029AL	1	K, Y		12, 52			[BRE], Left Rear
		5066 144AA	1	K, Y		13, 53			[BRB], Left Rear
(4)	3	4683 286AD	<u>·</u> 1	, .		. 0, 00			CABLE, Parking Brake, Intermediate
\sim	4	1000 2007 12	•						CABLE, Parking Brake
	•	4683 298AD	1	K, Y		12, 52			[BRB], Right Rear
		4683 300AC	1	K, Y		13, 53			[BRB], Right Rear
		4721 026AK	1	13, 1		13, 53			[BRE], Right Rear
(5)		4721 020AK	1	K, Y		12, 52			[BRE], Right Rear
	5	4683 496AB	2	13, 1		12, 02			BRACKET, Parking Brake Cable
	-6	6502 468	2						SCREW, Hex Flange Head, M8x1.
		0302 400							25x20, Parking Brake Cable
									Bracket Attaching
	7	4683 287	1						EQUALIZER, Parking Brake Cable
3	-8	6503 543	2						BOLT AND CONED WASHER, Hex
		0303 343							Head, M8x1.25x25, Parking Brake
									Cable to Adaptor
7									
	DODGE - CI SERIES H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX	HRYSLER MINIVA LINE C = Chrys D = Dodge Y = Chrysl K = Dodge	ler (AWD e (AWD) ler (FWD) 52 = 53 =	ODY = 113 WB = 119 WB	EGA = 3. EGH, EG	0 = 2.4L 4 Cy	DG d.	TRANSMISSION GL = 4 spd. Auto. (41TE) GO = All Automatic Transm


Group – 005 Service Brakes



005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
0000	The state of the s		

GROUP 5 - Service Brakes


Illustration Title	Group-Fig. No
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear Drum	Fig. 005-210
Brakes, Rear Disc	Fig. 005-220
Power Brake Booster	
Booster,Power Brake	Fig. 005-310
Brake Master Cylinder	
Master Cylinder	Fig. 005-410
Anti Lock , Brake Control	Fig. 005-420
Brake Lines and Hoses	
Lines and Hoses, Front Brakes	Fig. 005-510
Lines and Hoses, Rear Brakes	Fig. 005-520
Lines, Chassis-Short Wheel Base [SWB]	Fig. 005-530
Lines, Chassis-Long Wheel Base [LWB]	Fig. 005-540
Lines, Chassis- Long Wheel Base, All Wheel Drive [AWD]	Fig. 005-550
Brake Pedals	
Pedal, Brake-Standard	Fig. 005-610
Pedal, Brake-Power Adjustable	Fig. 005-620



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
NOTE:Sal	es codes									
[BGF]= AN										
	OWER FRONT	ב טופר/ו		1 11/4						
= =	VHEEL DISC	i Dioc/i	INLAIN DIN	Olvi						
	HEELS - 15 X	65 BL	۸СК							
	HEELS - 16X7			TDIM DIN	G					
	HEELS - 16 X			I IXIIVI IXIIN	G					
	HEELS - 10 A			OME.						
= =	6" ALUMINUN		OIVI, CITICO	JIVIL						
	X 6.5 ALUMII		LDOME						_	
[vviv3]=10 1	A 0.5 ALOWIII	INOIVI, C	IIKOWE						ROTOR, Brake	
	4721 820AF	2							[BRE]	
	5019 981AA	2							[BRB]	
2	3019 901AA								NUT, Spring, (NOT SERVICED) (Not	
2									Serviced)	
3									KNUCKLE, Front	
	4604 052AA	4								
	4694 952AA 4694 953AA	1 1							Right Left	
	4641 517AD	1							HUB AND BEARING, Brake	
	6502 311	5							STUD, Hub, Stud with Flat Side use	
3	0302 311	3							6503288	
6	6102 115AA	4							BOLT, Hex Head, M10x1.5x50,	
O	0102 11344	4							Bearing to Knuckle, One Side	
7	6507 152AA	4							BOLT, Hex Flange Head, Caliper to	
,	0307 132AA	4							Knuckle	
8									CALIPER, Disc Brake	
	5019 807AA	1							[BRB] [BRE] Up To 12-01-03, Right	
	5019 806AA	1							[BRB] [BRE] Up To 12-01-03, Kight	
	5019 807AA	_							[BRE] From 12-02-03, Right	
	5019 806AA	1 1							[BRE] From 12-02-03, Kight	
	5140 830AA	1							[BRB] From 12-02-03, Right	
	5140 830AA 5140 831AA	1							[BRB] From 12-02-03, Kight	
	5140 631AA 5139 900AA	1	K, Y						[BRB]+[BGF]+[WCP], Right	
	5139 900AA 5139 901AA	1	K, Y						[BRB]+[BGF]+[WCP], Left	
9	3139 901AA	'	rx, i						SCREW, Bleeder	
	3780 788	1	K, Y						[BRB, BGF]	
	4126 879	1	13, 1						[BRE] [BRB without BGF]	
	3780 788	1							[BRB with WCP]	
10	3700 700	'							ADAPTER, Disc Brake Caliper	
	5066 428AA	1	K, Y						[BRB,BGF], Right or Left	
	5000 420AA 5019 879AA	1	rx, i						[BRB] [BRE]	
	3019 6/9AA	ı							[DKD] [DKE]	
DODGE - CHRYSLER MINIVAN (RS)										
SERIES	LINE			ODY	ENGI				SMISSION	
H = Sport L = LX, SE	C = Chrysl D = Dodge			: 113 WB : 119 WB		0 = 2.4L 4 C; .3L 6 Cyl.			od. Auto. (41TE) Automatic Transm	
P = LXI, ES	Y = Chrysl	er (FWD)		. 10 110	EGH, EG	60 = 3.8L 6 C	Syl.	- All I	Tation Transm	
S = Limited M = EL	K = Dodge	(FWD)			EGM = 3	.3L 6 Cyl. FF	-V			
X = EX										

Brakes, Front Figure 005-110

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									PAD KIT, Front Disc Brake
	5019 804AA	1							[BRB,BRE] Up To 12-01-03
		1							[BRE] From 12-02-03
	5139 899AA	1							[BRB] From 12-02-03
	5019 984AA	1	K, Y						[BRB]+[BGF]+[WCP]
12	5019 878AA	1							CLIP, Brake Caliper, [BRB] [BRE]
13	5019 985AB	1	K, Y						CLIP PACKAGE, Only for 1 side
									[BRB, BGF]
14	5019 987AA	1	K, Y						PIN KIT, Disc Brake, [BRB,BGF]
									Contains: 2-Guide Pins, Bushings,
									Bolts
15	4886 074AA	1							BUSHING, Caliper, [BRB] [BRE]
16	4886 075AA	1							PIN, Caliper
17									PISTON PACKAGE, Disc Brake
	5019 736AA	1							[BRB] [BRE] Contains: 1-Piston, 1-
									Seal, 2-Boots
	5019 990AA	1	K, Y						[BRB,BGF] Contains: 1-Piston, 1-
									Seal, 2-Boots
18									BOOT AND SEAL, Disc Brake
	5019 991AA	1	K, Y						[BRB,BGF]
	5066 379AA	1							[BRB] [BRE]
19	5066 425AA	1							PISTON, Brake
-20	4238 717	1	K, Y						CAP, Bleeder

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

15
10 11 28 12 5 10 10 10 10 10 10 10 10 10 10 10 10 10
29 21 21 22 23 24 26 25

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	le Codes								
[WN2]=V	VHEELS - 16" /	ALUMIN	NUM						
[WCP]=V	VHEELS - 15 X	6.5 BL	_ACK						
[WDK]=V	VHEELS - 16 X	(6.5 ST	ΓEE						
[WYN]=V	VHEELS - 16 X	6.0 AL	LUMINUM						
[WN3]=V	VHEELS - 16 X	6.5 AL	UMINUM,	CHROME					
[WNQ]=V	VHEELS - 16"	ALUMII	NUM, CHR	OME					
1	4883 833AA	1	K, Y						SHOE AND LINING KIT, drum
2	5093 236AA	1	K, Y						CYLINDER, Wheel
3	4423 678	1	K, Y						BOLT, Wheel Cylinder
4									LEVER, Park Brake
	4856 302	1	K, Y						Right
	4856 303	1	K, Y						Left
5	4864 499	1	K, Y						SPRING, Brake Shoe Hold Down
6	5066 165AA	1	K, Y						PIN, Brake Shoe Hold Down
7	4797 664	1	K, Y						SPRING, Brake Shoe Anchor
8	4238 730	1	K, Y						SPRING, Brake Shoe Return
9									LEVER, Park Brake Adjusting
	4797 660	1	K, Y						Right
	4797 661	1	K, Y						Left
10	4797 668	1	K, Y						SOCKET, Self Adjuster
11									ADJUSTER, Brake Shoe
	4797 666	1	K, Y						Right
4.0	4797 667	1	K, Y						Left
12									CLIP, Service in Adjuster Assembly
									Item # 10, (NOT SERVICED) (No
40									Serviced)
-13									LEVER KIT, Rear Wheel Brake
	4864 218AA-	1	K, Y						Adjust Pivot
	5010 878AA-		K, T						Right Left
14	4797 663	1	K, I K, Y						SPRING, Brake Auto Adjuster Leve
15	4797 003	'	ΙΧ, Ι						BACKING PLATE, Rear Drum Bral
10	5093 233AA	1	K, Y						Left
	5093 233AA 5093 238AA	1	K, I K, Y						Right
16	4798 458	1	K, 1 K, Y						STRUT, Parking Brake
17	4797 662	1	K, Y						SPRING, Brake Shoe Return
18	3766 674	1	K, Y						BLEEDER SCREW, Brake
-19	0100 01 1	•	13, 1						CAP, Bleeder, (NOT SERVICED)
									(Not Serviced)
									(,
ODGE C	JDVQI ED MINIVA	N (DG)							
SERIES	HRYSLER MINIVA LINE			ODY	ENG				SMISSION
I = Sport	C = Chrys			= 113 WB		0 = 2.4L 4 C			pd. Auto. (41TE)
. = LX, SE P = LXI, ES	D = Dodge Y = Chrysl			= 119 WB		.3L 6 Cyl. 30 = 3.8L 6 C		GU = All	Automatic Transm
S = Limited	K = Dodge		•			3.3L 6 Cyl. FF			
Л = EL (= EX									

Brakes, Rear Drum Figure 005-210



TITEM		PART								
DRUM, Brake With [WCP] 4877 263AD 2 K, Y Without [WCP] Without [WCP] Washer, Flat, M23x38.0x405 NUT, Wheel Chrome, M12x1.5 Wut, Washer, M2x1.5 Wut, Washer, M2x1.5 Wut, Washer, M2x1.5 Wut, Washer, M2x1.5 Wut, Washer, Wa	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DRUM, Brake With [WCP] 4877 263AD 2 K, Y Without [WCP] Without [WCP] Washer, Flat, M23x38.0x405 NUT, Wheel Chrome, M12x1.5 Wut, Washer, M2x1.5 Wut, Washer, M2x1.5 Wut, Washer, M2x1.5 Wut, Washer, M2x1.5 Wut, Washer, Wa										
4877 263AD 2 K, Y With [WCP] 4877 433AF 2 K, Y Without [WCP] 22 6503 352 2 K, Y WASHER, Flat, M23x38.0x405 23 6500 298 2 K, Y NUT, Hub, M22x1.5 24 6502 738 20 NUT, Wheel Chrome, M12x1.5 25 4293 167 2 K, Y NUT AND WASHER PACKAGE, Front Hub 26 NUT, Wheel, M12x1.5 6504 672 20 [WCP] [WDK] 6500 092 20 [WN5] [WNS] 27 6500 336 2 K, Y PIN, Cotter, M5x36.00 28 HUB AND BEARING, Brake without ABS 4683 869AB 2 K, Y 12, 52 without ABS 4721 515AC 2 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea .312-18x1.00, Wheel Bearing to Axle -31 NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not	20	5018 557AA	1	K, Y						PLUG, Brake Adjusting Hole
4877 433AF 2 K, Y Without [WCP] 22 6503 352 2 K, Y WASHER, Flat, M23x38.0x405 23 6500 298 2 K, Y NUT, Hub, M22x1.5 24 6502 738 20 NUT, Wheel Chrome, M12x1.5 25 4293 167 2 K, Y NUT AND WASHER PACKAGE, Front Hub 26 NUT, Wheel, M12x1.5 6504 672 20 [WCP] [WDK] 6500 092 20 [WNS] [WNW] 27 6500 336 2 K, Y PIN, Cotter, M5x36.00 28 HUB AND BEARING, Brake 4683 869AB 2 K, Y 12, 52 without ABS 4721 515AC 2 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea .312-18x1.00, Wheel Bearing to Axle -31 NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not	21									DRUM, Brake
22 6503 352 2 K, Y WASHER, Flat, M23x38.0x405 23 6500 298 2 K, Y NUT, Hub, M22x1.5 24 6502 738 20 NUT, Wheel Chrome, M12x1.5 25 4293 167 2 K, Y NUT AND WASHER PACKAGE, Front Hub 26 NUT, Wheel, M12x1.5 [WCP] [WDK] 6500 672 20 [WCP] [WDK] 6500 092 20 [WN5] [WNW] 27 6500 336 2 K, Y PIN, Cotter, M5x36.00 28 HUB AND BEARING, Brake 4683 869AB 2 K, Y 12, 52 without ABS 4721 515AC 2 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea 312-18x1.00, Wheel Bearing to Axle Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not		4877 263AD	2	K, Y						With [WCP]
23 6500 298 2 K, Y 24 6502 738 20 NUT, Wheel Chrome, M12x1.5 NUT, Wheel Chrome, M12x1.5 NUT, Wheel Chrome, M12x1.5 NUT, Wheel, M12x1.5 NUT, Wheel, M12x1.5 NUT, Wheel, M12x1.5 [WCP] [WDK] [WNS] [WNW] 27 6500 336 2 K, Y PIN, Cotter, M5x36.00 HUB AND BEARING, Brake 4683 869AB 2 K, Y 4721 515AC 2 K, Y 4721 515AC 2 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea 312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not		4877 433AF	2	K, Y						Without [WCP]
24 6502 738 20 NUT, Wheel Chrome, M12x1.5 25 4293 167 2 K, Y NUT AND WASHER PACKAGE, Front Hub 26 NUT, Wheel, M12x1.5 NUT, Wheel, M12x1.5 6504 672 20 [WCP] [WDK] 6500 092 20 [WNS] [WNW] 27 6500 336 2 K, Y 28 HUB AND BEARING, Brake 4683 869AB 2 K, Y 12, 52 4721 515AC 2 K, Y with ABS 29 6503 835 5 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Head .312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with -31 NUT, Spring Push on Round with	22	6503 352	2	K, Y						WASHER, Flat, M23x38.0x405
25	23	6500 298	2	K, Y						NUT, Hub, M22x1.5
Front Hub	24	6502 738	20							NUT, Wheel Chrome, M12x1.5
26	25	4293 167	2	K, Y						NUT AND WASHER PACKAGE,
6504 672 20 [WCP] [WDK] 6500 092 20 [WN5] [WNW] 27 6500 336 2 K, Y PIN, Cotter, M5x36.00 28 HUB AND BEARING, Brake 4683 869AB 2 K, Y 12, 52 without ABS 4721 515AC 2 K, Y with ABS 29 6503 835 5 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea 312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not										Front Hub
6500 092 20 [WN5] [WNW] 27 6500 336 2 K, Y PIN, Cotter, M5x36.00 HUB AND BEARING, Brake without ABS with ABS 4721 515AC 2 K, Y 4721 515AC 2 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea .312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not	26									NUT, Wheel, M12x1.5
27 6500 336 2 K, Y PIN, Cotter, M5x36.00 28 HUB AND BEARING, Brake 4683 869AB 2 K, Y 12, 52 without ABS 4721 515AC 2 K, Y with ABS 29 6503 835 5 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea .312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not		6504 672	20							[WCP] [WDK]
28		6500 092	20							[WN5] [WNW]
4683 869AB 2 K, Y 12, 52 without ABS 4721 515AC 2 K, Y with ABS 29 6503 835 5 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea 312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not	27	6500 336	2	K, Y						PIN, Cotter, M5x36.00
4721 515AC 2 K, Y with ABS 29 6503 835 5 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea	28									HUB AND BEARING, Brake
29 6503 835 5 K, Y STUD, Hub 30 6504 450 8 SCREW AND WASHER, Hex Hea .312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not		4683 869AB	2	K, Y		12, 52				without ABS
30 6504 450 8 SCREW AND WASHER, Hex Heat .312-18x1.00, Wheel Bearing to Axle -31 NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not		4721 515AC	2	K, Y						with ABS
-31 .312-18x1.00, Wheel Bearing to Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not	29	6503 835	5	K, Y						STUD, Hub
-31 Axle NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not	30	6504 450	8							SCREW AND WASHER, Hex Head,
-31 NUT, Spring Push on Round with Teeth, (NOT SERVICED) (Not										.312-18x1.00, Wheel Bearing to
Teeth, (NOT SERVICED) (Not										Axle
	-31									NUT, Spring Push on Round with
Serviced)										Teeth, (NOT SERVICED) (Not
										Serviced)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) L = LX, SE P = LXI, ES S = Limited M = EL

X = EX


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


BODY 52 = 113 WB 53 = 119 WB



Brakes, Rear Disc Figure 005-220



Booster, Power Brake Figure 005-310



	PART		_		_			_	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales codes								
_	-WHEEL DISC	T DIOC	/DE	1 184					
_	POWER FRON			UM					
	.4L 4 CYL DOF .3L V6 SMPI	IC IOV	SIVIPI						
	3.8L V6 SMPI								
	3.3L V6 SMPI F	FV							
 1									BOOSTER, Power Brake
·	4721 721AA	1							[BRE]
	4721 613AA	1	K, Y						[BRB]
2	4796 354	1							SEAL, Brake Booster To Dash
3	5066 599AA	1							BOOT, Brake Booster Push Rod
4	6101 445	AR							NUT AND WASHER, Hex Nut-Con-
									Washer, M8 x 1.25, Brake Booste
									Mounting
5	4723 391	1							VALVE, Brake Booster Check
6	4883 813AA	1							GROMMET, Brake Booster Check
_	4704 05545								Valve
7	4721 355AF	1							HOSE, Brake Booster Vacuum,
8	4683 269AC	1							[EDZ] HOSE, Brake Booster Vacuum,
0	4003 209AC	1							[EGA] [EGH]

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


V FWO	_
	_
4	
)
2	M!
	<u></u>

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	iles codes								
	OWER FRON	T DISC	REAR DR	UM					
BRE]=4-	WHEEL DISC								
BNM]=T	RACTION CO	NTROL							
1									MASTER CYLINDER, Brake
	4683 264AD	1	K, Y						[BRB]
	4721 550AD	1							[BRE]
	4721 154AB	1	K, Y						[BRE,BNM]
2	6502 524	2							NUT, Hex Lock, M8x1.25, Master
									Cylinder To Booster
3	5072 386AA	1	K, Y						RESERVOIR, Brake Master Cylinde
4	4683 656	1	K, Y						CAP, Master Cylinder Reservoir
5	4797 655	1	K, Y						SWITCH, Brake Fluid Level
-6 -	4723 395	1	K, Y						SEAL, Master Cylinder To Booster
-7	4723 394	1	K, Y						PIN, Master Cylinder Reservoir
-8	4723 389	1	K, Y						GROMMET, Master Cylinder
									Reservoir
2005 2:		N (D2)							
DDGE - CH	IRYSLER MINIVA LINE	N (RS) —	В	ODY	ENG	INE		TRAN	SMISSION

Anti Lock, Brake Control Figure 005-420



Lines and Hoses, Front Brakes Figure 005-510



	PART] '	1	'	1				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4683 790AC	1							HOSE, Brake, Right Front
2	4683 791AC	1							HOSE, Brake, Left Front
3	6035 727	4							GASKET, Brake Hose
4	6503 543	2							BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25, Brake Hose to
									Cradle
5	6035 098	2							BOLT, Hex Head, .437-20x.937
6	4721 326AA	1							TUBE, Brake, Junction Block to Right
									Front Hose
7	4683 449	1							CLIP, Tube, Front Tube to Engine
									Cradle
8	4721 327AB	1							TUBE, Brake, ABS Junction Block to
									Front
9	-								TUBE, Brake
	4721 329AA	1							Master Cylinder Primary, without
									Traction Control
	4721 330AA	1	K, Y						Master Cylinder Primary, with
									Traction Control
10									TUBE, Brake
-	4721 328AA	1							Master Cylinder Secondary, without
	•								Traction Control
	4721 331AA	1	K, Y						Master Cylinder Secondary, with
			,						Traction Control
11									SENSOR, Anti-Lock Brakes
	4683 470AC	1							Right
	4683 471AC	1							Left
12	6100 557	2							BOLT AND CONED WASHER, Hex
	0100 00.	_							Head, M6x20x14, Sensor To Strut
13	6102 132AA	2							SCREW, Hex Head, M6x1x20,
	0102 102, 21								Sensor Bracket to Rail
14	6506 111AA	2							SCREW, Hex Head, Front Sensor
	0000 111721	_							Attaching
									Attaoring

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Lines and Hoses, Rear Brakes Figure 005-520



s codes WER FRONT /HEEL DISC 721 183AB 721 322AB			UM	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
WER FRONT /HEEL DISC 721 183AB 721 322AB			UM					
WER FRONT /HEEL DISC 721 183AB 721 322AB			UM					
/HEEL DISC 721 183AB 721 322AB			O.V.					
721 183AB 721 322AB								
721 322AB	1							HOSE, Brake
721 322AB	ı	$\nu \nu$		12 52				
	4	K, Y		13, 53				[BRB], Left
	1	K, Y		40.50				[BRB], Right
721 323AB	1	K, Y		12, 52				[BRB], Left
102 153AA	2	K, Y						SCREW, Tapping, M8x20
		K, Y						SENSOR, Anti-Lock Brakes, [BGI
								CLIP, Brake Tube Sensor
100 293	2							BOLT AND CONED WASHER, H
								Head, M8x14x17, Brake Tube,
								Sensor Clip
								HOSE, Brake
721 396AA	1	K		12, 13				[BRE], Right
721 397AA	1	K		13				[BRE], Left
721 396AA	1	K		52, 53				[BRE,SDH], Right
721 397AA	1	K		53				[BRE,SDH], Left
721 553AA	1	K		12				[BRE], Left
	1							[BRE,SDH], Left
721 324AB								[BRE], Right
								[BRE], Left
		13, 1		02				GASKET, Brake Hose
								BOLT, Hex Head, .437-20x.937
		K V						SENSOR, Anti-Lock Brakes, [BG
		r, i						
								CLIP, Brake Tube Sensor
100 293	2							BOLT AND CONED WASHER, H
								Head, M8x14x17
								CLIP, Sensor, Serviced in Sensor
	_							(NOT SERVICED) (Not Service
102 153AA	2	K, Y						SCREW, Tapping, M8x20
								HOSE, Brake
	1							[BRE], Right
683 793AC	1	C, D		53				[BRE], Left
035 098	2							BOLT, Hex Head, .437-20x.937
035 727	4							GASKET, Brake Hose
100 293	2	C, D		53				BOLT AND CONED WASHER, F
								Head, M8x14x17
602 6E4AE	2							CLIP, Brake Tube Sensor
683 654AE								SENSOR, Anti-Lock Brakes
	086 651AA 683 654AE 100 293 721 396AA 721 397AA 721 397AA 721 397AA 721 553AA 721 325AB 035 727 035 098 086 651AA 683 654AE 100 293 102 153AA 683 792AB 683 793AC 035 098 035 727	086 651AA 2 683 654AE 2 100 293 2 721 396AA 1 721 397AA 1 721 397AA 1 721 397AA 1 721 353AA 1 721 324AB 1 721 325AB 1 721 325AB 1 721 325AB 2 035 727 4 035 098 2 100 293 2 102 153AA 2 683 792AB 1 683 792AB 1 683 793AC 1 035 098 2 035 727 4	086 651AA 2 K, Y 683 654AE 2 100 293 2 721 396AA 1 K 721 397AA 1 K 721 397AA 1 K 721 397AA 1 K 721 553AA 1 K 721 325AB 1 K, Y 721 325AB 1 K, Y 721 325AB 2 K, Y 035 727 4 035 098 2 086 651AA 2 K, Y 683 654AE 2 100 293 2 102 153AA 2 K, Y 683 792AB 1 C, D 683 793AC 1 C, D	086 651AA 2 K, Y 683 654AE 2 100 293 2 721 396AA 1 K 721 397AA 1 K 721 397AA 1 K 721 397AA 1 K 721 397AA 1 K 721 325AB 1 K, Y 721 325AB 1 K, Y 721 325AB 1 K, Y 721 325AB 2 086 651AA 2 K, Y 683 654AE 2 100 293 2 102 153AA 2 K, Y 683 792AB 1 C, D 683 793AC 1 C, D 035 098 2 035 727 4	086 651AA 2 K, Y 683 654AE 2 100 293 2 721 396AA 1 K 12, 13 721 397AA 1 K 52, 53 721 397AA 1 K 53 721 397AA 1 K 52 721 397AA 1 K 52 721 397AA 1 K 52 721 324AB 1 K, Y 52, 53 721 325AB 1 K, Y 52 035 727 4 035 098 2 086 651AA 2 K, Y 683 654AE 2 100 293 2 102 153AA 2 K, Y 683 792AB 1 C, D 53 683 793AC 1 C, D 53 035 098 2 035 098 2 035 727 4	086 651AA 2 K, Y 683 654AE 2 100 293 2 721 396AA 1 K 12, 13 721 397AA 1 K 13 721 397AA 1 K 52, 53 721 397AA 1 K 52 721 324AB 1 K, Y 52, 53 721 325AB 1 K, Y 52, 53 721 325AB 1 K, Y 52 035 727 4 035 098 2 086 651AA 2 K, Y 683 792AB 1 C, D 53 683 792AB 1 C, D 53 035 098 2 035 098 2 035 098 2 035 098 2 035 098 2 035 098 2	086 651AA 2 K, Y 683 654AE 2 100 293 2 721 396AA 1 K 12, 13 721 397AA 1 K 52, 53 721 397AA 1 K 52, 53 721 397AA 1 K 52 721 397AA 1 K 52 721 324AB 1 K, Y 52, 53 721 324AB 1 K, Y 52, 53 721 325AB 1 K, Y 52 035 727 4 035 098 2 086 651AA 2 K, Y 683 654AE 2 100 293 2 102 153AA 2 K, Y 683 792AB 1 C, D 53 683 792AB 1 C, D 53 035 098 2 035 727 4	086 651AA

Lines and Hoses, Rear Brakes Figure 005-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4721 042AC	1	C, D		53				Right
	4721 043AD	1	C, D		53				Left
20	2208 893	2	C, D		53				LOCK, Brake Hose, [BRE]
21	4721 440AC	1	K, Y		12, 52				TUBE, Brake
22	4683 449	2							CLIP, Tube
23									JUNCTION BLOCK, Brake Tube
	4683 943AA	1	K, Y		12, 52				Without ABS
	4877 730AE	1	K, Y		12, 52				With ABS
24									SCREW AND WASHER, Hex Head,
									M10x1.50x35
	6503 858	1	K, Y						Brake Valve Mounting
		2	C, D		53				Brake Valve Mounting
25									BRACKET, Tube
	4683 919AA	1	K, Y		13, 53				
		1	C, D		53				Brake Tube Support

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl.

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lines, Chassis-Short Wheel Base [SWB] Figure 005-530



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
1	4721 200AB	1	K, Y		12, 52				TUBE, Junction Block to Valve, Right
2	4721 201AB	1	K, Y		12, 52				TUBE, Junction Block to Valve, Left
3	4683 541AB	2							CLIP, Tube
4	4683 511	5	K, Y		12, 52				CLIP, Bracket and Fuel Tube
5	4877 730AE	1	K, Y		12, 52				JUNCTION BLOCK, Brake Tube
6									SCREW AND WASHER, Hex Head,
									M10x1.50x35
	6503 858	1	K, Y						Bracket Valve to Crossmember
		1	K, Y						Bracket to Track Bar
7	6505 242AA	1	K, Y		12, 52				SCREW
8	4877 731AA	1	K, Y		12, 52				VALVE, Height Sensing Brake, With
									Rod and Bracket [BRB]


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Lines, Chassis-Long Wheel Base [LWB] Figure 005-540



	PART			1					
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4721 782AE	1	K, Y		13, 53				TUBE, Junction Block to Valve, Right
2	4721 783AD	1	K, Y		13, 53				TUBE, Junction Block to Valve, Left
3	4683 449	2							CLIP, Tube
4	4683 511	7			13, 53				CLIP, Bracket and Fuel Tube
5	4683 919AA	1	K, Y		13, 53				BRACKET, Tube
6	4683 541AB	1	K, Y		13, 53				CLIP, Tube
7	5200 8940	2	K, Y						CLIP, Brake Line
8	6503 858	2	K, Y						SCREW AND WASHER, Hex Head,
									M10x1.50x35

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport $L = L\dot{X}, SE$ P = LXI, ES


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

S = Limited M = EL X = EX

Lines, Chassis- Long Wheel Base, All Wheel Drive [AWD] Figure 005-550



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
1	4683 990AA	1	C, D		53				TUBE, Junction Block to Valve, Right
2	4683 991AA	1	C, D		53				TUBE, Junction Block to Valve, Left
3	4683 449	2							CLIP, Tube
4	4683 919AA	1	C, D		53				BRACKET, Tube
5	4683 511	7			13, 53				CLIP, Bracket and Fuel Tube
6	6503 858	2	C, D		53				SCREW AND WASHER, Hex Head,
									M10x1.50x35
7	5200 8940	3	C, D		53				CLIP, Brake Line
8	4683 541AB	1	C, D		53				CLIP, Tube

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES


S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Pedal, Brake-Standard Figure 005-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4721 735AB	1							PEDAL AND BRACKET, BRAKE,
									Assembly
2	2467 770	1							BUSHING, Pedal Shaft
3									SHAFT, Brake Pedal Pivot, (NOT
									SERVICED) (Not Serviced)
4	6503 543	3							BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25
5	6101 445	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
6	5096 037AA	1							PAD, Pedal
7	4683 882AD	1							BRACKET, Stop Lamp Switch
8	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
9	4294 036	1							CLIP, Brake Pedal Booster Push
									Rod

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Pedal, Brake-Power Adjustable Figure 005-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa									
	OWER ADJUS		: W/MEMC	DRY					
	WER ADJUS	TABLE							MODULE 11
1	5400 000 A A								MODULE, adjustable pedal
	5103 039AA	1							[XAP]
	5072 251AB	1							[XAM]
	5096 037AA	1							PAD, Brake Pedal
	4683 882AD 6500 274	1							BRACKET, Stop Lamp Switch
4	6500 274	2							LOCK NUT, M6x1.0x6, Stop Lamp Switch Bracket Mounting
5	E002 244AA	4							
5 -6	5083 344AA	1							SWITCH PACKAGE, Stop Lamp HARNESS
	E111 2E2 A A	4							
	5114 353AA- 5114 352AA-	<u>1</u> 1							Adjustable Pedal [XAP] Adjustable Pedal [XAM]
	5114 352AA- 5096 040AA-								SWITCH, Adjustable Pedals
	5096 040AA-								
-0	5096 045AA-	1							CABLE, Adjuster
SERIES H = Sport L = LX, SE	RYSLER MINIVAI LINE C = Chrysi D = Dodge	ler (AWD	52 = 53 =	ODY = 113 WB = 119 WB	EGA = 3	0 = 2.4L 4 C .3L 6 Cyl.	D	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm
P = LXI, ES S = Limited M = EL K = EX	Y = Chrysl K = Dodge)		EGM = 3	60 = 3.8L 6 C 3.3L 6 Cyl. FF	-V		

Group – 007 Cooling




007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
007-500 Drive Belts	007–600 Lines, Transmission Oil Cooler		

GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator and Related Parts 2.4L Engine	Fig. 007-105
Radiator and Related Parts 3.3L - 3.8L Engine	Fig. 007-175
Water Pump and Related Parts	
Water Pump and Related Parts 2.4L Engine	Fig. 007-207
Water Pump and Related Parts 3.3L - 3.8L Engine	Fig. 007-225
Tank, Coolant Engine	
Coolant Reserve Tank	Fig. 007-330
Pulleys and Related Parts	
Pulleys and related parts 2.4L Engine	Fig. 007-404
Pulleys and Related Parts	Fig. 007-425
Drive Belts	
Drive Belts 2.4L Engine	Fig. 007-520
Drive Belts	Fig. 007-530
Lines, Transmission Oil Cooler	
Trans. Oil Cooler and Lines	Fig. 007-630

Radiator and Related Parts 2.4L Engine Figure 007-105

PART



	ales Codes:						
_	3-Speed Autom						
_	Speed Automat		smission,	41TE			
-	2.4L 4 Cyl DOH						
1	4809 180AD	2			EDZ	DGL	ISOLATOR, Radiator
2	4677 494AA	1			EDZ	DGL	RADIATOR, Engine Cooling
3	4881 147AD	1			EDZ		HOSE AND CLAMP, Radiator Inlet
4	4881 148AD	1			EDZ		HOSE AND CLAMP, Radiator Outle
-5	4809 254AA-	1			EDZ		CLIP, Radiator Hose
6	4644 269	1			EDZ	DGL	DRAINCOCK, Radiator
7	4677 493AA	1			EDZ	DGL	CAP, Radiator
8	4573 560AB	1			EDZ		THERMOSTAT, Water Pump, 195 Degrees
9	4781 661AA	1			EDZ		GASKET, Thermostat
10	6101 452	1					SCREW AND WASHER, Hex Head M8x1.25x20
11	4781 489AA	1			EDZ		CONNECTOR, Water Outlet
12							FAN MODULE, Radiator Cooling
	4809 170AE	1			EDZ	DGL	Right
	4809 171AF	1			EDZ	DGL	Left
13							SEAL, Radiator Side Air
	4809 276AC	1			EDZ	DGL	Right
	4809 275AB	1			EDZ	DGL	Left
-14	4809 277AC-	1			EDZ	DGL	SEAL, Radiator, Top
15							RETAINER, Condenser Seal
	4676 881	4	D, K				·
		4	K				
							SUPPORT, Radiator
-16							
-16	4809 273AC-	1			EDZ	DGL	Right

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI

C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Radiator and Related Parts 3.3L - 3.8L Engine Figure 007-175

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		ales Codes:								
		4 Speed Autom	atic Tra	nsmission	i, 41TE					
		3.3L V6 SMPI								
		3.8L V6 SMPI								
		3.3L V6 SMPI								
	1	4809 225AE	1				EGA, EGH	DGL		RADIATOR, Engine Cooling
	2	4677 493AA	1				EGA, EGH	DGL		CAP, Radiator
$ \begin{array}{c} $	-3	4644 269	1				EGA, EGH	DGL		DRAINCOCK, Radiator
$\begin{pmatrix} 12 \\ 21 \end{pmatrix} \qquad \begin{pmatrix} 1 \\ 7 \end{pmatrix}$	4 5	5005 519AC	1							ISOLATOR, Crossmember, Lower FAN MODULE, Radiator Cooling
		4809 170AE	1				EGA, EGH	DGL		Right
		4809 171AF	1				EGA,	DGL		Left
	-6	5166 824AA-	2				EGH EGA,	DGL		CLIP, Shroud
	7	4809 180AD	2				EGH EGA,	DGL		ISOLATOR, Radiator
(20)	8	5072 263AA	2				EGH EGA,	DGL		ISOLATOR, Radiator, Lower
	9						EGH			SUPPORT, Radiator
		4809 274AC	1				EGA,	DGL		Right
(27) (5) (19)		4809 273AC	1				EGH EGA,	DGL		Left
	40						EGH			OFAL Bedieten Oide Ain
	-10	4000 07040						DOL		SEAL, Radiator Side Air
23		4809 276AC-	1				EGA, EGH	DGL		Right
25—————————————————————————————————————		4809 275AB-	1				EGA, EGH	DGL		Left
(25) (18)	-11	4809 277AC-	1				EGA,	DGL		SEAL, Radiator, Top
(17)		.000	·				EGH			
24	12									HOSE, Drain, (NOT SERVICED) (Not Serviced)
	13	4809 389AA	1				EGA, EGH	DGL		CLIP, Coolant Recovery Hose
26———	-14									SCREW, M6X1.0X21.7, (NOT SERVICED) (Not Serviced)
	DODGE - CH	HRYSLER MINIVA	N (RS) —							
	SERIES H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX	LINE C = Chrys D = Dodge	er (AWD) e (AWD) er (FWD)	52 = 53 =	ODY = 113 WB = 119 WB	EGA = 3 EGH, EG	0 = 2.4L 4 C	DO Cyl.	GL = 4 sp	MISSION d. Auto. (41TE) utomatic Transm

Radiator and Related Parts 3.3L - 3.8L Engine Figure 007-175



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15									NUT, M12 STUD, (NOT SERVICED)
									(Not Serviced)
-16	J400 4262	7				EGA,	DGL		PIN, Push, .15x.41
						EGH			
17	4881 100AF	1				EGA,			HOSE AND CLAMP, Radiator Outlet,
						EGH			With 2 Clamps
18	4809 395AB	1				EGA,			CLAMP, Radiator
						EGH			
19	4809 394AB	1				EGA,			CLAMP, Radiator
						EGH			
20	4881 101AD	1				EGA,			HOSE AND CLAMP, Radiator Inlet,
						EGH			With 2 Clamps
21	4809 395AB	1				EGA,			CLAMP, Radiator
						EGH			
22	4809 394AB	1				EGA,			CLAMP, Radiator
						EGH			
23	4781 387AA	1				EGA,			HOUSING, Thermostat
						EGH			
24	4781 674AA	1				EGA,			GASKET, Water Outlet
						EGH			
25	6101 611	2				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M8x1.25x25
26	4573 560AC	1				EGA,			THERMOSTAT, Water Pump, 195
						EGH			Degrees
27									SCREW AND WASHER, M6X1.
									00X22.00, (NOT SERVICED) (Not
									Serviced)

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Water Pump and Related Parts 2.4L Engine Figure 007-207

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales Codes:								
[EDZ] = 2	2.4L 4 CYL DO	HC 16\	/						
1	4694 307AC	1				EDZ			PUMP, Water
2	6503 255	4				EDZ			BOLT, Hex Head, M6x1.0x22
3	4621 564	1				EDZ			SEAL, Water Pump Body
4	6503 180	1				EDZ			O RING, Water Inlet Tube
5	4621 491	1				EDZ			TUBE, Water Inlet
6	6100 274	2				EDZ			BOLT AND CONED WASHER, Hex
									Head, M6x14x14



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Water Pump and Related Parts 3.3L - 3.8L Engine Figure 007-225



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
NOTE:S	ales Codes:								
[EGA] =	3.3L V6 SMPI								
[EGH] =	3.8L V6 SMPI								
[EGM] =	3.3L V6 SMPI								
1	6101 451	5				EGA,			SCREW AND WASHER, Hex Hea
						EGH			M6x1x25
2	4781 157AA	1				EGA,			PUMP, Water
						EGH			
-3	4612 172AB-	1				EGA,			PULLEY, Water Pump
						EGH			
-4	4694 134	1				EGA,			PLUG, Water Pump Reservoir
						EGH			
5	4781 172AA	1				EGA,			SEAL, Water Pump To Front Cove
						EGH			
6	4621 652AC	1				EGA,			NIPPLE, Pump
						EGH			
-7									TUBE, Water Inlet
	4781 537AA-	1				EGA,			With Engine Oil Cooler
						EGH			
	4781 608AA-	1				EGA,			
						EGH			
-8	6503 180	1				EGA,			O RING, Water Inlet Tube
						EGH			•

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Coolant Reserve Tank Figure 007-330

5 7 6
2 3 4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6101 956	1				EGA,			NUT, U, M6x1
						EGH			
2									SCREW AND WASHER, M6X1.
									00X22.00, (NOT SERVICED) (Not
									Serviced)
3									SCREW AND WASHER, M6X1.
									00X25.00, (NOT SERVICED) (Not
									Serviced)
 4	4677 459AC	1							BOTTLE, Coolant Reserve
5	4682 828	1							CAP, Coolant Reserve Tank
6	4266 423	1							HOSE, Overflow, Roll Stock
7	6033 369	1				EGA,			CLAMP, Hose
						EGH			
8									CLIP
	4809 389AA	1				EDZ	DGL		
		1				EGA,	DGL		
						EGH			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE

P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Pulleys and related parts 2.4L Engine Figure 007-404

$\binom{4}{4}$

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales Codes:								
[EDZ] =	2.4L 4 CYL DC	HC 16\	/						
1	4694 268AB	1				EDZ			DAMPER, Engine Vibration
2	6503 553	1				EDZ			BOLT, Hex Flange Head, M12x1.
									75x87.50
3	4861 514AB	1				EDZ			TENSIONER, Belt
4	6101 998	1				EDZ			SCREW AND WASHER, Hex
-5	4857 511AA-	1				EDZ			SHIELD, Accessory Drive
-6	2811 825	1				EDZ			PLUG, Splash Shield
7	4861 550AA	1				EDZ			BRACKET, Alternator
8	6101 668	2				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x90
9	6101 514	1				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x35
10	6101 980	1				EDZ			SCREW AND WASHER, Hex Head
									M8x1.25x45
11	4612 383	1				EDZ			PULLEY, Power Steering Pump

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Pulleys and Related Parts Figure 007-425



175.4	PART	0.5%		055:50	DOD'	ENGINE	TDANO		DECORPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
	3.3L V6 SMPI								
	3.8L V6 SMPI								
[EGM]=3	3.3L V6 SMPI								
1	4861 277AB	1				EGA,			TENSIONER, Belt
						EGH			
2	6102 121AA	1				EGA,			BOLT, Hex Head, M8x1.25x70,
						EGH			Tensioner to Chain cAse Cover
3	6101 448	2				EGA,			NUT AND WASHER, Hex Nut-Cone
						EGH			Washer, M10 x 1.5
4	4792 581AB	1				EGA,			PULLEY, Idler
						EGH			
-5	3300 2201	1				EGA,			BUSHING, Idler Pulley
						EGH			
6	4448 886	1				EGA,			DAMPER, Crankshaft
						EGH			
7	6502 058	3				EGA,			SCREW AND WASHER, Hex Head
						EGH			Special Point, M8x1.25x17
8	4612 172AB	1				EGA,			PULLEY, Water Pump
						EGH			
-9	4857 221AA-	1				EGA,			SHIELD, Accessory Drive
						EGH			

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX

Drive Belts 2.4L Engine Figure 007-520

ITEM									
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE:Sa	ales Codes:								
EDZ] = 2	2.4L 4 CYL DO	HC 16\	/						
1	4892 444AA	1				EDZ			BELT, Power Steering
2	4861 733AC	1				EDZ			BELT, Alternator Drive



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE

P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Drive Belts Figure

elts 7-530									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE·Sal	es Codes:								
	.3L V6 SMPI								
	.8L V6 SMPI								
	BL 6 Cyl SMP 4861 322AC	1 1				EGA,			BELT, A/C Compressor
						EGH			,



3.8L 3.3L ENGINE

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


BODY 52 = 113 WB 53 = 119 WB

4 SPEED TRANS	
1 (2)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	es Codes:	ti - Tu-							
	Speed Autom			1411E					
	3.3L 6 Cyl SMI								
	3.5L High Outp								
	3.8L 6 Cyl SMI								
_	3.3L 6 Cyl SM	PI							222177 211
1	4809 271AD	1				EDZ	DGL		COOLER, Oil
	+003 Z1 IAD	1				EGA,	DGL		
						EGH			
2									HOSE, Transmission Oil Cooler
	4809 179AE	1				EDZ	DGL		
		1				EGA, EGH	DGL		
-3						EGH			CONNECTOR KIT, Transmission O
Ū									Cooler Line
	5016 918AA-	1				EDZ	DGL		
		1				EGA,	DGL		
						EGH			
ODCE CL	DVCI ED MINIVA	N (DC)							
SERIES	RYSLER MINIVA LINE			ODY	ENG				SMISSION
= Sport = LX, SE = LXI, ES = Limited = EL	C = Chrys D = Dodge Y = Chrys K = Dodge	e (AWD) ler (FWD)	53 =	= 113 WB = 119 WB	EGA = 3 EGH, EC	0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	Öyl.	DGL = 4 s DG0 = All	pd. Auto. (41TE) Automatic Transm

Group – 008

Electrical



008-100	008–200	008-400	008-500
Starters	Alternators	Modules	Relays
	C S C S C S C S C S C S C S C S C S C S		
008-600	008–700	008-800	008-900
Sensors	Single Board Engine Controllers	Switches	Horns
			(Market 1)

Group – 008


Electrical


008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and	008-1200 Wiring-Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
	Courtesy	A CONTRACTOR OF THE PARTY OF TH	
008–1400 Wiring–Instrument Panel	008-1500 Wiring-Body & Accessories	008–1600 Wiring Repair	008–1700 Air Bag System
WIRING INSTR. PANEL		WIRING REPAIR PKG.	R O
008–1900 Spark Plugs–Cables–Coils			


GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.
Starters Starter	Eig. 009 105
	Fig. 008-105
Alternators Alternator [2.4L EDZ Engine]	Fig. 008-205 Fig. 008-215
Modules ModulesElectronic	Fig. 008-405
Relays Power Distribution Center,Relays & Fuses	Fig. 008-505
Sensors	
Sensors, Engine 2.4 (EDZ)	Fig. 008-605
Sensors, Engine 3.3, 3.8 (EGA,EGH, EGM)	Fig. 008-615
Sensors, Oxygen	Fig. 008-620
Sensors, Transmission	Fig. 008-625
	Fig. 008-630
Single Board Engine Controllers (Powertrain Control Module	Fig. 008-705
Switches	
Switches, Instrument Panel and Console	Fig. 008-805
Switches, Powertrain	Fig. 008-810 Fig. 008-815
Horns	
Horn	Fig. 008-905
Battery Tray and Cables Battery Tray and Shield	Fig. 008-1005
	Fig. 006-1005
Lamps - Front, Rear and Courtesy	F:~ 000 110F
LampsFront	Fig. 008-1105 Fig. 008-1110
LampsCargo-Dome-Courtesy-Reading	Fig. 008-1115
Bulbs	Fig. 008-1120
Wiring-Engine & Related Parts	-
WiringEngine & Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash	9
Wiring, Headlamp to Dash	Fig. 008-1305

GROUP 8 - Electrical Illustration Title Group-Fig. No. **Wiring-Instrument Panel** Wiring, Instrument Panel Fig. 008-1405 Wiring-Body & Accessories Wiring, Body, Doors & Misc. Wiring Fig. 008-1505 Wiring Repair Wiring Harness Repair Pkg. Fig. 008-1605 Air Bag System Air Bag Modules and Sensors Fig. 008-1705 Air Bags and Clock Springs Fig. 008-1710 **Spark Plugs-Cables-Coils** Spark Plugs--cables--coils Fig. 008-1905

Starter Figure 008-105








	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1L 4 CYL DOH		SMPI						
	.5L V6 High Ou	ıtput							
	3L V6 MPI 3L V6 FFV								
	BL V6 FFV BL V6 MPI								
	SPD. AUTOMA	TIC.41	TE						
	SPEED AUTO								
1									STARTER
	4686 111AC	1				EDZ	DGL		
	4686 045AD	1				EGA,	DGL		
						EGH			
2	4861 591AA	1				EGA,	DGL		SHIELD, Starter
						EGH			
3	6502 980	1				EDZ	DGL		SCREW, Hex Head, M10x1.5x50,
4	6502 054	4				EC^			Starter mounting
4	6502 954	1				EGA, EGH			SCREW AND WASHER, Hex Head, M10x1.5x53, Starter mounting
5						ЕВП			SLEEVE, Starter Shield, (NOT
Ü									REQUIRED)
-6									STUD, Double Ended, M10 x 1.50 x
									M8 x 1.25 x 78.60
	6506 956AA-	1				EDZ			Starter mounting
		1				EGA,			Starter mounting
						EGH			
-7	6101 820	1				EDZ			NUT, Hex Flange Lock, Ground to
•	0.500 00044								starter motor
-8	6506 929AA-	1							NUT, Hex Flange Lock, M8x1.25,
									Starter Cable mounting
	HRYSLER MINIVA	N (RS) —		ODV	- FNO:	NE		TDAN	CMICCION
SERIES H = Sport	LINE C = Chrys	ler (AWD		ODY = 113 WB	ENGI EDZ, ED	NE 0 = 2.4L 4 C	yl. D		SMISSION pd. Auto. (41TE)
L = LX, SE	D = Dodge	(AWD)	53 =	= 119 WB	EGA = 3	.3L 6 Cyl.	D		Automatic Transm
P = LXI, ES S = Limited	Y = Chryston K = Dodge)			30 = 3.8L 6 C 3.3L 6 Cyl. FF			
M = EL X = EX	_					•			
· - L/\									

Alternator [2.4L EDZ Engine] Figure 008-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EDZ=2.4	4L 4 CYL DOH	C 16V S	SMPI]						
1	4727 324AC	1				EDZ			ALTERNATOR
2	4861 550AA	1				EDZ			BRACKET, Alternator
3	6101 983	3				EDZ			SCREW
4	6101 668	2				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x90
5	6101 514	1				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x35
6	4861 733AA	1				EDZ			BELT, Alternator Drive
7	4781 569AB	1				EDZ			PULLEY, Idler

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE

P = LXI, ES S = Limited M = EL

X = EX

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

Alternator [3.3L, 3.8L EGA, EGH, EGM Engines] Figure 008-215

5		
		3
	7	4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
[EGA= 3.	3L V6 MPI]								
	BL V6 MPI]								
EGM= 3.	3L V6 FFV]								
1	-								ALTERNATOR
	4868 430AD	1				EGA,			[BAB]
						EGH			
	4868 431AE	1				EGA,			[BAE]
						EGH			
2	4792 581AA	1				EGA,			PULLEY, Idler
						EGH			
3	6102 172AA	3				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M10x1.5x50, Alternator attaching
4	5019 333AE	1				EGA,			COVER PACKAGE, Engine Timing
						EGH			
5	4861 277AB	1				EGA,			TENSIONER, Belt
						EGH			
-6	6102 121AA-	1				EGA,			BOLT, Hex Head, M8x1.25x70,
						EGH			Tensioner mounting
7	4861 322AC	1				EGA,			BELT, A/C Compressor
						EGH			
8	4861 506AD	1				EGA,			PULLEY, Alternator
						EGH			
9	53013 559AA	1				EGA,			CAP, Alternator Pulley
						EGH			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Modules--Electronic Figure 008-405

18	13
	10
2 1 3 5 6	9

175.4	PART	077		erpire	BODY	ENGINE	TDANG		DECORPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:	Donald Automoti	- Tuese	uninninu 1	4TC					
	Speed Automati	c rrans	smission, 4	IIE					
	BL 6 Cyl SMPI	\ /C							
	L High Output,	V6							
	BL 6 Cyl SMPI								
	3L 6 Cyl SMPI								MODULE EATY I
1									MODULE, EATX, Incorpirated into PCM, (NOT REQUIRED)
2									BRACKET, EATX, serviced in left
									frame rail, (NOT SERVICED) (Not
2									Serviced)
3									SCREW, Hex Head, M4.8x1.59x68.
	6505 977AA	3							00, (NOT REQUIRED)
-4 5	6505 877AA-	3							CLIP, Mounting MODULE, Anti-lock Brakes
5	E002 006 A A	4							MODULE, Allii-lock Blakes
	5093 986AA	1	V V						[DAIM]
	5093 988AA 4748 479AC	<u>1</u> 1	K, Y						[BNM]
6					E0 E0				MODULE, Front Control
7	4686 683AB	1			52, 53				MODULE, Seat Memory
8	5016 884AA	1			52, 53				MODULE, Heated Seat
9	4686 686AK	1							MODULE, Sliding Door, Power
40	4000 0004 1	4							Sliding Door
10	4686 602AJ	1							MODULE, Air Bag Control, [CG1]
-11	6505 838AA-	8							SCREW, Hex Head, M6 x 1.00 x 17
10	4060 45744	2							50
-12	4868 457AA-	2							PLUG, Dummy, Without Side Air
10	4696 697AN	4							Bags
13	4686 687AN	1							MODULE, Liftgate
14 -15	4727 360AB	<u>1</u> 3							MODULE, Occupant Restraint, [CJ
-13 16	6506 150AA-	3							SCREW, Hex Head, M6x1x20
10	4707 476AF	4							MODULE, Body Controller
	4727 476AE 4727 477AD	1							[JRC]
	4727 477AD 4727 478AF	1							
17		1							[JPB]
-17	4868 077AD-	1							BRACKET, Instrument Panel, Body
10									Control Module mounting
18	4707 000 A.D.								MODULE, Immobilizer
	4727 363AD	1							[LAB]
	4727 295AD	1							[GXW,-LAB]
40	4727 356AC	1							[GXX]
19									MODULE, Message Center

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Modules--Electronic Figu

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		!						I	
	XC83 XDVAA	1							[D5]
	XC83 ZJ8AA	1							[J3]
	XC83 ZP7AA	1							[P7]
-20	4885 482AA-	1							MODULE, Power, Blower Motor
-21	5059 112AC-	1							MODULE, Radio Control, Satell
									Radio
									_



DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)

P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Power Distribution Center, Relays & Fuses Figure 008-505

PART



Power Distribution Center, Relays & Fuses Figure 008-505





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EDZ=2.4	4L 4 CYL								
DGC=3	SPEED AUTOM	1ATIC 1	ΓRANS						
1	5269 870AB	1				EDZ			SENSOR, Coolant Temperature
2	5293 199AA	1				EDZ			CAM MAGNET, Target
3	5093 508AA	1				EDZ			SENSOR PACKAGE, Camshaft
-4	6506 428AA-	2				EDZ			SCREW, M6x1x20, Cam Sensor attaching
5	4884 111AA	1				EDZ			SEAL, Camshaft Sensor
6	56028 563AA	1				EDZ			SENSOR, Knock
7	5269 873	1				EDZ			SENSOR, Crankshaft Position
-8	6507 220AA-	1				EDZ			SCREW, M6x1x14, Crankshaft
									Position Sensor attaching
9	4608 303AB	1				EDZ			SWITCH, Oil Pressure
10	4896 003AA	1				EDZ			SENSOR, Map
-11	6035 957AA-	2				EDZ			SCREW, Map Sensor attaching
12	4686 360AC	1				EDZ			SENSOR, Throttle Position
13	4606 487AB	1				EDZ			SENSOR, Charge Air Temp

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

BODY 52 = 113 WB 53 = 119 WB

Sensors, Engine 3.3, 3.8 (EGA,EGH, EGM) Figure 008-615



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	.3L 6 CYL.								
[EGH]=3	.8L 6 CYL.								
1	5269 870AB	1				EGA,			SENSOR, Coolant Temperature
						EGH			
2									SENSOR, Map
	56041 018AC	1				EGA			
		1				EGH			
-3	6505 841AA-	1				EGA,			SCREW, Map Sensor attaching
						EGH			
-4	6506 653AA-	AR				EGA			SCREW, Strip-Out Repair, Map
									Sensor attaching Repair
5	4606 487AB	1				EGA,			SENSOR, Charge Air Temp
						EGH			
6									HOSE, Air Cleaner to T/Body, [See
									Group 14], (NOT SERVICED) (N
									Serviced)
7									THROTTLE BODY, [See Group 14
									(NOT SERVICED) (Not Serviced
8	4686 360AC	1				EGH			SENSOR, Throttle Position
9	4608 303AB	1				EGA,			SWITCH, Oil Pressure
						EGH			
10	4686 353	1				EGA,			SENSOR, D.I.S. Camshaft
						EGH			Reference
-11	6102 001	1				EGA,			BOLT AND WASHER, M6x12,
						EGH			Camshaft Sensor attaching
12	56028 563AA	1				EGH			SENSOR, Knock
13	4727 451AA	1				EGA,			SENSOR, Crankshaft Position
						EGH			

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)


S = Limited K = Dodge (FWD)

M = FI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					<u> </u>			•	1
1									SENSOR, Oxygen
	56029 049AA					EDZ			Before Catalyst
	56029 052AA	, 1				EGA, EGH			
2	56029 050AA	. 1				EGII			SENSOR, Oxygen, After catalys



DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI

P = LXI, ES S = Limited M = EL X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Sensors, Transmission Figure 008-625

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220				1	2200
EGA.=3.	3L 6 CYL								
	BL 6 CYL.								
	SPEED AUTOM	1ATIC T	RANS						
1									SENSOR, Transmission Input Spe
	4800 878	1	K, Y			EGA	DGL		, , , , , , , , , , , , , , , , , , , ,
		1	K, Y			EGH	DGL		
		1	C, D		53	EGH	DGL		
		1				EDZ	DGL		
2									O RING, Trans Speed Sensor
	6501 657AB	1	K, Y			EGA	DGL		·
		1	K, Y			EGH	DGL		
		1	C, D		53	EGH	DGL		
		1				EDZ	DGL		
3									SENSOR, Transmission Range
	4659 676AC	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D		53	EGH	DGL		
		1				EDZ	DGL		
4									SEAL, Manual Valve Position Ser
	4659 678	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D		53	EGH	DGL		
		1				EDZ	DGL		
5									SENSOR, Transmission Output
									Speed
	4800 879	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D		53	EGH	DGL		
		1				EDZ	DGL		
6									O RING, Trans Speed Sensor
	6501 658AB	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D		53	EGH	DGL		
		1				EDZ	DGL		

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		· ·			_		1	<u> </u>	1
1									SENSOR, Anti-Lock Brakes
	4683 470AD	1							Right Front
	4683 471AD	1							Left Front
2									SENSOR, Anti-Lock Brakes
	4721 042AD	1	C, D		53				AWD, Right Rear
	4721 043AE	1	C, D		53				AWD, Left Rear
	5086 651AA	2	K, Y						FWD
3	4685 819AC	1							SENSOR AND BRACKET, Ambient
									Temperature
4	5604 2395	1							SENSOR, Ambient Temperature
5	5019 246AA	1							SENSOR, Washer Fluid Level
6									SENSOR, Pinch
	4894 032AD	1							Right
	4894 033AD	1							Left
7	0153 922	8							SCREW AND WASHER, Round
									Head, .164-15x.625
8	5127 335AA	4							SENSOR PACKAGE, Tire pressure,
									Valve Stem
9									NUT, Tire Pressure Sensor, Serviced
									in item 8 package, (NOT
									SERVICED) (Not Serviced)
10									SENSOR, Battery Temperature
	5604 1053	1				EDZ			
		1				EGA,			
						EGH			
11	4686 957AB	2							SENSOR, Side Airbag Impact, Front
12									SENSOR, Side Airbag Impact
	4727 069AC	1							[CGS], Right
	4671 779AB	2							[CJ5]
13	4727 261AC	1							SENSOR, Side Airbag Impact, Left
-14	5061 096AA-	1							PROBE, Air Conditioning, Thermistor
									Sensor

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Single Board Engine Controllers (Powertrain Control Module Figure 008-705


2	3

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1 I EIVI	NUMBER	Q I T	LINE	SERIES	ВОРТ	ENGINE	IKANS	IKIM	DESCRIPTION
Note:									
	SPEED AUTON								
	SPD. AUTOMA								
EDZ= 2.4	1L 4 CYL DOH	C 16V S	SMPI						
EGA=3.3	L V6 MPi								
EGF= 3.5	5L V6 High Ou	tput							
EGH=3.8	L V6 MPI								
EGM= 3.	3L V6 FFV								
NAA=Fed	deral Emissions	S							
NAE=Cal	lifornia Emissio	ns							
NAM=Me	exico Emissions	3							
NAS=U.S	S 50 Sta								
1									MODULE, Powertrain Control
	4727 366AD	1	K, Y			EGH	DGL		[NAS,NA1]
	4748 360AD	1				EDZ	DGL		[NAS]
	4748 363AD	1				EGA	DGL		[NAS,NA1]
	4748 365AD	1	C, D		53	EGH	DGL		[NAS]
2									SCREW, (NOT SERVICED) (Not
									Serviced)
-3	4727 084AA-	1				EDZ,			BRACKET, Powertrain Control
						EGA,			Module
						EGH			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Switches, Instrument Panel and Console Figure 008-805



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
EDZ = 2.	4L 4 CYL DOH	C 16V	SMPI						
EGF = 3	.5L V6 High Ou	tput							
EGA =3.	3L V6 MPI								
EGM = 3	3.3L V6 FFV								
EGH = 3	.8L V6 MPI								
1	4685 317	1							SWITCH, Mirror
2	4685 711AA	1							SWITCH, Multifunction
3	4685 713AB	1							HOUSING, Steering Column
-4	6036 342AA-	1							SCREW, Tapping Oval Head, .15
									18 x .66, Housing attaching
5	4685 712AC	1							CLOCKSPRING
6	4685 719AB	1					DGL		SWITCH, Ignition
-7	6035 021	1					DGL		SCREW, Pan Head Tapping, .125
									40x.437
8									LAMP, Ignition, (NOT REQUIRED
9	4685 774AA	1					DGL		TRIM RING, Ignition Key Cylinder
10									SWITCH, Rear Wiper/Washer and
									Hazard
	4685 925AA	1	C, Y	P, S, X	53				
		1	D, K	P, S, X	53				
11									SWITCH, Rear Wiper/Washer,
									Hazard and Heated Seat
	4685 842AA	1	C, Y	P, S, X	53				
		1	D, K	H, P, S,	53				
				Χ					
12	4565 022	1							SWITCH AND LAMP, Glove Box
13	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
14	4683 882AD	1							BRACKET, Stop Lamp Switch
-15	6500 274	2							LOCK NUT, M6x1.0x6
16									SWITCH AND BEZEL, Lighting
									Control
	UQ69 1DVAA	1			13, 53				[GNK][D5]
	UQ69 1J8AA	1			13, 53				[GNK][J3]
	UQ69 1P7AA	1			13, 53				[GNK][P7]
	UR43 1DVAB								[GTS,GUA,GTN][D5]
	UR43 1J8AB	1							[GTS,GUA,GTN][J3]
	TG09 1DVAB	1							[GUM][D5]
	TG09 1J8AB	1							[GUM][J3]
	RU45 1DVAB	1							[GTS,GUA,GTN,LNJ][D5]
	RU45 1J8AB	1							[GTS,GUA,GTN,LNJ][J3]

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX



BODY 52 = 113 WB 53 = 119 WB

Switches, Instrument Panel and Console Figure 008-805



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
17	4685 395	1							SWITCH, Parking Brake, [P7]
18									SWITCH, Speed Control
	5026 007AA	1	C, Y		53				Left
	5026 006AA	1	D, K						Left
19									SWITCH, Speed Control
	5026 006AA	1	C, Y		53				Right
		1	D, K						Right
20	4685 762AB	1			13, 53				SWITCH, Traction Control
21									SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left
-22									SWITCH, Adjustable Pedals
	5082 014AB-	1							[XAM,XAP]
	5096 040AA-	1							[XAP]
		1							[XAM]
-23									SWITCH, Hazard Warning
	5134 629AA-	1			13, 53				
		1	K, Y	H, L					
		1	D, K, Y	Н	52, 53				

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

S = Limited M = ELX = EX

AR = Use as required -= Non illustrated part # = New this model year

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	1						1	· · · · · · · · · · · · · · · · · · ·
1									SWITCH, Neutral, Safety, Back U
2									(NOT REQUIRED) SWITCH, Oil Pressure
	4608 303AB	1				EDZ			
		11				EGA, EGH			
DDGE - CH SERIES	RYSLER MINIVAI	N (RS) —		ODY	ENGI	 NE		TRAN	SMISSION
= Sport = LX, SE	C = Chrysi D = Dodge	ler (AWD) e (AWD)) 52 =	= 113 WB = 119 WB	EDZ, ED	0 = 2.4L 4 C .3L 6 Cyl.	yl. D	GL = 4 s	pd. Auto. (41TE) Automatic Transm
= LXI, ES = Limited	Y = Chrysl K = Dodge	ler (FWD))	-	EGH, EG	60 = 3.8L 6 C 3.3L 6 Cyl. FF	yl.		
= EL = EX	= Doage	(1.110)			O	0 Oyı. 11	-		





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4685 727AB	1							SWITCH, Door Lock
2									SWITCH, Power Window
	4685 753AA	1		H, M, X	52, 53				[JPD] Passenger Door
		1		Р	53				[JPD] Passenger Door
		1	C, Y	S	53				[JPD] Passenger Door
	4685 844AA	1							[CTL,JPA,JPB] Drivers Door
	4685 845AA	1							[CTL,JPA,JPB] Passengers Doc
	4685 732AC	1		Р	53				[JPD] Driver
		1	C, Y	S	53				[JPD,JPK] Driver
3									BEZEL, Power Window Switch
	SA75 BD5AB	1		H, M, X	52, 53				[D5], Left
		1		H, P, X	52, 53				[D5], Left
	SA75 ZJ3AB	1		H, M, X	52, 53				[J3], Left
		1		H, P, X	52, 53				[J3], Left
	SA75 ZP7AB	1		H, P, X	52, 53				[P7], Left
	SA78 BD5AB	1		Р	53				[D5], Left
	SA78 ZJ3AB	1		Р	53				[J3], Left
	SA78 ZP7AB	1		Р	53				[P7], Left
	SA80 AAAAB	1	C, Y	S	53				[JPD,JPK], Left
	SA75 ZP7AB	1		H, M, X	52, 53				[P7], Left
	TQ71 1D5AA	1							[D5] [CTL,JPA,JPD], Left
	TQ71 1J3AA	1							[J3] [CTL,JPA,JPD], Left
4									BEZEL, Power Window Switch
	TQ11 AAAAB	1	C, Y	S	53				[JPD], Right
	SA76 BD5AB	1		H, P, X	52, 53				[D5][JPD], Right
	SA76 ZJ3AB	1		H, P, X	52, 53				[J3][JPD], Right
	SA76 ZP7AB	1		H, P, X	52, 53				[P7][JPD], Right
	TQ70 1D5AA	1							[D5][CTL,JPA,JPD], Right
	TQ70 1J3AA	1							[J3][CTL,JPA,JPD], Right
-5	6505 660AA-	3		H, P, X	52, 53				CLIP, Bezel
6	4685 800AA	1	C, Y	S	53				SWITCH, Memory Selector
7									SWITCH, Sliding Door
	SE45 1D5AC	1			13, 53				[D5], Left
	SE45 1J3AC	1			13, 53				[J3], Left
	SE50 1J3AC	1							[J3], Right
	SE50 1D5AC	1							[D5], Right
8									SWITCH, Rear Blower
	4685 797AA	1		Н	13, 53				
		1		L	13, 53				
		1		Р	13, 53				


DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



1 X 13, 53 9 5019 037AA 1 10 5080 529AA 1 21 4601 756AB 1 32 4685 379 1 33 4685 381 1 34685 381 1 35 5015 5015 5015 5015 5015 5015 5015 50	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9 5019 037AA 1 10 5080 529AA 1 11 4601 756AB 1 12 4685 379 1 13 4685 381 1 14 4797 655 1 15 SWITCH, Brake Fluid Leve SWITCH, Liftgate, Service Assembly [Ajar], (NOT SI (Not Serviced)) 16 SWITCH, Door Ajar, Service Latch assembly [Ajar], (Not Serviced) 17 SWITCH, Door Ajar, Service Latch assembly [Ajar], (Not Serviced) 18 SWITCH, Door Ajar, Service SWITCH, Door Ajar, Service Latch assembly [Ajar], (Not Serviced) 18 SWITCH, Door Ajar, Service SWITCH, Door Ajar, Service SWITCH, Door Ajar, Service SWITCH, Sunroof	1 E IVI	MOMPEN	<u> </u>	LINE	SERILO	ВОВТ	ENGINE	INANO	I Kilvi	DEGUNIF HON
9 5019 037AA 1 10 5080 529AA 1 11 4601 756AB 1 12 4685 379 1 13 4685 381 1 14 4797 655 1 15 SWITCH, Brake Fluid Leve Assembly [Ajar], (NOT SI (Not Service) Latch assembly [Ajar], (NOT SI Latch assembly [Ajar], (NOT Service) SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT Service) SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT Service) SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT Service) SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT Service) SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT Service) SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT Service) SWITCH, Sunroof			1		Y	13 53				
10 5080 529AA 1 SWITCH PACKAGE, Liftgate 11 4601 756AB 1 SWITCH, Seat KNOB 11 4601 756AB 1 KNOB 13 4685 381 1 KNOB, Power Seat Switch SWITCH, Brake Fluid Leve SWITCH, Liftgate, Service Assembly [Ajar], (NOT SI (Not Serviced)) -15 SWITCH, Door Ajar, Service Latch assembly [Ajar], (NOT SI Latch assembly [Ajar],	9	5019 037AA				10, 00				SWITCH Lift Motor
11										SWITCH PACKAGE, Liftgate Lat
12 4685 379 1 KNOB 13 4685 381 1 KNOB, Power Seat Switch 14 4797 655 1 SWITCH, Brake Fluid Leve 15 SWITCH, Liftgate, Service 16 Assembly [Ajar], (NOT SI 17 SWITCH, Door Ajar, Service 17 SWITCH, Door Ajar, Service 18 SWITCH, Door Ajar, Service 18 SWITCH, Sunroof SWITCH, Sunroof										
13										
-14 4797 655 1 SWITCH, Brake Fluid Leve SWITCH, Liftgate, Serviced Assembly [Ajar], (NOT SI (Not Serviced)) -16 SWITCH, Door Ajar, Service Latch assembly [Ajar], (Not Service) -17 SWITCH, Door Ajar, Service Latch assembly [Ajar], (Not Service) -18 SWITCH, Sunroof -18 SWITCH, Sunroof				-						KNOB, Power Seat Switch, Recli
SWITCH, Liftgate, Serviced Assembly [Ajar], (NOT SI (Not Serviced) SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service Latch assembly [Ajar], (N SERVICED) (Not Service SWITCH, Sunroof 5093 488AA- 1 P 13, 53										SWITCH, Brake Fluid Level
Assembly [Ajar], (NOT SI (Not Serviced) -16 SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service -17 SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service SERVICED) (Not Service SWITCH, Sunroof 5093 488AA- 1 P 13, 53										SWITCH, Liftgate, Serviced in La
(Not Serviced) SWITCH, Door Ajar, Service Latch assembly [Ajar], (Not Services) SERVICED) (Not Services) SWITCH, Door Ajar, Services Latch assembly [Ajar], (Not Services) SERVICED) (Not Services) SERVICED) (Not Services) SWITCH, Sunroof										Assembly [Ajar], (NOT SERVIC
SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service SERVICED) (Not Service SWITCH, Sunroof						1		(<u> </u>	-	
SERVICED) (Not Service SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service SWITCH, Sunroof 5093 488AA- 1 P 13, 53	-16									SWITCH, Door Ajar, Serviced in
-17 SWITCH, Door Ajar, Service Latch assembly [Ajar], (N SERVICED) (Not Service SWITCH, Sunroof 5093 488AA- 1 P 13, 53										Latch assembly [Ajar], (NOT
Latch assembly [Ajar], (N SERVICED) (Not Service SWITCH, Sunroof P 13, 53										SERVICED) (Not Serviced)
SERVICED) (Not Service SWITCH, Sunroof P 13, 53	-17									SWITCH, Door Ajar, Serviced in
-18 SWITCH, Sunroof 5093 488AA- 1 P 13, 53										Latch assembly [Ajar], (NOT
5093 488AA- 1 P 13, 53										SERVICED) (Not Serviced)
•	-18									SWITCH, Sunroof
1 S 13, 53		5093 488AA-	1							
			1		S	13, 53				

X = EX

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M - FI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Horn Figure 008-905

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	1	4686 000AF	1							HORN AND BRACKET, Dual




DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Battery Tray and Shield Figure 008-1005



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-							_	
OTE: E	Battery wiring se	rviced	in engine l	narness					
1									TRAY, Battery
	4860 862AC	1				EDZ,			
						EGA			
	5002 124AA	1				EDZ,			[NHM]
						EGA,			
						EGH			
2	4860 965AA	1							BRACKET, Battery Tray, Tray to
									Side Rail
3	6504 572	1							NUT AND WASHER, Hex Nut-Cone
									Washer, M8 x 1.25, Battery Tray
									Hold Down
4									SCREW AND WASHER, Hex Head,
									M8x1.25x25, (NOT SERVICED)
									(Not Serviced)
5	5020 087AD	1							TUBE, Drain
6	4490 878	1							RETAINER, Battery Hold Down
7	6504 572	1							NUT AND WASHER, Hex Nut-Cone
									Washer, M8 x 1.25
8									NUT, Hex, M6x1.00, (NOT
									REQUIRED)
9	5235 267AB	1							COVER, Battery, Thermoguard
10									BATTERY
	4686 158AD	1							[BCD]
	4727 159AD	1							[BCE]
-11	6101 808	AR							NUT, Hex, M6x1, Battery Cable

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Lamps--Front Figure 008-1105

PART



Lamps--Front Figure 008-1105



EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4857 375AA-	1	C, Y	Р	53				
		1	C, Y	S	53				
8									SCREW, Fog Lamp
	6506 579AA-	2	D, K	Н	52, 53				Fog Lamp to Fascia
		2	C, Y	Р	53				Fog Lamp to Fascia
		2	C, Y	S	53				Fog Lamp to Fascia

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

X = EX

C = Chrysler (AWD)

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Lamps--Rear Figure 008-1110



Lamps--Cargo-Dome-Courtesy-Reading Figure 008-1115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Reading
	SK70 BD1AA	1	K, Y	L	12, 52				
		1	K, Y	Н	12, 52				
		1		Н	13, 53				
		1		L	13, 53				
2									LENS, Reading Lamp
	5016 936AA	1	K, Y	L	12, 52				Right
		1	K, Y	Н	12, 52				Right
		1		H	13, 53				Right
	5040 007A A	1	IZ V	L	13, 53				Right
	5016 937AA	1	K, Y	L	12, 52				Left
		1	K, Y	Н	12, 52				Left
		1 1		<u>H</u>	13, 53				Left Left
-3		1		L	13, 53				LENS, Diffuser
-3	5016 935AA-	2	K, Y	L	12, 52				LENS, Dilluser
	3010 933AA-	2	K, Y	Н	12, 52				
-4			ΙΧ, Ι	11	12, 32				BULB, 578
	L000 0578	2	K, Y	L	12, 52				BOLD, 370
	2000 0370	2	K, Y	Н	12, 52				
5		_	17, 1		12, 02				LAMP, Dome, (NOT REQUIRED
6									LAMP, Cargo
Ū	SK68 BD1AA	1		Н	13, 53				Li iiii , Gaigo
	0.100 22 .7 1	1	K, Y	H	12, 52				
		1	,	L	13, 53				
		1		Х	13, 53				
7					,				LENS, Cargo Lamp
	5016 934AA	1	K, Y	L	12, 52				, 6 1
		1	K, Y	Н	12, 52				
-8			-		-				BULB, 578
	L000 0578	2	K, Y	L	12, 52				
		2	K, Y	Н	12, 52				
		2		Н	13, 53				
		2		L	13, 53				
9	4685 678AA	2							LAMP, Liftgate Flood Lamp
10	5016 932AA	2							LENS, LIFTGATE FLOOD LAMP
-11	L000 0578	2							BULB, 578
12	4685 676AA	2							LAMP, Door
13	5016 931AA	2							LENS, Door Lamp
-14	L000 0578	2							BULB, 578, Door Courtesy Lamp
	4685 791AA	1							REFLECTOR, Door Trim Panel


LINE
C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) SERIES H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Lamps--Cargo-Dome-Courtesy-Reading Figure 008-1115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
16									HANDLE, Grab, With Reading lamp
	SH74 BD1AA	2		Х	13, 53				
		2		Н	13, 53				
		2		S	53				
		2		Р	53				
		2		Р	13, 53				
17									LENS, w/Grab Handle
	5019 809AA	1		Χ	13, 53				
		1		Р	13, 53				
		1		S	13, 53				
-18	L000 0578	2							BULB, 578
-19									LENS, Coat Hook Lamp
	5093 486AA-	1		Р	13, 53				
		1		S	13, 53				
		1		S	12, 53				

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

S = Limited M = ELX = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Bulbs Figure 008-1120

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
DGL=4 S	peed Automation	c Trans	mission, 4	1TE					
1	L000 PC74	1							BULB, PC74
2	L000 3057	3							BULB, 3057
3	L0009 007QL	1							BULB, Headlamp
-4	L000 03157A	1							BULB, 3157A, park turn signal
-5	L000 9040	1	C, Y	Р	53				BULB, Fog Lamp, 50 Watt
-6									BULB, PC579
	L000 0PC579	1		Р	13, 53				
		1		S	13, 53				
		1		Н	13, 53				
		1		Χ	13, 53				
-7									BULB, Sunvisor
	6501 966	1		Р	13, 53				
		1		S	13, 53				
		1		Н	13, 53				
		1		Χ	13, 53				
-8	L000 0194	1							BULB, 194
-9									BULB, 578
	L000 0578	2	K, Y	L	12, 52				
		2	K, Y	Н	12, 52				
		2		Н	13, 53				
		2		L	13, 53				
-10	L000 0168	1							BULB, 168



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Wiring--Engine & Related Parts Figure 008-1205



Wiring--Engine & Related Parts Figure 008-1205



Wiring, Headlamp to Dash Figure 008-1305

	2
	3
on Grand	
1,7 (0	
80 10	
<i>-</i> 0 <i>A</i> 1	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOMBER		LINE	DERIES	BODT	LNOINE	IIIAIIO	1111111	DECOKII HOK
NOTE: 1	Γhe Headlamp t	to Dash	Wiring is	included in	theUnified	Body, Wiri	ing		
1						•			WIRING, Headlamp to Dash, Se Illus.1505 NOTE:, (NOT SERVICED) (Not Serviced)
2	5102 969AA	1							POWER DISTRIBUTION CENT
3	4748 477AA	1							COVER, Power Distribution Cen
4	4868 278AC	1							BRACKET, Module
				,					
		*! (DO)							
		N (KS) —			ENGI	INE		TRAN	SMISSION
SERIES	HRYSLER MINIVAL			ODY					
SERIES = Sport = LX, SE	LINE C = Chrys D = Dodge	sler (AWD) 52 =	SODY = 113 WB = 119 WB	EDZ, ED	00 = 2.4L 4 C 3.3L 6 Cyl.		GL = 4 sp	pd. Auto. (41TE) Automatic Transm
SERIES = Sport	$\begin{array}{c} \text{LINE} \\ \text{C} = \text{Chrys} \\ \text{D} = \text{Dodge} \\ \text{S} & \text{Y} = \text{Chrys} \end{array}$	sler (AWD) e (AWD) sler (FWD)	52 = 53 =	= 113 WB	EDZ, ED EGA = 3 EGH, EG	00 = 2.4L 4 C	DO Cyl.	GL = 4 sp	pd. Auto. (41TE) Automatic Transm

Wiring, Instrument Panel Figure 008-1405

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	EDZ= 2.4l	L 4 CYL DOH	C 16V S	SMPI						
-	EGA=3.3L	. V6 MPi								
	EGM= 3.3	L V6 FFV								
	EGH=3.8L	V6 MPI								
	1									WIRING, Instrument Panel
-		4868 646AA	1		H, P, X	52, 53				[HAH,RCE]
		4868 647AA	1		H, P, X	52, 53				[HAH]
		4868 648AA	1		H, L, P,	52, 53				[HAG]
					Χ					
-		4868 649AA	1		Н	52, 53				[HAA,HAD,JA9]
		4868 665AA	1		L	52, 53				[HAA,GTS,GXW,GXX]
			1		Н	52, 53				[HAA,HAD]
		4868 666AA	1		L	52, 53				[HAA,GTS]
-		4868 667AA	1		L	52, 53				[HAA]
		4869 389AC	1		H, P, X	52, 53				[HAH,RCE,CJ1]
		4869 390AC	1	K, Y	L					[CJ1,HAA]
		4869 391AC	1	K, Y	L					[CJ1,HAA,GTS]
-		4869 394AD	1		H, L, P,					[HAG,CJ1]
					Χ					
		4869 395AD	1		H, P, X	52, 53				[HAH,CJ1]

52, 53

53

53


S

S

Н

K, Y

D, K, Y



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD)L = LX, SEY = Chrysler (FWD) K = Dodge (FWD) P = LXI, ES

4869 396AD

4869 397AC

4869 397AD

4869 399AC

4885 526AB-

4885 527AB-4885 528AB-

6505 903AA-

-2

S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

[HAA,HAD,CJ1,JA9]

[HAA,HAD,CJ1]

[HAA] [HAD,HAG]

[HAH]

Panel Ground

Standard up to 08/04/03

Standard after 08/04/03

WIRING, A/C and HEATER

SCREW AND WASHER, Self

Tapping, M6x1x22, Instrument


[GXW,GXX,CJ1,HAA,GTS]

BODY

52 = 113 WB

53 = 119 WB

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
H-Series r	means LX,Spc	ort							
	neans Base/S								
	Means 'LE'								
	Means 'ES'								
1	0								WIRING, Unified Body
	4868 570AC	1	K	L	13, 53				Base
	4868 571AC	1	K	L	13, 53				[JPA]
		1		H	53				Base
	4868 573AD	1		н, L	13, 53				[CJ1]
	4868 574AD	1		H, X	53				[HAG]
	1000 07 17 12	1		L	13, 53				[HAG]
	4868 575AD	1		H, X	53				[HAG,CU9]
	4868 579AE	1		H, X	53				[HAG,CJ1]
	1000 07 07 12	<u>·</u> 1		L	53				[HAG,CJ1]
	4868 584AE	1		H, X	53				[HAG,CJ1,JRC]
	1000 00 17 12	1		P, 7.	53				[HAG,CJ1]
	4868 586AC	1		Н, Р, Х	53				[HAH,RCE]
	4868 588AD	<u>·</u> 1		H, P, X	53				[HAH,RCE,CJ1]
	4868 590AD	1		S	53				Standard
	4868 624AC	1		H, P, X	53				[HAH]
	4868 625AC	1		H, P, X	53				[HAH,CJ1]
	4868 910AD	1	K, Y	1,,,,,	12, 52				Base
	4868 911AD	1	κ, Υ	L	12, 52				[CJ1]
	4868 912AD	1	K, Y	L	12, 52				[BGF]
	4868 913AD	1	K, Y	L	12, 52				[BGF,CJ1]
	4868 915AD	<u>·</u> 1	K, Y	 L	12, 52				[JPA]
	1000 0 10/12	1	K, Y	H	52				Base
	4868 916AD	1	K, Y	Н	52				[CJ1]
	1000 0 10/12	1	K, Y	L	12, 52				[JPA,CJ1]
	4868 918AD	<u>·</u> 1	K, Y	<u>_</u>	12, 52				[JPR]
	1000 0 10/12	1	K, Y	H	52				[JPR,JRA]
	4868 920AD	1	K, Y	L	12, 52				[JPR,CJ1]
	4000 320/ ID	1	K, Y	H	52				[JPR,CJ1,JRA]
	4868 581AD	<u>·</u> 	, .	H, X	53				[HAG,JRC]
	.555 5517.5	1		P P	53				[HAG]
2		•		•	00				COVER, Wiring Protector
	4868 074AA	1	K, Y	E, L	52				Front
	.555 57 17 0 (1	, .	-, -	13, 53				Front
		1	K		12, 13				Front
3		•			,				COVER, Wiring Protector



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW) ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

10	6 7	3
(21)		19
2	9	3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4868 075AA	1	K, Y	E, L	52				Rear
	4868 074AA	1			13, 53				
		1	K		12, 13				
-4									CLIP, Floor Pan Cover Button
	4707 616	1			13, 53				
		3	K, Y	E, L	52				
		2	K		12, 13				
		2			53				
-5	4868 349AA-	2							PUSH NUT, Body Harness to Sill
6									WIRING, Dome Lamp
	4869 250AD	1	K, Y	L	12, 52				Standard
		1	K, Y	H	12, 52				[LCA]
		1		<u>L</u>	13, 53				[LCA]
		1		L	13, 53				[LCA,HBB]
	4869 251AE	1		H 	13, 53				[CUS,GNC,HBB]
		1		Н	13, 53				CUS,GNC,HBB,XRV]
		1	K, Y	<u>H</u>	12, 52				[GNC,CUS]
		1	K, Y	Н	12, 52				[GNC,CUS,JRA]
		1		Н	13, 53				[GNC,CUS,JRB,HBB]
		1		H	13, 53				[GNC,CUS,JRB,HBB,XRV]
		1		<u>L</u>	13, 53				[GNC,CUS,JRB,HBB]
	4869 253AD	1		Р	13, 53				[GNC,JRB,JRC,XRV,LAZ]
		1		S	13, 53				[GNC,JRB,JRC,XRV]
		1		S	13, 53				[GNC,JRB,JRC]
		1		P	13, 53				[GNC,JRB,JRC,LAZ]
		1		H	13, 53				[GNC,JRB,JRC,LAZ,HBB]
		1		Н	13, 53				[GNC,JRB,JRC,XRV,LAZ,HBB]
		1		X	13, 53				[GNC,JRB,JRC,LAZ,HBB]
	4000 55-1:	1		X	13, 53				[GNC,JRB,JRC,XRV,LAZ,HBB]
	4868 635AA	1		Н	13, 53				[GNC,LCA,LCH]
	4868 639AA	1		P 	13, 53				[GNC,JRB,JRC,XRV]
		1		Н	13, 53				[GNC,JRB,JRC,XRV,CUS,HBB]
	1000 01011	1		X	13, 53				[GNC,JRB,JRC,XRV,CUS,HBB]
	4868 640AA	1		P 	13, 53				[GNC,JRB,JRC,GWA,XRV]
		1		Н	13, 53				[GNC,JRB,JRC,GWA,XRV,CUS HBB]
		1		Χ	13, 53				[GNC,JRB,JRC,GWA,XRV,CUS
7									HBB] WIRING, Air Conditioning Dome
									Jumper

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)

P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year

(10)	7		8
21)		(12)	13)
2	9	3)	~ ~

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4868 662AA	1		P	53				[CJ5]
		1		S	53				[CJ5,XGM]
		1		Р	13, 53				[CJ5,XGM]
	4868 664AA	1		Н	53				[CJ5,LCA,HBB]
		1		L	53				[CJ5,LCA,HBB]
		1		Н	53				[CJ5,CUS,GNC,JRA,JRC,HBB]
		1		X	53				[CJ5]
		1		М	53				[CJ5,JRA,JRC,HBB,CUS,HBB,
									LCL,]
	4869 258AC	1		Н	13, 53				[CUS,GNC,HBB]
		1		Н	13, 53				[CUS,GNC,HBB,XRV]
		1		L	13, 53				[LCA,HBB]
	4869 259AC	1		Р	13, 53				[GNC,JRB,JRC,XRV,LAZ]
		1		S	13, 53				[GNC,JRB,JRC,XRV,LAZ]
		1		Н	13, 53				[GNC,JRB,JRC,XRV,LAZ]
		1		Χ	13, 53				[GNC,JRB,JRC,XRV,LAZ]
8									WIRING, Liftgate
	4868 637AB	1							[JPB,GFA]
	4868 695AC	1	K, Y	L					[JPB]
	4869 260AF	1	K, Y	L					Base
	4869 261AF	1	K, Y	L					[GFA]
	4869 664AA	1			13, 53				[JRC]
9									WIRING, Front Door
	4869 511AH	1	K, Y	L					Base, Left
	4869 513AH	1	K, Y	L					[JPB], Left
	4869 515AH	1		H, P, X	52, 53				Base, Left
	4869 517AI	1		H, P, X	52, 53				[RCE], Left
	4869 525AB	1	K, Y	L					[JPA], Left
	4869 621AA	1		S	52, 53				Left
10									WIRING, Front Door
	4869 510AH	1	K, Y	L					Base, Right
	4869 512AH	1	K, Y	L					[JPB], Right
	4869 514AH	1		H, P, X	52, 53				Base, Right
	4869 516AH	1		S	52, 53				[RCE], Right
	4869 522AE	1	K, Y	L	•				[JPA], Right
	4868 638AA	1		H, P, X	52, 53				[RCE], Right
11	4869 529AG	1		. ,	•				WIRING, Sliding Door Left, Left
12	4869 528AG	1							WIRING, Sliding Door Right, Right
13	-								WIRING, License Lamp
-	5019 204AA	1							[MNJ]
	5019 205AA	1							[MNN]

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)

P = LXI, ES S = Limited M = EL

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



(10)		8
21)	7	13
2	9 9	3

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•		•								
			1							[MNJ,JPB]
-			1							[MNP]
		5019 206AA	1							[MNN,JRC]
		3019 200AA	1							[MNP,JRC]
	-14		'							WIRING, A/C and HEATER
-	-1-	5019 190AA-	1							[HAG]
		5073 231AA-	1							[HAH]
	-15	3073 231701	•							WIRING, Power Seat
	10	4856 016	1							Left
-		4856 017	<u>·</u> 1							Right
	-16	5016 885AA-	1							WIRING, Heated Seat
	-17	0010 000/1/	•							WIRE TRACK, Sliding Door Right
		4868 118AC-	1							Time Transfer, Change 2001 ragin
_		4868 122AC-	1							[JRA]
	-18									WIRE TRACK, Sliding Door Left
		4868 117AC-	1							, 3
		4868 121AC-	1							[JRB]
-	19	4868 383AA	1							WIRING, Trailer Tow Package
	-20	4868 281AA-	1							BRACKET, Connector, B Pillar
										Wiring Connector, Left
	21	5096 038AA	1							HARNESS, Adjustible Pedal
-	-22	4868 182AA-	1							WIRING, Radio Adapter
	-23	4869 370AB-	1			13, 53				WIRING, Sunroof
	-24	4869 298AB-	1							WIRING, DVD Jumper
	-25									WIRING, DVD to Screen
_		4869 373AB-	1		Н	13, 53				
			1		Р	13, 53				
			1		S	13, 53				
			1		Χ	13, 53				
_	-26	5114 512AA-	1							WIRING, Windshield Wiper, 4 Way
	-27	4869 004AA-	1							WIRING, Trailer Tow Package
	-28									WIRING, Seat
_		5142 623AA-	1							Seat belt wiring with side air bag
										tensioners
		5143 259AA-	1							Seat belt wiring without side air
										bag tensioners
_		5143 260AA-	1							Seat belt tensioner, Passenger
		5143 261AA-	1							Seat belt tensioner, Driver
		5080 838AA-	1							Driver

P = LXI, ES S = Limited M = EL

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Wiring Harness Repair Pkg. Figure 008-1605

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-1	5013 930AD-	1							NG PACKAGE, Underhood
										nnector Repair, For Electrical
										nnector Repair Information visit World Wide Web at http://dto.
										s.com/mopar/disclaimer.asp
	-2	6036 396AA-	1							AP, Tie, Chid Seat Anchor
		5019 912AA-								L, Crimping
		5014 757AD-								UAL, Connector Repair
	5	5073 029AA-	1							NG KIT, Electric Repair, With
	-6	4274 258	2							mping Tool E, Radio Connector, Foam
	_	6506 535AA-						DGL		EW, Hex Flange Head, M6 x
										0 x 59.8, 8 way Trans
										nnector
	-8	5083 221AA-	1						WIRI	NG KIT, 22 Way, Female, Radio
For Electrical Connector Repair Information visit										
For Electrical Connector Repair Information visit										
the World Wide Web at										
http://dto.vftis.com/mopar/disclaimer.asp										
ricep.// aco.vicis.com/inopai/aisciaimici.asp										
	DODGE S:	IDVOLED MANUEL	N (DC)							
	SERIES	IRYSLER MINIVA LINE		В	ODY	ENG	INE		TRANSMISSI	ON
	H = Sport L = LX, SE	C = Chrys D = Dodg	sler (AWD) e (AWD)	0) 52 = 53 =	= 113 WB = 119 WB	EDZ, ED EGA = 3	00 = 2.4L 4 C 3.3L 6 Cyl.	yl. D	GL = 4 spd. Auto G0 = All Automa	o. (41TE) itic Transm
	P = LXI, ES S = Limited	Y = Chrys	ler (FWD))		EGH, EC	30 = 3.8L 6 C	yl.		
	M = EL	K = Dodge	= (LMD)			EGIVI = 3	3.3L 6 Cyl. FF	· v		
	X = EX									

Air Bag Modules and Sensors Figure 008-1705



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4727 360AB	1							MODULE, Occupant Restraint, [CJ
	6507 308AA-	AR							SCREW, Air Bag Module attaching
	4686 602AJ	1							MODULE, Air Bag Control, [CG1]
	4727 069AC	1							SENSOR, Side Airbag Impact, Right
	4727 261AC	1							SENSOR, Side Airbag Impact, Left
	4686 957AB	2							SENSOR, Side Airbag Impact, From
	6507 308AA-	AR							SCREW, Air Bag Module attaching
									,
									_


H = Sport L = LX, SE P = LXI, ES S = Limited M = EL C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

52 = 113 WB 53 = 119 WB

EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

Air Bags and Clock Springs Figure 008-1710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEM	NUMBER	QIT	LINE	SERIES	ВОДТ	ENGINE	IKANS	IRIIVI	DESCRIPTION
1	4680 530AG	1							AIR BAG, Passenger
2									AIR BAG, Driver
	SL01 1DVAF	1	Υ		52				[D5]
	SL01 1J8AF	1	Υ		52				[J3]
	SL01 1P7AF	1	Υ		52				[P7]
	SX27 1DVAF	1	D, K						[D5]
	SX27 1J8AF	1	D, K						[J3]
	WC32 1DVAC	1	D, K						[D5][NHM]
	WC32 1J8AC	1	D, K						[J3][NHM]
	WC72 1DVAC	1	C, Y		53				[D5][NHM]
		1	Υ		52				[D5][NHM]
	WC72 1J8AC	1	C, Y		53				[J3][NHM]
		1	Υ		52				[J3][NHM]
	WC72 1P7AC	1	C, Y		53				[P7][NHM]
		1	Υ		52				[P7][NHM]
3	4685 712AC	1							CLOCKSPRING
4									AIR BAG, Seat, Serviced in Seat
									assembly, (NOT SERVICED) (Not
									Serviced)

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

X = EX

H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

EDZ= 2.4L 4 CYL DOHC 16V SMPI

EGA=3.3L V6 MPI EGM= 3.3L V6 FFV

EGH=3.8L V6 MPI



engin	e harness.			
1	5018 394AE	1	EDZ	CABLE PACKAGE, Ignition
2	5033 233AB	4	EDZ	CABLE, Ignition
3	5019 593AA	1	EGA,	CABLE PACKAGE, Ignition
	33.3 333.1	•	EGH	e, 12_2 : , 10 : a 10_2, 1ge
4				CABLE, Ignition
	4686 710AA	1	EGA,	[#1]
			EGH	
	4686 734AA	1	EGA,	[#2]
			EGH	
	4686 737AA	1	EGA,	[#3]
			EGH	•
	4686 738AA	1	EGA,	[#4]
			EGH	
	4686 740AA	1	EGA,	[#5]
			EGH	
	4686 741AA	1	EGA,	[#6]
			EGH	
5	SPRE1 4PLP5	6	EGA,	SPARK PLUG, RE-14-PLP5
			EGH	
6	SPRE1 4MCC5	4	EDZ	SPARK PLUG
7				COIL, Ignition
	4609 103AB	1	EDZ	
	56032 520AC	1	EGA,	
			EGH	
-8	6502 921	4	EDZ	SCREW, Coil attaching
-9	6502 058	1	EGA,	SCREW AND WASHER, Hex Head
			EGH	Special Point, M8x1.25x17
10	4686 247	1	EDZ	SHIELD, Coil
11	5233 610	2	EGA,	SEPERATOR, Ignition Cable
			EGH	
12	4686 862AA	1	EGA,	BRACKET, Ignition Wire Seperator
			EGH	
13	4686 862AA	1	EGA,	BRACKET, Ignition Wire Seperator
			EGH	

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES

D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD)

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

S = Limited

BODY 52 = 113 WB


53 = 119 WB


Spark Plugs--cables--coils Figure 008-1905

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	-14	4686 864AA-	1				EGA,			BRACKET, Ignition Wire Seperator
	-15	6506 202AA-	2				EGH EGH			STUD, Double Ended, Ignition Coil attaching
ı	DODGE - CHF	RYSLER MINIVAN	(RS)	-	DDV	FNO	NΓ		TDAM	PMICCION .
 	H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX	RYSLER MINIVAN LINE C = Chrysl D = Dodge Y = Chrysl K = Dodge	er (AWD) (AWD) er (FWD) (FWD)	52 = 53 =	DDY 113 WB 119 WB	ENGI EDZ, ED EGA = 3. EGH, EG EGM = 3	NE 0 = 2.4L 4 C; 3L 6 Cyl. i0 = 3.8L 6 C .3L 6 Cyl. FF	yl. DC DC Syl. SV	1 KANS GL = 4 sp GO = All A	SMISSION od. Auto. (41TE) Automatic Transm

Group – 08A


Instrument Panel and Radios and Consoles







GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Litle	Group-Fig. No
Instrument Panel Instrument Panel Panelsilencerscovers	Fig. 08A-105
Instrument Panel Cluster ClusterInstrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Speakers-Antenna	Fig. 08A-310
Rear Entertainment Center	Fig. 08A-315
Consoles	
Consoles-Overhead	Fig. 08A-405
Consoles Floor and Instrument Panel	Fig 08A-410







	PART	OT)		055150	DODY	FNONE			DECODINE ION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	460E E26AD	1							KNOD AND ELEMENT Cigar Ligh
-30 31	4685 536AB-	ı							KNOB AND ELEMENT, Cigar Ligh DOOR, Glove Box
31	5009 029AA	1							Inner with bin
	SC89 BD5AA	1							Outer [D5]
	SC89 ZJ3AA	1							Outer [J3]
	SC89 ZP7AA	'							Outer [P7]
-32	4565 022	1							SWITCH AND LAMP, Glove Box
33	1000 022	•							LATCH, Glovebox
00	SC88 BD5AA	1							[D5]
	SC88 ZJ3AA	1							[J3]
-34	5009 050AA-	1							STRIKER, Glove Box Door Latch
-35	3590 551	2							BUMPER, Glove Box Door
-36									GRILLE, Demister
	SJ13 XDVAA-	. 1							[D5], Right
	SJ13 ZJ8AA-	1							[J3], Right
	SJ13 ZP7AA-	1							[P7], Right
	SJ35 XDVAA-	. 1							[D5], Left
	SJ35 ZJ8AA-	1							[J3], Left
	SJ35 ZP7AA-	1							[P7], Left
37									CUPHOLDER, Instrument Panel
	RR44 BD5AD	1							[D5]
	RR44 ZJ3AD	1							[J3]
	RR44 ZP7AD	1							[P7]
38									HANDLE, Grab
	UQ62 BD5AA	1							[D5] Cup Holder
	UQ62 ZJ3AA	1							[J3] Cup Holder
	UQ62 ZP7AA	1							[P7] Cup Holder
39									BRACE, Instrument Panel to Floor
	5009 006AA	1							Floor to Center Dash Stack, Righ
	5009 007AA	1							Floor to Center Dash Stack, Left
-40									FILLER, Lower Instrument Panel
	SH20 BD5AA								[D5]
	SH20 ZJ3AA-								[J3]
	SH20 ZP7AA-	· 1							[P7]
41									END CAP, Instrument Panel
	WS30 BD5AA	. 1							[D5]
	WS30 ZJ3AA	1							[J3]
-42	4678 680	2							CLIP, Instrument Panel, End Caps
									Attaching
43									OUTLET, Air Conditioning & Heate
	SC91 XDVAA	1							[D5]

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited


M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm





ITEM	NUMBER	QTY	LINE	0=5:50		l		1	
		٠	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SC91 ZJ8AA	1							[J3]
	SC91 ZP7AA	1							[P7]
44									OUTLET, Air Conditioning & Heate
	SC95 XDVAA	1							[DV]
	SC95 ZJ8AA	1							[J8]
	SC95 ZP7AA	1							[P7]
45									COVER, Instrument Panel Brace
	WR43 BD5AA	1							[D5]
	WR43 ZJ3AA	1							[J3]
-46	4868 077AD-	1							BRACKET, Instrument Panel, Body
									to Instrument Panel
-47	6503 490	2							STUD, M10-1.50x44, End Support
-48	5009 066AA-	1							ASH RECEIVER, Instrument Pane
									Insert
-49									SMOKERS KIT, Ash Receiver With
									Lighter
	RS79 BD5AA-	1							[D5]
	RS79 ZJ3AA-	1							[J3]
	RS79 ZP7AA-	1							[P7]
-50									ASH RECEIVER
	JU27 BD5	2							[D5]
	JU27 ZJ3	2							[J3]
	JU27 ZP7	2							[P7]

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


H = Sport C = Chrysler (AWD) D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited

M = ELX = EX BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Cluster--Instrument Panel Figure 08A-205

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER, Instrument Panel
	5082 400AC	1					DGL		[JA9,JCB]
	5082 401AC	1					DGL		[JA9,JDC]
	5082 402AC	1					DGL		[JA6,JCB]
	5082 403AC	1					DGL		[JA6,JDC]
	5082 406AC	1					DGL		[JA1,JCB]
	5082 407AC	1					DGL		[JA1,JDC]
-2	L000 PC74	1							BULB, PC74
-3	5017 505AA-	1					DGL		LENS, Instrument Cluster



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited


M = ELX = EX

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Radios Figure 08A-305


RAZ RAZ RBK	RBB RBB RDW
4 RBU	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		!							
[RAS]=R	ADIO - AM/FM	CASSE	TTE						
[RAZ]=RA	ADIO - AM/FM	CASSE	TTE/CD/E	QUALIZEF	₹				
	ADIO - AM/FM		TTE/CD						
	ADIO - AM/FM								
	M/FM Cassette			er					
-	CHANGER 4 D 5091 605AA)						RADIO, AM/FM with CD and
1	5091 605AA	1							Cassette, [RAZ]
2	5091 555AD	1							RADIO, AM/FM/Cassette With CD,
	0001 000712								[RBB] CD Changer Controls
3	5091 556AD	1							RADIO, AM/FM with CD and
									Equalizer, [RBK]
4	5091 979AC	1							RADIO, AM/FM with CD and
									Equalizer, [RBQ]
-5	56038 629AE	- 1							RADIO, AM/FM CD W/NAV/DVD &
									CD-CTRL
6	8220 7876	1							PLAYER KIT, CD Changer - 6 Disc
-7									WIRING, Compact Disc Changer
	4671 841AA-	1							[RDN]
0	4685 999AC-	1							[RDV]
-8	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Radio and CD Change
									mounting
-9	5082 013AA-	1							REMOTE, Wireless Infrared
-10	6505 903AA-	1							SCREW AND WASHER, Self
									Tapping, M6x1x22, Radio Ground
									,
ODCE C	IDVELED MINIMA	N (DC)							
ODGE - CH SERIES	IRYSLER MINIVAI LINE	N (KS) —	В(ODY	ENGI	NE		TRAN	SMISSION
l = Sport	C = Chrysl		,	: 113 WB	EDZ, ED	0 = 2.4L 4 C			pd. Auto. (41TE)
= LX, SE ! = LXI, ES	D = Dodge Y = Chrysl			: 119 WB		.3L 6 Cyl. 60 = 3.8L 6 C		U = All	Automatic Transm
= Limited 1 = EL	K = Dodge					.3L 6 Cyl. FF			
= EL = EX									



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
PCE_ Ir	nfinity Speakers								
	6 Speaker								
	4 Speaker								
1	4685 920AC	2							SPEAKER, Instrument Panel, [RCI
2	5094 700AA	2							SPEAKER, Instrument Panel, [RC0
-3	6032 723	4							SCREW, Self Tapping, M4.2x1.
									69x19.05, Speaker Mounting
4	4685 855AF	2							SPEAKER, Front Door, [RCE]
-5	6506 752AA-	4							NUT, Snap In, M4.2 x 1.41
6	4685 755AD	2							SPEAKER, Rear, 6x9, [RCE]
7	5082 450AB	2							SPEAKER, 6"X9", [RCD,RCG,RCE
8	4685 950AC	2							SPEAKER, Tweeter, [RCE], Rear
-9									COVER, Speaker Opening
	4754 136	2		H, P, S,	52, 53				
		2	K	X L	13, 53				
		2	K, Y	L	12, 52				
10					· · ·				BRACKET, Speaker, serviced in D
									Pillar Moulding, (NOT SERVICED
									(Not Serviced)
11									BRACKET, Speaker, serviced in D
									Pillar Moulding, (NOT SERVICED
									(Not Serviced)
12									CHOKE, Speaker, (NOT REQUIRED)
13									COVER, Radio Opening, (NOT
10									SERVICED) (Not Serviced)
14									CABLE, Antenna Extension
	5082 003AA	1		S	53				,
		1	K, Y	E, L					
		1		H, P, X	52, 53				
15									STRAP, Ground
	4685 816AA	1	C, D		53				Engine mount to body
		1				EDZ			Engine mount to body
16									SCREW, Tapping, .19-16x.75, (NO
									SERVICED) (Not Serviced)
17									SHROUD, Antenna Cap Nut, (NOT
		_							REQUIRED)
18	5600 7570	1							NUT, M6x1
19	4685 764AA	1							ADAPTER, Antenna
20	4685 574AE	1							MAST, Antenna, Bright
0005 0	UDVOLED MINIVA	N (DC)							
SERIES	HRYSLER MINIVA LINE			ODY	ENG				SMISSION
l = Sport = LX, SE	C = Chrys D = Dodge			= 113 WB = 119 WB		00 = 2.4L 4 C 3.3L 6 Cyl.			pd. Auto. (41TE) Automatic Transm
= LX, SE = LXI, ES	S Y = Chrysl	er (FWD)		= II9 VVB	EGH, EG	30 = 3.8L 6 C	yl.	ου = All	Automatic Hansill
= Limited						3.3L 6 Cyl. FF			
= EL = EX									

Speakers-Antenna Figure 08A-310



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
04	400F 70F A D	4							DODY AND CARLE Automa
21	4685 765AB	1							BODY AND CABLE, Antenna
22	4685 936AE	2							HEADPHONES, Wireless
23	5082 012AD	1							AUDIO KIT, Rear
24	5082 013AA-	1							REMOTE, Wireless Infrared
25	5066 205AC-								ANTENNA, Satellite
26	56038 630AB	- 1							ANTENNA, GPS, [RB1]
GE - CI	HRYSLER MINIVA LINE	N (RS) —		ODY	ENG	NE		TD 111	SMISSION
Sport X, SE	C = Chrys D = Dodge Y = Chrys	ler (AWD) 52 =	= 113 WB = 119 WB	EDZ, ED	0 = 2.4L 4 Cy .3L 6 Cyl.	ıl. Di	GL = 4 s	pd. Auto. (41TE) Automatic Transm

Rear Entertainment Center Figure 08A-315

ITEM


PART

NUMBER

QTY

LINE

SERIES



lote 2:	These parts are	factory	replacem	ents for ins	stallation p	ackages se	e Accesso	ry Cata	_
1	5093 530AA	1							PLAYER, DVD - Single Play, See Notes
-2	4685 932AB-	1							DVD CHANGER, 6 disc
3									HOUSING, Monitor, Screen
	5093 868AE	1							
	5093 869AA	1							[GWA]
-4	5096 085AB-	1							LATCH KIT, Video Screen
5									BRACKET ASSY, REAR SEAT
									VIDEO
	5028 424AC	1		Р	13, 53				
		1		S	13, 53				
		1		Н	13, 53				
		1		Χ	13, 53				
6	4685 999AC	1							WIRING, Compact Disc Changer
7									WIRING, DVD Jumper
	4869 298AB	1							Instrument Panel to A Pillar
	4869 388AB	1							Radio to DVD
8									WIRING, DVD to Screen
	4869 373AB	1		H	13, 53				
		1		Р	13, 53				
		1		S	13, 53				
		1		X	13, 53				
9									BEZEL, Overhead Console
	XQ45 1D1AA	1		Р	13, 53				
		1		S	13, 53				
		1		Н	13, 53				
10		1		X	13, 53				DEZEL Overhead Caracle
10	VO45 4D4 4 4	4		V	12 52				BEZEL, Overhead Console
	XQ45 1D1AA	1		X	13, 53				
		1		H P	13, 53				
		1		S	13, 53				
11	4685 936AE	•		3	13, 53				HEADBHONES Wireless IVBV
		1							HEADPHONES, Wireless, [XRV, RFM]
12	5082 013AA	1							REMOTE, Wireless Infrared

BODY ENGINE TRANS TRIM

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX DESCRIPTION

Consoles-Overhead Figure 08A-405

	6
308800	



BB = Rear w/Heater				
1				MODULE, Electronic, Overhead
1				Console
5016 282AH	1	Х	13, 53	[JTB,XRV]
5016 283AF	1	Н	13, 53	[CUS,GNC,HBB,XRV,LCH]
	1 K, Y	Н	12, 52	[CUS,GNC]
	1	L	13, 53	[CUS,GNC,JRB,HBB]
	1	Х	13, 53	[CUS,GNC,JRB,HBB]
	1	Р	13, 53	[GNC,JRB,JRC]
5093 871AA	1	P	13, 53	[GWA,GNC,JRB,JRC,CWV]
	1	S	13, 53	[GWA,GNC,JRB,JRC,HBB]
	1		13, 53	[GWA,GNC,JRB,JRC,HBB,CW
	1	Х	13, 53	[GWA,GNC,JRB,JRC,HBB,CW
5016 282AJ	1	Р	13, 53	[GWA,XGM]
	1	S	13, 53	[GWA,XGM]
5016 283AF	1 K, Y	<u> </u>	12, 52	[CUS,GNC,JRA,XRV]
2	,		, -	SWITCH, Overhead Console,
				Buttons
5016 272AA	1	Х	13, 53	[JRB,XRV]
	1	Р	13, 53	[GWA,XGM]
	1	S	13, 53	[XGM]
5016 279AB	1	Р	13, 53	[GWA]
	1	S	13, 53	[GWA,XGM]
5016 275AA	1	Н	13, 53	[CUS,GNC,HBB,XRV.LCH]
	1	L	13, 53	[CUS,JRB,GNC,HBB]
	1	X	13, 53	[CUS,JRB,GNC,HBB]
	1	Р	13, 53	[GNC,JRB,JRC]
5016 277AA	1	Н	13, 53	[GNC,CUS,JRB,HBB,LCH]
	1	L	13, 53	[GNC,CUS,JRB,HBB]
	1	X	13, 53	[GNC,CUS,JRB,HBB]
5016 272AA	1	X	13, 53	[JRA,JRB,JRC,XRV]
3				LENS, Reading Lamp
5016 936AA	1 K, Y	L	12, 52	Right
	1 K, Y	Н	12, 52	Right
	1	X	13, 53	Right
	1	Р	13, 53	Right
	1	S	13, 53	Right
5016 937AA	1 K, Y	L	12, 52	Left



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

BODY 52 = 113 WB 53 = 119 WB

Consoles-Overhead Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	K, Y	<u>H</u>	12, 52				Left
		1		X	13, 53				Left
		1		P	13, 53				Left
		1		S	13, 53				Left
4	5010 0001B				10.50				HOUSING, Bulb
	5016 286AB	1		Н	13, 53				
		1		X	13, 53				
		1	17. 17	L	13, 53				
	5040.00040	1	K, Y	<u>H</u>	12, 52				
	5016 286AC	1		P	13, 53				
_	5000 000 A A	1		S	13, 53				DDACKET Overhead Careela
-5 6	5028 069AA-	1							BRACKET, Overhead Console
6	E016 207AB			X	12 52				BEZEL, Overhead Console
	5016 287AB	1		A P	13, 53 13, 53				
		1		S					
7		1		3	13, 53				EACE DI ATE Concolo
7	5016 264AA	1		X	13, 53				FACE PLATE, Console [JRB,XRV]
	3010 204AA	1		P	13, 53				[XGM,XRV]
		1		S	13, 53				[XGM,XRV]
		1		P	13, 53				[JRA]
		<u>'</u>		<u>'</u>	13, 53				[JRA]
		1		X	13, 53				[JRA]
	5016 266AA	1		Н	13, 53				[CUS,GNC,HBB,XRV]
	5093 489AA	1		P	13, 53				[GWA,XGM]
	0000 1 007 (7 t	<u>·</u> 1		S	13, 53				[GWA,XGM]
		1		Н	13, 53				[GNC,GWA,JRB,JRC,HBB,CWV]
		1		X	13, 53				[GNC,GWA,JRB,JRC,HBB,CWV]
-8		•		,,	10, 00				RETAINER, Overhead Console
	5028 053AA-	1		Н	13, 53				Rear
	3020 000/01	1		L	13, 53				Rear
-9		•		=	. =, 00				RETAINER
ŭ	5028 057AA-	1		X	13, 53				Front
		1		P	13, 53				Front
		1		S	13, 53				Front
		1		Н	13, 53				Front
	5028 057AC-	1		L	13, 53				Front
-10	0153 921	3			-,				SCREW, Overhead Console Brack
-	· 	-							mounting
-11									BEZEL, Overhead Console

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year



Consoles-Overhead Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WE90 1D1AA	\- 1		S	13, 53				Rear Overhead Console Sunroof
		1		Р	13, 53				Rear Overhead Console Sunroof
		1		Н	13, 53				Rear Overhead Console Sunroof
		1		Χ	13, 53				Rear Overhead Console Sunroof
-12	5135 245AA-	1							PANEL, CLOSEOUT, For Overhead
									Console Without Rear A/C Controls


X = EX

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

Consoles Floor and Instrument Panel Figure 08A-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1	4793 554AB	1							POWER OUTLET
2	4685 668AA	1							MOUNT, Power Outlet
3									CONSOLE, Floor
	RT92 1D5AF	1							[D5]
	RT92 1J3AF	1							[J3]
-	RT92 1P7AF	1							[P7]
-4	5028 379AB-	1							MANUAL, Floor Console
5									LID, Center Console Storage, Front
	SG54 1D5AD	1							[D5]
-	SG54 1J3AD	1							[J3]
	SG54 1P7AD	1							[P7]
-6	5073 606AA-	1							LID, Center Console Storage, Front
									Inner
7									LID, Center Console Storage, Rear
	SG56 1D5AD	1							[D5]
	SG56 1J3AD	1							[J3]
	SG56 1P7AD	1							[P7]
8									TRAY, Floor Console
	SH46 BD5AD	2							[D5]
	SH46 ZJ3AD	2							[J3]
	SH46 ZP7AD	2							[P7]
9	4754 880AB	1							PAD, Console, Used for cover when
									console is removed
10	6504 990AA	2							NUT, Rivet
11									SCREW, Hex Flange Head, M4.8x1.
									59x13, (NOT SERVICED) (Not
									Serviced)
12	4565 022	1							SWITCH AND LAMP, Glove Box
-13	5028 365AA-	1							MAT, Floor Console
14	5028 070AF	2							BRACKET, Console Tray
15									TRAY, Floor Console
	UN14 1D5AB	1							[D5]
	UN14 1J3AB	1							[J3]
	UN14 1P7AB	1							[P7]
-16	5028 364AB-	1							RETAINER, Phone Holder
-17	4678 382	1							BUMPER, Floor Console Bin
-18	5073 300AA-	1							CONNECTOR, Wiring, Underside fo
									floor console held in by 3 screws

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL


X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Litle	Group-Fig. N
Engine Mounting	
Mount, Timing Belt Side Engine [EDZ]	 Fig. 009-110
Mount, Front & Rear Transmission [EDZ]	 Fig. 009-120
Mount, Bracket & Transmission [EDZ]	 Fig. 009-130
Mount, Timing Chain Side [EGA & EGH]	 Fig. 009-140
Mount, Front & Rear [EGA & EGH]	 Fig. 009-150
Mount, Bracket & Transmission [EGA & EGH]	 Fig. 009-160
Strut, Engine Block Bend [EGH] + [AWD]	 Fig 009-170

Mount, Timing Belt Side Engine [EDZ] Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				<u>,I</u>					
IOTE:									
sales Co EDZ]=2.	odes: .4L 4 Cyl. DOH(C 16 V	Engine						
1	,		_ 3						RAIL, See Sheet Metal Group, (NO SERVICED) (Not Serviced)
2	5110 076AA	1				EDZ			SUPPORT, Engine Mount
3	6503 119	3				EDZ			SCREW AND WASHER, Hex Hea
4	6506 439AA	3							M10x1.5x40 BOLT AND WASHER, M10x60
	0000 1 00///								ENGINE, Complete, See Engine
									Group., (NOT SERVICED) (Not
0	1004 050	4				-D7			Serviced)
6	4861 656AA	1				EDZ			BRACKET, Engine Mount
						_	_		
205.0	UDVOLED MINIVAN								
ERIES	HRYSLER MINIVAN			ODY	ENGI				SMISSION
ERIES = Sport	LINE C = Chrysl	ler (AWD) 52 =	= 113 WB	EDZ, ED0	0 = 2.4L 4 C	yl. D	GL = 4 sp	od. Auto. (41TE)
ERIES	LINE C = Chrysl D = Dodge Y = Chrysl	ler (AWD) e (AWD) ler (FWD)	52 = 53 =		EDZ, ED0 EGA = 3. EGH, EG	0 = 2.4L 4 C	Di Cyl.	GL = 4 sp	

Mount, Front & Rear Transmission [EDZ] Figure 009-120

ITEM


PART

NUMBER

QTY

LINE

SERIES



NOTE:							
Sales Co	odes:						
[EDZ]=2.	4L 4 Cyl. DOH	IC 16 V	Engine				
1	6506 927AA	3	Ü				BOLT
2	6101 623	1			EDZ		SCREW AND WASHER, Hex Head,
							M10x1.5x105
3	6502 979	1			EDZ		NUT AND WASHER, Hex, M10x1.5
4	6507 506AA	2					SCREW AND WASHER, Hex Head
5	6504 386	2			EDZ		SCREW, Hex Flange Head
6	6505 475AA	1					SCREW AND WASHER, Hex Head
7	4861 399AA	1			EDZ		SUPPORT, Transmission
8	6102 170AA	3					BOLT AND WASHER, M10x35
9	4861 399AA	1			EDZ		SUPPORT, Transmission
10	4861 268AB	1					SHIELD, Engine Mount
11							NUT, Push, (NOT SERVICED) (Not
							Serviced)
12	4861 430AB	1			EDZ		SUPPORT, Engine Mount
13	4861 574AC	1			EDZ		BRACKET, Engine Mount
14	6501 741	4					SCREW AND WASHER, Hex Head,
							M12x1.75x30
15	6501 741	4					SCREW AND WASHER, Hex Head,
							M12x1.75x30
16	6507 210AA	1					SCREW AND WASHER, Hex Head

BODY ENGINE TRANS TRIM

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

M = ELX = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES

S = Limited

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

DESCRIPTION

Mount, Bracket & Transmission [EDZ] Figure 009-130

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	des:								
[EDZ]=2.	4L 4 Cyl. DOH	C 16 V	Engine						
1	4861 478AB	1				EDZ			SUPPORT, Engine Mount
2	6101 755	4					DGL		SCREW AND WASHER, Hex Head,
									M10x1.5x53
3	6507 521AA	1							BOLT, Hex Head
4	4861 459AA	1							BRACKET, Engine Mount
5	6503 119	2							SCREW AND WASHER, Hex Head,
									M10x1.5x40



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE

P = LXI, ES S = Limited M = EL


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

BODY 52 = 113 WB 53 = 119 WB


Mount, Timing Chain Side [EGA & EGH] Figure 009-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:	1								
Sales Co	odes: 3.3L OHV V-6 Ei	naina							
	3.8L OHV V-6 E1								
1	6503 119	2							SCREW AND WASHER, Hex Hea
									M10x1.5x40
2	6506 439AA	3							BOLT AND WASHER, M10x60
3	1 D					. =			SUPPORT, Engine Mount
	4861 270AB	1	C, D			EGH			
	4861 271AD	1	K, Y			EGA, EGH			
4	4861 659AA	1				EGH EGA,			BRACKET, Engine Mount
••	4001 000,	Ī				EGA, EGH			DIAORET, Engine meant
DDGE - CI	HRYSI ER MINIVAI	V (RS) —							
SERIES	HRYSLER MINIVAR			ODY	ENGI				SMISSION
SERIES = Sport	LINE C = Chrysl	sler (AWD)) 52 =	ODY = 113 WB = 119 WB	EDZ, ED	0 = 2.4L 4 Cy	I. DO	GL = 4 sp	pd. Auto. (41TE)
SERIES = Sport = LX, SE = LXI, ES	LINE C = Chrysl D = Dodge Y = Chrysl	sler (AWD) e (AWD) ler (FWD)	52 = 53 =	= 113 WB	EDZ, ED0 EGA = 3. EGH, EG	0 = 2.4L 4 Cy .3L 6 Cyl. 30 = 3.8L 6 Cy	DO yl.	GL = 4 sp	
SERIES = Sport = LX, SE	$\begin{array}{c} \text{LINE} \\ \text{C = Chrysl} \\ \text{D = Dodge} \\ \text{S} & \text{Y = Chrysl} \end{array}$	sler (AWD) e (AWD) ler (FWD)	52 = 53 =	= 113 WB	EDZ, ED0 EGA = 3. EGH, EG	0 = 2.4L 4 Cy .3L 6 Cyl.	DO yl.	GL = 4 sp	pd. Auto. (41TE)

Mount, Front & Rear [EGA & EGH] Figure 009-150

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co									
	3L OHV V-6 E	•							
	.8L OHV V-6 E	•							
1	6506 927AA	3							BOLT
2	4861 295AB	1				EGA,			SUPPORT, Engine Mount
						EGH			
3	4861 298AE	1				EGA,			BRACKET, Engine Mount
						EGH			
4	6502 130	2				EGA,			SCREW AND WASHER, Hex Head
						EGH			M10x1.5x40
5	6503 523	1				EGA,			BOLT, Hex Head, M12-1.75x60
						EGH			
6	6101 623	1				EGA,			SCREW AND WASHER, Hex Head
						EGH			M10x1.5x105
7	6502 979	1				EGA,			NUT AND WASHER, Hex, M10x1.5
						EGH			
8	6501 741	3				EGA,			SCREW AND WASHER, Hex Head
						EGH			M12x1.75x30
9	6505 475AA	1							SCREW AND WASHER, Hex Head
10	4861 433AD	1							BRACKET, Transmission Support
11	6102 170AA	3							BOLT AND WASHER, M10x35
12	4861 273AA	1				EGA,			SUPPORT, Transmission
						EGH			,
13	4861 268AB	1							SHIELD, Engine Mount
14	6507 210AA	1							SCREW AND WASHER, Hex Head
15									NUT, Push, (NOT SERVICED) (No
									Serviced)

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Mount, Bracket & Transmission [EGA & EGH] Figure 009-160

5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes:								
	.3L OHV V-6 E	ngine							
	.8L OHV V-6 E	_							
1	6503 119	2				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M10x1.5x40
2	4861 459AA	1							BRACKET, Engine Mount
3									SUPPORT, Engine Mount
	4861 269AB	1	K, Y			EGA,			[FWD]
						EGH			
	4861 270AB	1	C, D			EGH			[AWD]
4	6101 755	4					DGL		SCREW AND WASHER, Hex Head,
									M10x1.5x53
5	6507 521AA	1							BOLT, Hex Head

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

X = EX

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB **ENGINE** EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


Strut, Engine Block Bend [EGH] + [AWD] Figure 009-170

2	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co									
	3L OHV V-6 E								
	8L OHV V-6 E								DDAOKET T
2	4861 433AD 6501 741	4							BRACKET, Transmission Support SCREW AND WASHER, Hex Head
2	0301 741	4							M12x1.75x30
3	6506 111AA	2							SCREW, Hex Head
4	4861 657AA	1	C, D			EGA,			BRACE, Transmission
			<u> </u>			EGH			
ODGE - CH	RYSLER MINIVA	N (RS) —							
SERIES	LINE			ODY	ENG				SMISSION
= Sport = LX, SE	C = Chrys D = Dodg	sier (AWD e (AWD)		= 113 WB = 119 WB	EDZ, ED EGA = 3	0 = 2.4L 4 C .3L 6 Cyl.	yl. D	GL = 4 s G0 = AII	pd. Auto. (41TE) Automatic Transm
= LXI, ES	Y = Chrys	ler (FWD)			EGH, EG	30 = 3.8 L 6 C	Cyl.	20 - / III	
= Limited I = EL	K = Dodg	e (FWD)			EGM = 3	3.3L 6 Cyl. FF	-V		
= EX									

Group – 2.4L


Engine 2.4L Four Cylinder



2.4L-100 Engine Identification	2.4L-200 Cylinder Head	2.4L-300 Cylinder Block	2.4L–400 Crankshaft, Piston, and Drive Plate
X Model Year Menufocturing Commonwrity First Commonwrity Form Commonwrity			
2.4L-500	2.4L-600	2.4L-700	2.4L-800
Camshafts and Valves	Timing Belt and Cover	Engine Oiling	Manifolds

Group – 2.4L

Engine 2.4L Four Cylinder



GROUP 2.4L - Engine 2.4L Four Cylinder

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 2.4L [EDZ]	Fig. 2.4L-110
Cylinder Head Cylinder Head 2.4L [EDZ]	Fig. 2.4L-210
Cylinder Block Cylinder Block 2.4L [EDZ] Heater Block [EDZ]	Fig. 2.4L-310 Fig. 2.4L-320
Crankshaft, Piston, and Drive Plate Crankshaft and Pistons 2.4L[EDZ]	Fig. 2.4L-410
Camshafts and Valves Camshaft and Valves 2.4L [EDZ]	Fig. 2.4L-510
Timing Belt and Cover Timing Belt and Cover 2.4L [EDZ] Balance Shafts 2.4L [EDZ]	Fig. 2.4L-610 Fig. 2.4L-620
Engine Oiling 2.4L [EDZ]	Fig. 2.4L-710
Manifolds Manifolds, Intake and Exhaust 2.4L [EDZ]	Fig. 2.4L-810
Crankcase Ventilation Crankcase Ventilation 2.4L [EDZ]	Fig. 2.4L-910

I.D. Location 2.4L [EDZ] Figure 2.4L-110

ITEM

PART

NUMBER

QTY


LINE

SERIES

BODY

ENGINE

Engine ID is located on the left bank at the rear of the block just below the h	ead.
1	LABEL, Engine Identification,
	ENGINE IDENTIFICATION
	NUMBER IS LOCATED ON THE
	LEFT REAR OF THE CYLINDER
	BLOCK BEHIND THE STARTER
	***, (NOT SERVICED) (Not
	Serviced)



DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE BOT

H = Sport C = Chrysler (AWD) 52 = 1

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


TRIM

DESCRIPTION

TRANS

M = ELX = EX

Cylinder Head 2.4L [EDZ] Figure 2.4L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; S	ales Codes								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	l Engine					
-1	4773 717AD-	1				EDZ			GASKET PACKAGE, Engine
-2	5083 919AA-	1				EDZ			GASKET PACKAGE, Engine Upper
3	4781 492AB	1				EDZ			COVER, Cylinder Head
4	4781 639AB	1				EDZ			GASKET, Valve Cover
5	4621 851	4				EDZ			SEAL, Spark Plug Tube
6	4621 850AB	8				EDZ			ISOLATOR, Cylinder Head Cover,
									Grommet And Bolt
7	4694 535AB	1				EDZ			ISOLATOR, Cylinder Head Cover,
									Grommet And Stud
8	4648 831AA	1				EDZ			CAP, Oil Filler
9	4777 086	2				EDZ			SEAL, Camshaft
10	4667 088AG	1				EDZ			HEAD, Cylinder
11	4884 443AB	1				EDZ			GASKET, Cylinder Head
12	4556 020	2				EDZ			PLUG, Core, 1.25 Diameter
13	6504 033	10				EDZ			BOLT, Cylinder Head
14	6100 918	18				EDZ			BOLT, Hex Flange Head, M6x1.
									00x35
15	6101 527	6				EDZ			SCREW, Hex Flange Head, M8x1.
									25x40
16	4667 731	1				EDZ			PLUG, Camshaft
17	4556 018AB	1				EDZ			PLUG, Cylinder Block Oil Hole
-18	6036 346AA-	1				EDZ			PLUG, Pipe
19	6503 131	10				EDZ			BOLT, Hex Flange Head, M8x1.
									25x30

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


H = Sport C = Chrysler (AWD) D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

Cylinder Block 2.4L [EDZ] Figure 2.4L-310



	PAF	₹T								
ITEM	NUME	BER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Cod		DOI 10	10) (0) 10						
				16V SMP	I Engine		ED7			CACKET DAOKAGE. En vin e
-1 2	4773 71		1				EDZ EDZ			GASKET PACKAGE, Engine GASKET PACKAGE, Engine Uppe
-2 3	5083 91 5093 71		1 1				EDZ			BLOCK, Short
4	4448 85		2				EDZ			DOWEL, Block To Cylinder Head
5	6036 54		6				EDZ			PLUG, Pipe
6	5240 84		2				EDZ			DOWEL, Block To Clutch Housing
7	4694 10		2				EDZ			DOWEL, Engine Block To Bedplate
8	6503 38	37	10				EDZ			BOLT, Main Bearing Cap
9	6504 25	57	3	C, D						BOLT, Hex Head, M8x1.25x70
10	4621 93	B9AB	1				EDZ			SEAL, Rear Main Crankshaft
11	4556 02	20	2				EDZ			PLUG, Core, 1.25 Diameter
-12	6034 80		4				EDZ			PLUG, Core, 1.39 Diameter
13	6503 09		1				EDZ			O RING, Engine Block Heater
14	4557 68		1				EDZ			HEATER, Engine Block
15	4686 94		1				EDZ			CORD, Engine Block Heater
16	4556 01	18AB	1				EDZ			PLUG, Cylinder Block Oil Hole

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

W W
3

	ales Code 2.4L 4 Cylinder 4557 686AB 6503 096	DOHC	LINE 16V SMP	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[EDZ] = 2 1 -2	2.4L 4 Cylinder 4557 686AB		16V SMP						
1 -2	4557 686AB		16V SMP						
-2		1		I Engine					
	6503 006					EDZ			HEATER, Engine Block, Cylinder Block
3	0303 090	1				EDZ			O RING, Engine Block Heater
	4686 948AB	1				EDZ			CORD, Engine Block Heater
-4	5073 039AA-	1				EDZ			STRAP, Tie
DDGE - CH	IRYSLER MINIVA	N (RS) —				INIT		TDAN	CMICCION
SERIES = Sport = LX, SE = LXI, ES = Limited = EL	LINE C = Chrys D = Dodge Y = Chrys K = Dodge	e (AWD) ler (FWD) 52 = 53 =	ODY = 113 WB = 119 WB	EGA = 3 EGH, EG	INE 0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	yl.	GL = 4 sp	SMISSION od. Auto. (41TE) Automatic Transm

Crankshaft and Pistons 2.4L[EDZ] Figure 2.4L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[DGC] =	3 Speed Auton	natic Tra	ansmissior	1					
[DGL] =	41TE/41AE 4 S	Speed A	utomatic 1	ransmissio	n				
[EDZ] =	2.4L 4 Cylinder	r DOHC	16V SMF	PI Engine					
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.81 V6 SMPI E	Engine							
[EGM] =	3.3L V6 SMPI	Flex Fu	el Engine						
1	5012 588AA	AR				EDZ			BEARING KIT, Connecting Rod,
									Standard
2	5012 589AA	8				EDZ			BEARING KIT, Connecting Rod, .02
									mm U/S
3	5012 590AA	8				EDZ			BEARING KIT, Connecting Rod, .25
									mm U/S
4	5012 585AB	2				EDZ			BEARING KIT, Crankshaft Thrust,
									Std
5	5012 586AB	2				EDZ			BEARING KIT, Crankshaft Thrust,
									.025mm Undersize
6	5012 587AB	2				EDZ			BEARING KIT, Crankshaft Thrust,
									.25mm Undersize
7	5012 582AA	4				EDZ			BEARING KIT, Crankshaft, Standard
8	5012 583AA	4				EDZ			BEARING KIT, Crankshaft, .025mm
									Undersize
9	5012 584AA	4				EDZ			BEARING KIT, Crankshaft, .25mm
									Undersize
10	4781 643AA	1				EDZ			CRANKSHAFT
11	5114 417AA	1				EDZ			RING PACKAGE, Crankshaft Targe
-12	6506 656AA-	4				EDZ			SCREW
13	6035 473	1				EDZ			KEY, Crankshaft Sprocket
14	4621 939AB	1				EDZ			SEAL, Rear Main Crankshaft
15	6503 465	8					DGL		BOLT, Drive Plate and Flywheel
16	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
17	4567 143	1				EDZ			PLATE, Drive Plate
18	5018 956AB	1				EDZ			CONVERTER PACKAGE, Torque
19	4471 933	1					DGL		PLATE, Drive Plate Backing
20	5073 524AA	1				EDZ			PISTON RING SET, COMPLETE
									ENGINE, STD.
21	5066 565AB	4				EDZ			PISTON PIN AND ROD
22	6503 116	8				EDZ			BOLT, Connecting Rod

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

BODY 52 = 113 WB 53 = 119 WB

Camshaft and Valves 2.4L [EDZ] Figure 2.4L-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4777 898AA	8				EDZ			VALVE, Exhaust, Standard
-2	4777 899AA-	8				EDZ			VALVE, Exhaust, .015" O/S
3	4667 969AB	8				EDZ			VALVE, Intake, Standard
-4	4667 970AB-	8				EDZ			VALVE, Intake, .015" O/S
5	4781 681AA	1				EDZ			CAMSHAFT, Intake
6	4781 679AA	1				EDZ			CAMSHAFT, Exhaust
7	4777 086	2				EDZ			SEAL, Camshaft
8	4667 731	1				EDZ			PLUG, Camshaft
9	4777 050AC	32				EDZ			LOCK, Valve Spring Retainer
10	4648 682AB	16				EDZ			RETAINER, Valve Spring
11	4648 907AA	16				EDZ			SPRING, Valve
12	4648 619	16				EDZ			SEAL, Valve Guide
13	4667 411	1				EDZ			GUIDE, Intake/Exhaust Valve, 7mm
									Oversize
14	4884 042AA	16				EDZ			ROCKER ARM, Valve Roller
15	4777 976AA	16				EDZ			ADJUSTER, Valve Lash
16	6100 997	1				EDZ			PIN, Dowel
17	5293 199AA	1				EDZ			CAM MAGNET, Target
18	4884 111AA	1				EDZ			SEAL, Camshaft Sensor
19	6503 688	1				EDZ			BOLT, Hex Flange Head, M6x1.
									00x40
-20	6100 918	18				EDZ			BOLT, Hex Flange Head, M6x1.
									00x35

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

Timing Belt and Cover 2.4L [EDZ] Figure 2.4L-610



	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
NOTE: (NOTE: Check Parts Notes for Crankshaft Gear and Damper											
Sales Co												
[EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine								
1	4648 935AA	1				EDZ			COVER, Timing Belt, Outer, Upper			
2	4621 592AD	1				EDZ			COVER, Timing Belt, Outer,Lower			
3	6035 957AA	2				EDZ			SCREW			
4	4781 593AA	1				EDZ			COVER, Timing Belt, Inner			
5	4621 844	1				EDZ			BELT, Timing			
6	4667 609	2				EDZ			GEAR, Camshaft			
-7	6100 997	1				EDZ			PIN, Dowel			
8	4781 570AB	1				EDZ			TENSIONER, Belt			
9	6501 405	2				EDZ			BOLT, Hex Head, M12x1.50x52			
10	6503 438	2				EDZ			WASHER, Flared, 13x35.00x4.70			
11	4781 569AB	1				EDZ			PULLEY, Idler			
12	4694 268AB	1				EDZ			DAMPER, Engine Vibration			
13	6503 553	1				EDZ			BOLT, Hex Flange Head, M12x1.			
									75x87.50			
14	6035 473	1				EDZ			KEY, Crankshaft Sprocket			
15									BOLT AND WASHER, Hex Head,			
									M10x1.50x62, (NOT SERVICED)			
									(Not Serviced)			
16	4648 939AA	1				EDZ			GEAR, Crankshaft			
-17	6507 550AA-					EDZ			BOLT Have Floring Hand Mout 2002			
-18	6502 926	4				EDZ			BOLT, Hex Flange Head, M6x1.0x20			

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Balance Shafts 2.4L [EDZ] Figure 2.4L-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
	3 Speed Autor	natic Tr	ansmissior						
	2.4L 4 Cylinder								
1	4621 996	1		. Liigiiio		EDZ			CHAIN, Balance Shaft
2	4621 519AD	1				EDZ			CARRIER, Balance Shaft
3	4323 043	1				EDZ			COVER, Balance Shaft Carrier
4	4621 517	1				EDZ			SHAFT, Balance, Driver
5	4621 518	1				EDZ			SHAFT, Balance, Driven
6	4621 952	1				EDZ			GEAR, Balance Shaft Driver
7	4621 951	1				EDZ			GEAR, Balance Shaft Driven
8	4323 039	1				EDZ			COVER, Balance Shaft Gear
9	4884 473AA	1				EDZ			TENSIONER, Chain
10	4323 041AD	1				EDZ			TROUGH, Carrier Cover
11	4884 472AA	1				EDZ			GUIDE, Balance Shaft Chain
12	4483 485	1				EDZ			GEAR, Balance Shaft
13	6505 188AA	1				EDZ			STUD, M6x1.00x40.00
14									KEY, Crankshaft Sprocket
	6035 473	1				EDZ			
	6500 150	2				EDZ			Balance Shaft
15	6100 047	1				EDZ			NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00
16	6501 404	2				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x25
17	6100 279	1				EDZ			SCREW AND WASHER, Hex Head,
									M6x1x35
18	6501 714	2				EDZ			SCREW AND WASHER, Hex Head,
									M6x1x18
19	4621 541	1				EDZ			GEAR, Crankshaft
20	6100 271	2				EDZ			BOLT AND CONED WASHER, Hex
									Head, M6x45x12.5
21	6503 389	2				EDZ			BOLT, Hex Flange Head, M10x1.
									50x108
22	6504 878AA	2				EDZ			BOLT
-23	4861 514AB-	1				EDZ			TENSIONER, Belt, Auto Tensioner

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Engine Oiling 2.4L [EDZ] Figure 2.4L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4781 454AC	1				EDZ			PUMP, Engine Oil
2	6506 214AA	1				EDZ			PLUG, Oil Drain
3	4694 525AB	1				EDZ			PAN, Engine Oil
4	6101 451	13				EDZ			SCREW AND WASHER, Hex Head M6x1x25
5	4781 491AA	1				EDZ			TUBE, Engine Oil Indicator
6	4781 490AA	1				EDZ			INDICATOR, Engine Oil Level
7	4621 579	1				EDZ			GASKET, Oil Pan
8	6505 388AA	5				EDZ			SCREW, Flange Head, M6x1x18
9	4792 304	1				EDZ			TUBE, Oil Pickup
10	6032 920	1				EDZ			SEAL, Oil Pick Up Tube
11	6500 070	1				EDZ			SCREW AND WASHER, Hex Head M8x1.25x25
12	4105 409	1				EDZ			FILTER, Engine Oil
-13	5300 7563	1				EDZ			CONNECTOR, Oil Filter
14	0618 621	1				EDZ			CAP, Oil Pressure Relief Valve
15	4777 062	1				EDZ			GASKET, Oil Pump Relief Valve
16	1737 744	1				EDZ			SPRING, Oil Pressure Relief Valve
17	2843 208	1				EDZ			PLUNGER, Oil Pressure Relief Valv
18	4773 672	1				EDZ			ROTOR SET, Oil Pump
19	4621 523	1				EDZ			COVER, Oil Pump Back
20	4483 444AB	1				EDZ			O RING, Front Cover Oil Inlet
21	4667 198	1				EDZ			SEAL, Front Main Crankshaft
22	6504 171	1				EDZ			SCREW, Hex Flange Head, M8x1. 25x32
23	6100 296	3				EDZ			BOLT, Hex Head
-24	6503 257	2				EDZ			BOLT, Hex Head, M8x1.25x37.50


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Manifolds, Intake and Exhaust 2.4L [EDZ] Figure 2.4L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4781 278AA	1				EDZ			GASKET, Intake Manifold
2	4781 255AA	1				EDZ			GASKET, Exhaust Manifold
3	4781 276AA	1				EDZ			MANIFOLD, Intake
4	4781 253AA	1				EDZ			MANIFOLD, Exhaust
5									GASKET, Intake Manifold, Serviced
									With Sealer, (NOT SERVICED)
									(Not Serviced)
6	6503 131	10				EDZ			BOLT, Hex Flange Head, M8x1.
									25x30
7	6504 171	4				EDZ			SCREW, Hex Flange Head, M8x1.
									25x32
8	6101 452	1							SCREW AND WASHER, Hex Head,
									M8x1.25x20
9	6101 611	2				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x25
10	6100 274	2				EDZ			BOLT AND CONED WASHER, Hex
									Head, M6x14x14
11	6503 131	10				EDZ			BOLT, Hex Flange Head, M8x1.
									25x30
12	6506 929AA	1							NUT, Hex Flange Lock, M8x1.25
13	4781 479AC	1				EDZ			PLENUM, Manifold
-14	4781 482AA-	1				EDZ			STRUT, Engine
-15	6504 152	2				EDZ			NUT, Hex Flange Lock, M8x1.25
-16	4861 235AA-	1				EDZ			CONNECTOR, Manifold Vacuum
-17	4861 235AA-	1				EDZ			CONNECTOR, Manifold Vacuum
-18	3580 172	2				EDZ			CAP, Vacuum
-19	4663 942	1				EDZ			PLUG, Core, 1.50 Diameter
-20	6504 152	2				EDZ			NUT, Hex Flange Lock, M8x1.25
-21	4612 890	1				EDZ			CONNECTOR, Manifold Vacuum

X = EX

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Crankcase Ventilation 2.4L [EDZ] Figure 2.4L-910

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTES: S	Sales Code								
	[EDZ] = 2	.4L 4 Cylinder		16V SMPI	Engine					
	1	4781 288AA	1				EDZ			HOSE, PCV Valve To intake Manifold
		4777 240AC	1				EDZ			VALVE, PCV
	3									CLAMP, Heater Hose, (NOT REQUIRED)
	4	4387 304	1				EDZ			NIPPLE, Crankcase Vent
3-8										
7										
(2)										
										_
	SERIES	RYSLER MINIVA		B(DDY	ENGI	INE		TRAN	SMISSION
	H = Sport L = LX, SE P = LXI, ES	C = Chrys D = Dodge Y = Chrysl K = Dodge	ier (AWD) e (AWD) ler (FWD)	52 = 53 =	113 WB 119 WB	EGA = 3	0 = 2.4L 4 C .3L 6 Cyl. 30 = 3.8L 6.0	yı. DO DO Svl	GL = 4 s _i G0 = All	pd. Auto. (41TE) Automatic Transm
	S = Limited M = EL	K = Dodge	e (FWD)			EGM = 3	60 = 3.8L 6 C 3.3L 6 Cyl. FF	-V		
	X = EX									

Group – 3.3L6T


Engine 3.3L Six Cylinder





Group – 3.3L6T

Engine 3.3L Six Cylinder



GROUP 3.3L6T - Engine 3.3L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification	
I.D. Location 3.3L [EGA]	Fig. 3.3L6T-110
Cylinder Head	
Cylinder Head 3.3L [EGA]	Fig. 3.3L6T-210
Cylinder Block	
Cylinder Block 3.3L [EGA]	Fig. 3.3L6T-310
Heater Block [EGA]	Fig. 3.3L6T-320
Crankshaft, Pistion and Torque Converter	
Crankshaft and Pistons 3.3L [EGA]	Fig. 3.3L6T-410
Camshafts & Valves	
Camshaft and Valves 3.3L [EGA]	Fig. 3.3L6T-510
Timing Chain and Cover	
Timing Chain and Cover,3.3L [EGA]	Fig. 3.3L6T-610
Engine Oiling	
Engine Oiling 3.3L [EGA]	Fig. 3.3L6T-710
Manifolds	
Manifolds, Intake and Exhaust 3.3L [EGA]	Fig. 3.3L6T-810
Crankcase Ventilation	
Crankcase Ventilation 3.3L [EGA]	Fig. 3.3L6T-910

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine ID 1	is located on	the left	bank at th	ne rear of the	he block ju	st below th	e head		LABEL, Engine Identification,
'									REFERENCE ENGINE
									IDENTIFICATION LOCATION
									(NOT SERVICED) (Not Service
	<u> </u>								
ODGE - CHI SERIES	RYSLER MINIVA LINE	N (RS) —		ODY	ENG	INIE		TDANI	SMISSION
SERIES = Sport	C = Chrys	ler (AWD) 52 =	= 113 WB	EDZ, ED	00 = 2.4L 4 C	yl. D	GL = 4 sp	pd. Auto. (41TE)
= Sport									
= LX, SE = LXI, ES	D = Dodge Y = Chrys	e (AWD) ler (FWD	53 =	= 119 WB	EGA = 3	3.3L 6 Cyl. 30 = 3.8L 6 C	D(tvl	G0 = AII	Automatic Transm

GENERAL INFORMATION 3.3L


ENGINE IDENTIFICATION NUMBER OR CODE

The engine identification number is located on the rear of the cylinder block just below the cylinder head.



Engine Identification 3.3 L

Cylinder Head 3.3L [EGA] Figure 3.3L6T-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
EGA] =	3.3L V6 SMPI I	Engine							
-1									GASKET PACKAGE, Engine Up
	5019 250AC-	1				EGA			With Steel Head Covers
	5134 518AA-	1				EGA			With Plastic Head Covers
2									COVER, Cylinder Head, Right
	4781 019AB	1				EGA,			Steel
						EGH			
	4648 976AA	1				EGA,			Plastic
						EGH			
3									COVER, Cylinder Head, Left
	4781 235AA	1				EGA,			Steel
						EGH			
	4648 980AA	1				EGA,			Plastic
						EGH			
4									GASKET, Cylinder Cover, Two p
									Engine
	4781 528AA	1				EGA,			With Steel Head Covers
						EGH			
	4648 987AA	1				EGA,			With Plastic Head Covers
						EGH			
5									ISOLATOR, Cylinder Head Cove
									Grommet And Bolt
	4781 447AB	8				EGA,			With Steel Head Covers
						EGH			
	4648 988AA	6				EGA,			Bolt with Isolator, Plastic
						EGH			
	4781 447AB	8				EGA,			Stud with Isolator, Plastic
						EGH			
6	4648 831AA	1				EGA,			CAP, Oil Filler
						EGH			
7	4694 686AA	2				EGA,			HEAD, Cylinder
						EGH			
8									GASKET, Cylinder Head
	4781 017AA	1				EGA			Left
	4781 018AA	1				EGA			Right
9	6504 060	16				EGA,			BOLT, Cylinder Head
						EGH			
10	4556 020	4				EGA,			PLUG, Core, 1.25 Diameter
						EGH			

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Cylinder Block 3.3L [EGA] Figure 3.3L6T-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
EGA] =	3.3L V6 SMPI I	Engine							
EGH] =	3.8I V6 SMPI E	ngine							
-1	5019 252AD-	1				EGA			GASKET PACKAGE, Engine Lower
2	5019 165AB	1				EGA			BLOCK, Short
3	4448 856	4				EGA			DOWEL, Block To Cylinder Head
4	4556 022	8				EGA			PLUG, Core, 1.625 Diameter,
									Cylinder Block Water Jacket Drain
									(1/4) Pipe (Not Serviced)
5	4654 389AB	1				EGA,			RETAINER, Crankshaft Rear Oil
						EGH			Seal
6	6102 001	1				EGA,			BOLT AND WASHER, M6x12
						EGH			
7	4621 965	1				EGA,			GASKET, Rear Oil Seal Retainer
						EGH			
8	4556 018AB	5				EGA			PLUG, Cylinder Block Oil Hole
9	5240 849	2				EGA			DOWEL
-10	5203 466	2				EGA			PIN, Dowel, Block to Crankshaft Seal
11	4609 550AB	1				EGA,			HEATER, Engine Block
						EGH			
12	4686 947AB	1				EGA,			CORD, Engine Block Heater
						EGH			
13	5073 039AA	1				EGA,			STRAP, Tie
						EGH			
14	6501 445	AR				EGA,			O RING, Engine Block Heater
						EGH			
-15	4556 222	2				EGA			PLUG, Cylinder Block Oil Hole
-16	6036 307AA-	2				EGA			PLUG
-17	6034 331	1				EGA			PLUG, Hex Socket, 3/8-18NPTx.475

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

W W
3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: S	ales Code								
	3.3L V6 SMPI I	Engine							
	3.8I V6 SMPI E								
1	4609 550AB	1				EGA,			HEATER, Engine Block
	0504.440					EGH			0 DINO 5 : DI 111 (
-2	6501 446	1				EGA, EGH			O RING, Engine Block Heater
3	4686 947AB	1				EGA,			CORD, Engine Block Heater
						EGH			, 3
-4	6036 396AA-	1							STRAP, Tie
DGE - CH	HRYSLER MINIVAI	N (RS) —	B	ODY	ENG	NE		TRAN	SMISSION
RIES Sport	LINE C = Chrysl	ler (AWD)) 52 =	ODY = 113 WB	ENGI EDZ, ED	0 = 2.4L 4 C	ıl. D	GL = 4 s	SMISSION od. Auto. (41TE)
RIES Sport LX, SE	LINE C = Chrysl D = Dodge	ler (AWD) e (AWD)) 52 = 53 =		EDZ, ED EGA = 3	0 = 2.4L 4 C ₎ .3L 6 Cyl.	D	GL = 4 s	
RIES Sport	LINE C = Chrysl D = Dodge	ler (AWD) e (AWD) er (FWD)) 52 = 53 =	= 113 WB	EDZ, ED EGA = 3 EGH, EG	0 = 2.4L 4 C	D yl.	GL = 4 s	od. Auto. (41TE)

Crankshaft and Pistons 3.3L [EGA] Figure 3.3L6T-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•					
1	4897 772AB	6				EGA			PISTON PIN AND ROD
2	4897 033AA	1				EGA			PISTON RING SET, COMPLETE
=	1007 0007 11 1	•				20/1			ENGINE, STD.
3	5012 056AA	6				EGA			BEARING PACKAGE, Connecting
· ·	0012 000/01	Ŭ				20/1			Rod, Standard
-4	5012 057AA-	6				EGA			BEARING PACKAGE, Connecting
•	0012 001781	Ü				20/1			Rod, .025mm Undersize
-5	5012 058AA-	AR				EGA,			BEARING PACKAGE, Connecting
Ŭ	0012 000/1/	,				EGH			Rod, .25mm Undersize
6	5012 053AA	3				EGA,			BEARING PACKAGE, Crankshaft,
	00.2 000.2.	Ü				EGH			Standard
-7	5012 054AA-	AR				EGA,			BEARING PACKAGE, Crankshaft,
						EGH			.025mm Undersize
-8	5012 055AA-	AR				EGA,			BEARING PACKAGE, Crankshaft,
						EGH			.25 mm Undersize
9	5017 521AA	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGH			Standard
-10	5017 522AA-	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGH			.025mm Undersize
-11	5017 523AA-	1				EGA,			BEARING PACKAGE, Crankshaft,
						EGH			.25 mm Undersize
12	4621 983AB	1				EGA			CRANKSHAFT
13	6502 976	1				EGA,			SCREW, Hex Flange Head, M10x1.
						EGH			5x61
14	6504 776	1				EGA,			WASHER
						EGH			
15	4448 886	1				EGA,			DAMPER, Crankshaft
						EGH			
16	6036 159AA	12				EGA			NUT, Hex, .375-24
17	6503 201	8				EGA			BOLT, Main Bearing Cap
18	5093 926AA	1				EGA,			CONVERTER PACKAGE, Torque
						EGH			
19	4471 933	1					DGL		PLATE, Drive Plate Backing
20	6503 465	8					DGL		BOLT, Drive Plate and Flywheel
-21	6502 976	1				EGA,			SCREW, Hex Flange Head, M10x1.
						EGH			5x61
-22	4621 939AB-	1				EGA,			SEAL, Rear Main Crankshaft
				· ·		EGH			
23	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

 $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Crankshaft and Pistons 3.3L [EGA] Figure 3.3L6T-410


		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		24	4736 832AB	1				EGA,			PLATE, Torque Converter Drive
								EGH			
23	(2)										
24 20											
		3									
19 (18)											
	16——										
(6)											
	(15)										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$											
	(14)										
	13										
9											
(17)											
		DODGE - CH SERIES H = Sport	RYSLER MINIVAI LINE C = Chrysi D = Dodge Y = Chrysl K = Dodge	er (AWD)	BC 52 =	DDY 113 WB 119 WB	ENGI EDZ, ED	NE 0 = 2.4L 4 C	Syl. D	TRAN	ISMISSION pd. Auto. (41TE) Automatic Transm
		H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX	D = Dodge Y = Chrysl K = Dodge	e (AWD) er (FWD) e (FWD)	53 =	119 WB	EGA = 3. EGH, EG EGM = 3	NE 0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	Di Cyl. FV	ا All = O	Automatic Transm

Camshaft and Valves 3.3L [EGA] Figure 3.3L6T-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	ales Code								
[EGA] = 3	3.3L V6 SMPI	Engine							
[EGH] = 3	3.8L V6 SMPI	Engine							
[EGM] = 3	3.3L V6 SMPI	Flex Fu	el Engine						
1	4781 182AA	6				EGA,			ROCKER ARM, Exhaust
						EGH			
2	4781 183AA	6				EGA,			ROCKER ARM, Intake
0	4704 500 4 4	40				EGH			TUDUOT WASHED Declar Asses
3	4781 523AA	12				EGA, EGH			THRUST WASHER, Rocker Arm
4	4781 184AA	2				EGH EGA,			SHAET Booker Arm
4	4701 104AA	2				EGA, EGH			SHAFT, Rocker Arm
5						LOIT			BOLT
	6506 521AA	12				EGA,			[M8X1.25X41.0]
	2000 021701					EGH			[
	6506 522AA	2				EGA,			[M8X1.25X55.0]
						EGH			
6									RETAINER, Valve Rocker Shaft
	4781 185AA	6				EGA,			Intake and Exhaust
						EGH			
	4781 186AA	4				EGA,			Cylinder
						EGH			
	4781 187AA	4				EGA,			Shaft End
_						EGH			
7	4781 030AA	24				EGA,			LOCK, Valve Spring Retainer
0	4704 000 4 4	40				EGH			DETAINED Value Covins
8	4781 090AA	12				EGA, EGH			RETAINER, Valve Spring
9	4781 588AA	12				EGA,			SPRING, Valve
	4701 300AA	12				EGA,			SFRING, valve
10	4781 072AB	12				EGA,			SEAL, Valve Guide
.0	1701 012/18					EGH			CE, LE, Valvo Calao
11	4781 025AA	6				EGA,			VALVE, Intake, Standard
						EGH			
12	4781 029AB	6				EGA,			VALVE, Exhaust, Standard
						EGH			
13	6500 136	2				EGA,			SCREW AND WASHER, Hex Hea
						EGH			M6x1x14
14	4621 938	12				EGA,			TAPPET, Valve
						EGH			
DODGE - CH SERIES H = Sport L = LX, SE	IRYSLER MINIVA LINE C = Chrys D = Dodge	ler (AWD) 52 =	ODY = 113 WB = 119 WB		NE 0 = 2.4L 4 C .3L 6 Cyl.		GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm
P = LXI, ES S = Limited M = EL X = EX	Y = Chrys K = Dodge	ler (FWD		_	EGH, EG	60 = 3.8L 6 C 3.3L 6 Cyl. FF	Cyl.	/	

Camshaft and Valves 3.3L [EGA] Figure 3.3L6T-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4448 078	6				EGA,			YOKE, Tappet Aligning
						EGH			
16	4781 013AA	1				EGA			CAMSHAFT, Engine
17	4781 509AA	12				EGA,			SEAT, Valve Spring
						EGH			
18	4781 024AA	12				EGA,			PUSH ROD, Valve
						EGH			
19	4448 933	1				EGA,			RETAINER, Tappet Yoke Aligning
						EGH			
20	4694 337	1				EGA			PLUG, Camshaft
21									BEARING, Camshaft, Serviced in
									Short Engine, (NOT SERVICED)
									(Not Serviced)
22									GUIDE, Intake/Exhaust Valve,
									Standard Size, Serviced in Cylinder
									Head, (NOT SERVICED) (Not
									Serviced)
23									SEAT, Exhaust Valve, Serviced in
									Cylinder Head, (NOT SERVICED)
									(Not Serviced)
24									SEAT, Intake Valve, Serviced in
									Cylinder Head, (NOT SERVICED)
									(Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

S = Limited M = ELX = EX

C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ D = Dodge (AWD)P = LXI, ES


Y = Chrysler (FWD) K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION DGL = 4 spd. Auto. (41TE)

DG0 = All Automatic Transm

Timing Chain and Cover,3.3L [EGA] Figure 3.3L6T-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	SALES CODES:								
[EGA] =	3.3L OHV Engi	ne							
1	5019 333AE	1				EGA,			COVER PACKAGE, Engine Timing
						EGH			Also includes Oil Pan Gasket and
									Pickup tube seal
-2	6101 614	3				EGA,			SCREW AND WASHER, Hex Head
						EGH			M8x1.25x45, Chain Case Cover,
									Mounting
-3	6101 330	2				EGA,			SCREW AND WASHER, Hex Head
						EGH			M10x1.5x85, Chain Case Cover,
									Mounting
4	4621 987AB	1				EGA,			GASKET, Chain Case Cover,
						EGH			Mounting
5	6100 902	1	K, Y			EGA	DGL		DOWEL, M6x14, Timing Cover
									Locating
6	4740 275	1				EGA,			CHAIN PACKAGE, Timing
						EGH			
7	6101 062	1				EGA,			SCREW AND WASHER, Hex Head
						EGH			M10x1.5x40, Camshaft Sprocket,
0	E407 40E A A	4				EGA,			Mounting
8	5127 185AA	1				EGA, EGH			SPROCKET PACKAGE, Camshaft
9	6102 001	1				EGA,			POLT AND WASHED Mov12
9	0102 001					EGA, EGH			BOLT AND WASHER, M6x12
10	4621 623	1				EGA,			PLATE, Camshaft Thrust
10	4021 023	'				EGH			TEATE, Camshait Illiust
11	6102 001	1				EGA,			BOLT AND WASHER, M6x12
'''	0102 001	'				EGH			BOET AND WASHER, MOXIZ
12	4448 154	1				EGA,			GEAR, Crankshaft
12	7110 101	'				EGH			C. Try Gramonan
13	4448 557	1				EGA			DOWEL, Crankshaft Sprocket
14	4273 275	1				EGA,			SEAL, Front Main Crankshaft
• • •	.2.0 2.0	•				EGH			on an ordinari

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI $L = L\dot{X}, SE$ P = LXI, ES

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	il Pan Gasket I	Package	e contains:	: Oil Pan G	Sasket and	Oil Pick U	p Tube Se	al	
Sales Co									
	3.3L Engine								
	3.8L Engine	4				E0.4			CACKET DACKAGE For size - Oil
1	5241 062AB	1				EGA			GASKET PACKAGE, Engine Oil
0	F204 000	4				FC 4			Pan, See Notes
2	5281 090	1				EGA,			FILTER, Engine Oil
3	4701 162AC	1				EGH EGA,			ADAPTER, Oil Filter
<u> </u>	4781 163AC	1				EGA,			ADAPTER, OII FIILEI
-4	4781 166AC-	1				EGA			GASKET, Oil Filter Adapter
- 5	6506 214AA	1				EGA,			PLUG, Oil Drain
3	0300 21 1 AA	'				EGH			1 200, Oil Brain
6	4448 896AB	1				EGA,			GASKET, Oil Pan
O	4440 000/ID	•				EGH			CACALT, OILT AIT
7	4648 930AA	1				EGA,			PAN, Engine Oil
•	10.10.0007.11.1	•				EGH			. 7.1.4, 2.1.g.1.3 G.1.
8	6501 979	16				EGA,			SCREW AND WASHER, Hex Head
		. 0				EGH			M6x1x17
-9	6500 274	2							LOCK NUT, M6x1.0x6
10	4694 325AC	1				EGA,			INDICATOR, Engine Oil Level
						EGH			
11	4694 326AB	1				EGA,			TUBE, Oil Filler
	.00 . 0202					EGH			
12	6101 452	2				EGA,			SCREW AND WASHER, Hex Head
						EGH			M8x1.25x20
13	4448 895	1				EGA,			PICKUP, Engine Oil
						EGH			
14	6500 070	1				EGA,			SCREW AND WASHER, Hex Head
						EGH			M8x1.25x25
15	6032 920	1				EGA,			SEAL, Oil Pick Up Tube
						EGH			·
16	4483 603AB	1				EGA,			COVER, Engine Oil Pump
						EGH			
17	4728 396	1				EGA,			ROTOR SET, Oil Pump
						EGH			
18	6505 388AA	5				EGA,			SCREW, Flange Head, M6x1x18
						EGH			
19	2806 273	1				EGA,			CAP, Oil Pressure Relief Valve
						EGH			
	HRYSLER MINIVAL	N (RS) —							
SERIES I = Sport	LINE C = Chrysl	er (Δ\Λ/D		ODY : 113 WB	ENG EDZ ED	INE 0 = 2.4L 4 C	syl D		SMISSION pd. Auto. (41TE)
= Sport = LX, SE ! = LXI, ES	D = Dodge	(AWD)	53 =	: 119 WB	EGA = 3	0 = 2.4L 4 C .3L 6 Cyl. 30 = 3.8L 6 C	D		Automatic Transm
= LXI, ES = Limited 1 = EL := EX	K = Dodge		,			3.3L 6 Cyl. FF			

Engine Oiling 3.3L [EGA] Figure 3.3L6T-710



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	20	2402 473	1				EGA,			SPRING, Oil Pressure Relief Valve
							EGH			
	21	2843 208	1				EGA,			PLUNGER, Oil Pressure Relief Valve
							EGH			
	22	4694 338AC	1				EGA,			COOLER, Engine Oil
							EGH			
	-23	5093 807AA-	1				EGA,			GASKET, Engine Oil Cooler
							EGH			
	24	5019 333AE	1				EGA,			COVER PACKAGE, Engine Timing
							EGH			
	25	5300 7563	1				EGA,			CONNECTOR, Oil Filter
							EGH			
	-26	4387 822	1				EGA,			FITTING, Engine Oil Cooler
							EGH			-


DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Manifolds, Intake and Exhaust 3.3L [EGA] Figure 3.3L6T-810



ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION		PART						
	ITEM		QTY		BODY	TRANS	TRIM	

NOTES:

Plenum Includes: Plastic Intake Manifold, Emblem, Thottle Body Seal and Attaching Nuts, Intake Seals(6), Map Sensor and Attaching Screw, Throttle Cable Bracket and Attaching Screw.

Crossover Assembly Includes: Crossover Pipe, Gaskets and Attaching Screws

SALES CODES:

[EGA] =	: 3.3L OHV Engir	ne		
1				PLENUM, Intake Manifold
	4781 577AD	1	EGA	With Steel Valve Covers
	4781 577AF	1	EGA	With Plastic Valve Covers
2	4648 918AA	1	EGA	EMBLEM, [3.3L V6]
3	6504 968AA	3	EGA	NUT, J, Throttle Body Attaching
4	4781 579AA	1	EGA	SEAL, Throttle Body to Intake
5	4781 580AA	6	EGA	SEAL, Intake Manifold
6	56041 018AC	1	EGA	SENSOR, Map
7	6505 841AA	2	EGA	SCREW, Sensor Attaching
8	4861 467AA	1	EGA	BRACKET, Throttle Control Cable
9	6505 812AA	2	EGA	SCREW, Bracket Attaching
-10	6506 653AA-	AR	EGA	SCREW, Strip-Out Repair
11	6507 712AA	8	EGA,	BOLT, Upper to Lower Intake
			EGH	Attaching
12	4781 035AA	1	EGA,	MANIFOLD, Intake
			EGH	
13	6506 843AA	8	EGA,	SCREW AND WASHER, Hex Flange
			EGH	Head, M8x1.25x70, Lower Intake
				Manifold to Cylinder Head
14	4781 034AB	1	EGA,	GASKET, Intake Manifold
			EGH	
15	6102 001	1	EGA,	BOLT AND WASHER, M6x12, Lower
			EGH	Intake Gasket to Block
16	4781 042AD	1	EGA,	CROSSOVER, Exhaust Manifold
			EGH	
17	4781 040AC	2	EGA,	GASKET, Crossover Pipe
			EGH	
18	6507 068AA	4	EGA,	SCREW AND WASHER, Hex Head,
			EGH	M10x1.5x45, Crossover to
				Manifolds Attaching
19	6507 078AA	4	EGA,	NUT, M10x1.50, Crossover to
			EGH	Manifolds Attaching
20	4781 038AA	1	EGA,	MANIFOLD, Exhaust, Right
			EGH	

DODGE - CHRYS	LER MINIVAN (RS)
SERIES	LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited

M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year

Manifolds, Intake and Exhaust 3.3L [EGA] Figure 3.3L6T-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
21	4781 041AA	1				EGA,			MANIFOLD, Exhaust, Left
						EGH			
22	6507 938AA	12				EGA,			BOLT, M8x1.25x30, Exhaust
						EGH			Manifold to Cylinder Head
23	4781 170AC	1				EGA,			SHIELD, Exhaust Manifold, Upper
						EGH			Right
24	4781 343AA	1				EGA,			SHIELD, Exhaust Manifold, Lower
						EGH			Right
25	4781 171AA	1				EGA,			SHIELD, Exhaust Manifold, Left
						EGH			
-26	4667 431	1				EGA			SEAL, EGR Tube
-27	6035 854	1				EGA,			FITTING, Y-Style
						EGH			
28	6507 069AA	1				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M6x1x15, Right Exhaust Manifold
									to Shields
29	6507 115AA	3				EGA,			BOLT, Hex Head, Heat Shield to
						EGH			Right Exhaust Manifold

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

M = ELX = EX


H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) S = Limited


Crankcase Ventilation 3.3L [EGA] Figure 3.3L6T-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE:									
	3.3L Engine 3.8L V6 SMPI								
	3.3L Flex Fuel E	Engine							
1		3							VALVE, PCV
	4694 335AB	1				EGA,			With Steel Head Covers
						EGH			
	4648 973AA	1				EGA, EGH			With Plastic Head Covers
2						LGII			HOSE, PCV Valve To intake
_									Manifold
	4781 252AA	1				EGA,			With Steel Head Covers
						EGH			
	4781 252AC	1				EGA,			With Plastic Head Covers
•	4704 00445	4				EGH			LIOCE Cranks V
3	4781 264AB	1				EGA, EGH			HOSE, Crankcase Vent
-4	6033 369	1				EGA,			CLAMP, Hose
•	0000 000	•				EGH			OLI WIII , 11000
OGF - C	HRYSLER MINIVA	N (RS)							
	LINE	()	В	ODY	ENG	INF		TRAN	SMISSION
ERIES Sport	C = Chrys	I / A 1 A /-		= 113 WB	ED7 E5	0 = 2.4L 4 C		OI 4	pd. Auto. (41TE)

Group – 3.8L


Engine 3.8L Six Cylinder



3.8L-100 Engine Identification	3.8L-200	3.8L-300	3.8L-400
	Cylinder Head	Cylinder Block	Crankshaft, Piston and Torque
X X Component Social Code Per MentryCoturing Component MentryChey Social Code of mosel of Trendon T Totuco K Juage Peas Cor PC Trucks T L			Converter
3.8L-500	3.8L-600	3.8L-700	3.8L-800
Camshafts & Valves	Timing Chain and Cover	Engine Oiling	Manifolds
	Con Con		

Group – 3.8L

Engine 3.8L Six Cylinder




GROUP 3.8L - Engine 3.8L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 3.8L EGH Engine	Fig. 3.8L-110
Cylinder Head Cylinder Head 3.8L EGH Engine	Fig. 3.8L-210
Cylinder Block Cylinder Block 3.8L [EGH] Heater Block [EGH]	Fig. 3.8L-310 Fig. 3.8L-320
Crankshaft, Piston and Torque Converter Crankshaft and Pistons 3.8L EGH Engine	Fig. 3.8L-410
Camshafts & Valves Camshaft and Valves, 3.8L [EGH]	Fig. 3.8L-510
Timing Chain and Cover Timing Chain and Cover 3.8L [EGH]	Fig. 3.8L-610
Engine Oiling Engine Oiling 3.8L[EGH]	Fig. 3.8L-710
Manifolds Manifolds, Intake and Exhaust 3.8L [EGH]	Fig. 3.8L-810
Crankcase Ventilation Crankcase Ventilation 3.8L [EGH]	Fig. 3.8L-911

I.D. Location 3.8L EGH Engine Figure 3.8L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine ID 1	is located on	the left	bank at th	ne rear of the	he block ju	st below th	ie head		LABEL, Engine Identification, (NC
									SERVICED) (Not Serviced)
DODGE - CHF	RYSLER MINIVA	AN (RS) —							
SERIES H = Sport	LINE C = Chrys			ODY = 113 WB	ENG FDZ, FD	SINE D0 = 2.4L 4 C	N D		ISMISSION spd. Auto. (41TE)
L = LX, SE P = LXI, ES	D = Dodge Y = Chrys	je (AWD)	53 =	= 119 WB	EGA = 3	3.3L 6 Cyl. G0 = 3.8L 6 C	D	G0 = All	Automatic Transm
S = Limited	K = Chrys	e (FWD)	,		EGH, EG	3.3L 6 Cyl. Fl	FV		
M = EL X = EX									



Cylinder Head 3.8L EGH Engine Figure 3.8L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIW	DESCRIPTION
NOTES:									
Sales Co									
	3.8L V6 OHV E	naine							
-1 -1	0.02 V0 011V E	i igii io							GASKET PACKAGE, Engine Upp
•	5019 251AD-	1				EGH			With Steel Head Covers
	5134 519AA-	1				EGH			With Plastic Head Covers
2	0104 010/01	•				LOIT			COVER, Cylinder Head, Right
2	4781 019AB	1				EGA,			Steel
	4701 013AB	'				EGH			Steel
	4648 976AA	1				EGA,			Plastic
	4040 970AA					EGH,			Tiastic
3						LGII			COVER, Cylinder Head, Left
3	4781 235AA	1				EGA,			Steel
	4761 233AA	'				EGH,			Steel
	4648 980AA	1				EGA,			Plastic
	4040 900AA	'				EGA,			Flastic
4						EGH			CASKET Cylinder Cover Two no
4									GASKET, Cylinder Cover, Two pe
	4704 500 4 4	4				FC 4			Engine
	4781 528AA	1				EGA,			With Steel Head Covers
	4040.0074.4	4				EGH			With Distriction Courses
	4648 987AA	1				EGA,			With Plastic Head Covers
_						EGH			ICOLATOR Ordinales Head Cover
5									ISOLATOR, Cylinder Head Cover
	4704 447AD	0				E0.4			Grommet And Bolt
	4781 447AB	8				EGA,			With Steel Head Covers
	4040.0004.4	0				EGH			Dalt with Indiator Diagtic
	4648 988AA	6				EGA,			Bolt with Isolator, Plastic
	4704 44740					EGH			
	4781 447AC	2				EGA,			Stud with Isolator, Plastic
	4040 00444	i i				EGH			0.45 01 511
6	4648 831AA	1				EGA,			CAP, Oil Filler
_		_				EGH			
7	4694 686AA	2				EGA,			HEAD, Cylinder
_						EGH			0.000
8	4=04					- 0			GASKET, Cylinder Head
	4781 148AA	1				EGH			Right
	4781 149AA	1				EGH			Left
9	6504 060	16				EGA,			BOLT, Cylinder Head
						EGH			

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL


X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Cylinder Head 3.8L EGH Engine Figure 3.8L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1101115211	Ψ		0220	2021	2.10.112	110.00		2200 11011
10	4686 864AA	1				EGA,			BRACKET, Ignition Wire Seperato
						EGH			
11	4686 862AA	1				EGA,			BRACKET, Ignition Wire Seperato
						EGH			
12	4556 020	4				EGA,			PLUG, Core, 1.25 Diameter
						EGH			

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

5	3
6	9) (2)

	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
NOTE: S	ales Code											
[EGH] = 3	B.8L V6 SMPI	Engine										
-1	5019 252AD-	1				EGH			GASKET PACKAGE, Engine Lower			
2	5019 168AB	1				EGH		BLOCK, Short				
3	4448 856	4				EGH			DOWEL, Block To Cylinder Head			
4	4556 022	8				EGH			PLUG, Core, 1.625 Diameter			
5	4654 389AB	1				EGA,		RETAINER, Crankshaft Rear				
						EGH			Seal			
6	6102 001	1				EGA,			BOLT AND WASHER, M6x12			
						EGH						
7	4621 965	1				EGA,			GASKET, Rear Oil Seal Retainer			
						EGH						
8	4556 018AB	5				EGH			PLUG, Cylinder Block Oil Hole			
9	5203 466	2				EGH			PIN, Dowel			
10	6503 201	8				EGH			BOLT, Main Bearing Cap			
-11	6506 167AA-	4				EGH			BOLT, Bearing Cap			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE


P = LXI, ES S = Limited M = EL

X = EX

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

BODY 52 = 113 WB 53 = 119 WB




ITEM									
11 - 141	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: §	Sales Code								
GA] =	3.3L V6 SMPI E								
	3.81 V6 SMPI E					F.C.A			LICATED Engine Block
1	4609 550AB	1				EGA, EGH			HEATER, Engine Block
-2	6501 445	AR				EGA,			O RING, Engine Block Heater
2	4000 047AD	4				EGH			CODD. Engine Block Heater
3	4686 947AB	1				EGA, EGH			CORD, Engine Block Heater
-4	5073 039AA-	1				EGA,			STRAP, Tie
						EGH			
OGE - CI ERIES	HRYSLER MINIVAN LINE	N (RS) —	В	ODY	ENGI	NE		TRAN	SMISSION
Sport LX, SE	C = Chrysl D = Dodge	er (AWD)) 52 =	= 113 WB = 119 WB	EDZ, ED	0 = 2.4L 4 C .3L 6 Cyl.	yl. D	GL = 4 s	pd. Auto. (41TE) Automatic Transm
LXI, ES	Y = Chrysl	er (FWD)		- IIƏ WD	EGH, EG	60 = 3.8L 6 C	Cyl.	SU = All	natomatic transfil
Limited	K = Dodge	(FWD)			EGM = 3	.3L 6 Cyl. FF	- V		


Crankshaft and Pistons 3.8L EGH Engine **Figure 3.8L-410**



Crankshaft and Pistons 3.8L EGH Engine Figure 3.8L-410



Camshaft and Valves, 3.8L [EGH] **Figure 3.8L-510**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
SALES	CODES:								
[EGH] =	3.8L V6 SMPI	Engine							
1	4781 182AA	6				EGA,			ROCKER ARM, Exhaust
						EGH			
2	4781 183AA	6				EGA,			ROCKER ARM, Intake
						EGH			
3	4781 523AA	12				EGA,			THRUST WASHER, Rocker Arm
						EGH			
4	4781 184AA	2				EGA,			SHAFT, Rocker Arm
						EGH			
5									BOLT
	6506 521AA	12				EGA,			[M8X1.25X41.0]
						EGH			
	6506 522AA	2				EGA,			[M8X1.25X55.0]
						EGH			
6									RETAINER, Valve Rocker Shaft
	4781 185AA	6				EGA,			Intake & Exhaust
						EGH			
	4781 186AA	4				EGA,			Cylinder
						EGH			
	4781 187AA	4				EGA,			Shaft End
						EGH			
7	4781 030AA	24				EGA,			LOCK, Valve Spring Retainer
						EGH			
8	4781 090AA	12				EGA,			RETAINER, Valve Spring
						EGH			
9	4781 588AA	12				EGA,			SPRING, Valve
						EGH			
10	4781 072AB	12				EGA,			SEAL, Valve Guide
						EGH			
11	4781 025AA	6				EGA,			VALVE, Intake, Standard
						EGH			
12	4781 029AB	6				EGA,			VALVE, Exhaust, Standard
						EGH			
13	6500 136	2				EGA,			SCREW AND WASHER, Hex Head
						EGH			M6x1x14
14	4621 938	12				EGA,			TAPPET, Valve
						EGH			

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

S = Limited M = ELX = EX

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ D = Dodge (AWD)P = LXI, ES

Y = Chrysler (FWD) K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Camshaft and Valves, 3.8L [EGH] Figure 3.8L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4448 078	6				EGA,			YOKE, Tappet Aligning
						EGH			
16	4781 061AA	1				EGH			CAMSHAFT, Engine
17	4781 509AA	12				EGA,			SEAT, Valve Spring
						EGH			
18	4781 024AA	12				EGA,			PUSH ROD, Valve
						EGH			
19	4448 933	1				EGA,			RETAINER, Tappet Yoke Aligning
						EGH			
20	4694 337	1				EGH			PLUG, Camshaft
21									BEARING, Camshaft, Serviced in
									Short Engine, (NOT SERVICED)
									(Not Serviced)
22									GUIDE, Intake/Exhaust Valve,
									Standard Size, Serviced in Cylinder
									Head, (NOT SERVICED) (Not
									Serviced)
23									SEAT, Exhaust Valve, Serviced in
									Cylinder Head, (NOT SERVICED)
									(Not Serviced)
24									SEAT, Intake Valve, Serviced in
									Cylinder Head, (NOT SERVICED)
									(Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ D = Dodge (AWD)Y = Chrysler (FWD) K = Dodge (FWD) P = LXI, ES

BODY 52 = 113 WB 53 = 119 WB


ENGINE

EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

S = Limited M = ELX = EX

Timing Chain and Cover 3.8L [EGH] Figure 3.8L-610

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Code	A 4	.:. T						
-	41TE 4 Speed		itic i ransm	nission					
-	3.3L V6 SMPI I	•							
= נחט= 1	3.8L V6 SMPI 5019 333AE	⊏ngine 1				EGA,			COVER PACKAGE, Engine Timing
'	3019 333AE	'				EGH,			COVER FACRAGE, Engine Timing
-2	6101 614	3				EGA,			SCREW AND WASHER, Hex Head
-2	0101 014	3				EGH,			M8x1.25x45
3	4740 275	1				EGA,			CHAIN PACKAGE, Timing
	4740 270	<u>'</u>				EGH			CHAIN TACKAGE, Tilling
4	6101 062	1				EGA,			SCREW AND WASHER, Hex Head
•	0101 002	•				EGH			M10x1.5x40
5	5127 185AA	1				EGA,			SPROCKET PACKAGE, Camshaft
	0.200,	· ·				EGH			
6									DOWEL, M6x14
	6100 902	1	K, Y			EGH	DGL		- , -
		1	C, D			EGH	DGL		
7	6102 001	1	,			EGA,			BOLT AND WASHER, M6x12
						EGH			
8	4621 623	1				EGA,			PLATE, Camshaft Thrust
						EGH			
9	4448 557	1				EGH			DOWEL, Crankshaft Sprocket
10	6102 001	1				EGA,			BOLT AND WASHER, M6x12
						EGH			
11	4448 154	1				EGA,			GEAR, Crankshaft
						EGH			
12	4273 275	1				EGA,			SEAL, Front Main Crankshaft
						EGH			
13	4621 987AB	1				EGA,			GASKET, Chain Case Cover
						EGH			
-14	6101 326	4				EGA,			BOLT
						EGH			
-15	6101 330	2				EGA,			SCREW AND WASHER, Hex Head
						EGH			M10x1.5x85

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Engine Oiling 3.8L[EGH] Figure 3.8L-710



DESCRIPTION

Engine Oiling 3.8L[EGH] Figure 3.8L-710



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4694 338AC	1				EGA,			COOLER, Engine Oil
						EGH			
-21	5093 807AA-	1				EGA,			GASKET, Engine Oil Cooler
						EGH			
 22	5019 333AE	1				EGA,			COVER PACKAGE, Engine Timing
						EGH			
23	4387 822	1				EGA,			FITTING, Engine Oil Cooler
						EGH			

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

S = Limited M = ELX = EX

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Manifolds, Intake and Exhaust 3.8L [EGH] Figure 3.8L-810

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•						•	
(1)	NOTE:									
T		ackage Includ	des: Plas	tic Intake	Manifold ar	nd Seals. T	hrottle Bo	dv Seal ar	nd Attac	thing Nuts, Throttle Control Cable
<u>-</u>		and Attachin								g
		Assembly In								
	Sales Cod				, , , , , , , , , , , , , , , , , , , ,		J			
	[EGA] = 3.	.3L V6 SMPI	Engine							
ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا ا	[EGH] = 3	.8L V6 SMPI	Engine							
	[EGM] = 3	.3L V6 SMPI	Flex Fue	el Engine						
9	1									PLENUM, Intake Manifold
		4781 578AE	1				EGH			With Steel Valve Covers
		4781 578AF	1				EGH			With Plastic Valve Covers
		6504 968AA	3				EGH			NUT, J, Throttle Body Attaching
		4648 919AA	1				EGH			EMBLEM
		4781 579AA	1				EGH			SEAL, Throttle Body to Intake
		4781 580AA	6				EGH			SEAL, Intake Manifold
		56041 018AC					EGH			SENSOR, Map
		6505 841AA	2				EGH			SCREW, Sensor Attaching
(a) (b) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d		4861 467AA 6505 812AA	1 2				EGH EGH			BRACKET, Throttle Control Cable
γ γ γ		6507 712AA					EGA,			SCREW, Bracket Attaching BOLT, Upper to Lower Intake
(12)	10	0307 712AA	O				EGA, EGH			Attaching
	11	4781 035AA	1				EGA,			MANIFOLD, Intake
			•				EGH			www. GES, mane
	12	6506 843AA	8				EGA,			SCREW AND WASHER, Hex Flange
							EGH			Head, M8x1.25x70, Lower Intake
$\bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{j \in \mathcal{I}} \bigcap_{i \in \mathcal{I}} \bigcap_{$	-									Manifold to Cylinder Head
(27) (28) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	13	4781 034AB	1				EGA,			GASKET, Intake Manifold
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$							EGH			
	14	6102 001	1				EGA,			BOLT AND WASHER, M6x12, Lower
(18)							EGH			Intake Gasket to Block
$(21) \qquad (31)$	15	4781 042AD	1				EGA,			CROSSOVER, Exhaust Manifold
							EGH			
	16	4781 040AC	2				EGA,			GASKET, Crossover Pipe
	4-						EGH			
	17	6507 068AA	4				EGA,			SCREW AND WASHER, Hex Head,
							EGH			M10x1.5x45, Crossover Pipe To Exhaust Manifold
$\begin{array}{c} 19 \\ \end{array}$	18	6507 078AA	4				EGA,			NUT, M10x1.50, Crossover Pipe to
	10	0307 07044	4				EGA,			Exhaust Manifold
							LOIT			Exhaust Warmold
\sim										
										_
(23)										
(20) (24)	DODGE - CHF SERIES	RYSLER MINIVA LINE	N (RS)	D.	DDY	ENGI			TDANI	SMISSION
	H = Sport	C = Chrys	sler (AWD)	52 =	: 113 WB	EDZ, ED	0 = 2.4L 4 C	yl. D	GL = 4 sp	pd. Auto. (41TE)
	L = LX, SE P = LXI, ES	D = Dodg Y = Chrys	e (AWD)	53 =	: 119 WB	EGA = 3	3L 6 Cyl. i0 = 3.8L 6 (D	G0 = All	Automatic Transm
	S = Limited	K = Dodg	e (FWD)			EGM = 3	.3L 6 Cyl. Fl	-yı. -V		
	M = EL X = EX									
	X = EX									

Manifolds, Intake and Exhaust 3.8L [EGH] Figure 3.8L-810



	PART	1 '		1		1	1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4781 038AA	1				EGA,			MANIFOLD, Exhaust, Right
						EGH			
20	4781 041AA	1				EGA,			MANIFOLD, Exhaust, Left
						EGH			
21	6507 938AA	12				EGA,			BOLT, M8x1.25x30, Exhaust
						EGH		·	Manifold to Cylinder Head
22	4781 170AC	1				EGA,			SHIELD, Exhaust Manifold, Upper
						EGH			Right
23	4781 343AA	1				EGA,			SHIELD, Exhaust Manifold, Lower
						EGH			Right
24	4781 171AA	1				EGA,			SHIELD, Exhaust Manifold, Left
						EGH			
-25	6035 854	1				EGA,			FITTING, Y-Style, Heater Supply
_		_			_	EGH	_	_	Lower Intake Water Box
26	6101 444	1				EGH			NUT AND WASHER, Hex, M6x1.0,
									Left Heat Shield to Exhaust
									Manifold
27	6507 069AA	1				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M6x1x15, Exhaust Manifold to
									Right Heat Shield
28	6507 115AA	3				EGA,			BOLT, Hex Head, Heat Shield to
				<u> </u>		EGH			Right Exhaust Manifold
29	6501 400	1				EGH			SCREW, Flange Head, M10x1.5x65,
									Left Heat Shield to Exhaust
									Manifold

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl.

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Crankcase Ventilation 3.8L [EGH] Figure 3.8L-911



	PART									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
	Sales Code									
GH] =	3.8L V6 SMPI	Engine								
1									VALVE, PCV	
	4694 335AB	1				EGA,				
						EGH				
	4648 973AA	1				EGA,			Use 7/07/03 and After	
						EGH				
2									HOSE, PCV Valve To intake	
									Manifold	
	4781 252AA	1				EGA,				
						EGH				
	4781 252AC	1				EGA,			Use 7/07/03 and After	
						EGH				
3	4781 264AB	1				EGA,			HOSE, Crankcase Vent	
						EGH				
-4	6033 369	1				EGA,			CLAMP, Hose	
						EGH				

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Group – 011 Exhaust





GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System	Fig. 011-110
Heat Shields	
Heat Shields, Exhaust	Fig. 011-210



NOTE; \$	Sales Codes							
_	2.4L 4 Cylinder		16V SMP	I Engine				
-	3.3L V6 SMPI I	_						
-	3.8L V6 SMPI I	Engine						
1	1001 00115		16.37			- FD7		CONVERTER, Catalytic
	4881 024AD	1	K, Y		52	EDZ		
	4881 034AB	1	K, Y		52, 53	EGA		
	4881 448AA	1	K, Y		13, 53	EGH EGH		
2	4682 810AB	<u>1</u> 4	C, D		53	EDZ,		NUT, Hex Flange, M8x1.25
2	4002 01UAD	4				EGA,		NOT, Hex Flange, Mox 1.25
						EGA, EGH		
3	4881 012AA	1				EDZ,		GASKET, Exhaust Manifold to Fron
	4001 012/01	'				EGA,		Converter
						EGH		Conventer
4	6101 614	4				EDZ,		SCREW AND WASHER, Hex Head
						EGA,		M8x1.25x45
						EGH		
5								MUFFLER AND RESONATOR,
								Exhaust
	4881 242AG	1	K, Y		12, 52	EDZ		
	4881 332AH	1	K, Y		12, 52	EGA		
	4881 333AJ	1	K, Y		13, 53	EGA		
	4881 383AJ	1			13, 53	EGH		
6								CLAMP, Exhaust
	4695 220AB	1	K, Y		12, 52	EDZ		
		1	K, Y		12, 52	EGA		
		1	K, Y		13, 53	EGA		
	5201 9475	1			13, 53	EGH		
7								INSULATOR, Exhaust
	4809 106	3	K, Y		12, 52	EDZ		
		3	K, Y		12, 52	EGA		
		3	K, Y		13, 53	EGA		
		3			13, 53	EGH		


DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers

Illustration Little	Group-Fig. No
Frames	
Frame, Front	Fig. 013-110
Frame, Rear	Fig. 013-120
Front Bumper and Fascia	
Fascia, Front	Fig. 013-260
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-360


PART



DESCRIPTION

Frame, Front Figure 013-110

PART



14) 2 13 1 5 5 5 5 T 5 T 5 T 5 T 5 T 5 T 5 T 5 T
--

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4716 378AB	4							REINFORCEMENT, Seat Belt Swive
2	5020 003AA	<u>4</u> 1							REINFORCEMENT, Seat Beit Swive
3	5020 003AA 5020 002AA	3							REINFORCEMENT, Floor Pan Rail
3	3020 002AA	3							to Sill
4	5020 140AA	2							BRACKET AND HINGE, Floor Pan
•	0020 110701								Rear Suspension
5									PANEL PACKAGE, Body Side Sill
Ü	5018 826AB	1	K, Y		12, 52				Right
	5018 827AB	1	K, Y		12, 52				Left
6	0010 021712	•	.,, .		12, 02				BRACKET, Suspension Hanger
Ŭ	5020 150AA	1			13, 53				Right
	5020 151AA	1			13, 53				Left
	5020 160AA	1	K, Y		12, 52				Right
	5020 161AA	<u>·</u> 1	K, Y		12, 52				Left
7			, .		,				BRACKET, Suspension Hanger
	5020 180AC	1							Right
	5020 181AC	1							Left
8	4716 688	2							BRACKET, Tie Down
9									REINFORCEMENT, SIII
	5020 008AA	1							Right
	5020 009AA	1							Left
10									RAIL, Rear Floor Pan Side
	5020 051AC	2	K, Y		12, 52				
	5020 001AB	2			13, 53				
11									CROSSMEMBER, Floor Pan
	5020 021AC	1	K, Y						
	5020 031AC	1	C, D		53				
12									CROSSMEMBER, Floor Pan
	5020 073AB	1	K, Y		12, 52				With Reinforcement, Front
	5020 023AB	1	K, Y		13, 53				
	5020 033AB	1	C, D		53				All Wheel Drive
13	5020 024AD	1							CROSSMEMBER, Fuel Tank
14									CROSSMEMBER, Floor Pan
	5020 025AA	1	K, Y						
	5020 035AA	1	C, D		53				All Wheel Drive
	5020 010AA	1							Toeboard\
15	5020 026AA	1							CROSSMEMBER, Floor Pan
16	5020 096AB	2			13, 53				REINFORCEMENT, Floor Pan Side
									Rail
17									REINFORCEMENT, Seat Striker
	5020 084AE	4							Outboard

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Frame, Figure 0	Rear 13-120									
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	18	5020 086AC 5020 088AE	2	K, Y		13, 53 12, 52				Inboard REINFORCEMENT, Rear Seat
	10	0020 000/AE	-	10, 1		12, 02				NEIW ONGENERY, Noar Ooat
										_
6										
(5) (8) (17) (18) (15)										
7 6										
16 (10)										
(3) (4) (1)										
14 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3										
3 5										
9—6										

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

BODY 52 = 113 WB 53 = 119 WB

PART

	es Codes:						
	AX SPORT TO	JRING	GROUP				
1		_					FASCIA, Front, Primed
	5018 612AA	1	Y	L	52		Fog Lamp Openings without E
	5139 119AA	1	Y	L	52		Fog Lamp Openings with Bars
	5018 612AA	1	Y	Н	52		Fog Lamp Openings without E
	5139 119AA	1	Y	Н	52		Fog Lamp Openings with Bars
	5018 608AA	1	K	X	53		Without Fog Lamps
		1	K	L	13, 52,		Without Fog Lamps
					53		
		1	D, K	Н	52, 53		Without Fog Lamps
	5018 609AA	1	D, K	Н	52, 53		Sport Touring
		1	D, K	Х	52, 53		With Fog Lamps
	5018 610AA	1	C, Y	Р	53		With Fog Lamps
		1	C, Y	S	53		With Fog Lamps
		1	C, Y	X	53		With Fog Lamps
	5018 611AA	1	C, Y	P, X	53		Without Fog Lamps
		1	C, Y	Н	53		Without Fog Lamps
2							FASCIA, Front, Textured Lower
	SN95 1B8AE	1	K	L	12, 52		[B8]
	SN95 1BEAE	1	K	L	12, 52		[BE]
	SN95 1JRAE	1	K	L	12, 52		[JR]
	SN95 1P4AE	1	K	L	12, 52		[P4]
	SN95 1R8AE	1	K	L	12, 52		[R8]
	SN95 2ELAE	1	K	L	12, 52		[EL]
	SN95 2S2AE	1	K	L	12, 52		[S2]
	SN95 2W1AE	1	K	L	12, 52		[W1]
	SN95 1KJAE	1	K	L	12, 52		[KJ]
	SN95 1XRAE	1	K	L	12, 52		[XR]
3							RETAINER, Fascia, Fascia to F
	4857 610AA	1	C, Y	Р	53		Right
	4857 611AA	1	C, Y	Р	53		Left
	4857 610AA	1	C, Y	S	53		Right
	4857 611AA	1	C, Y	S	53		Left
	4857 610AA	1	C, Y	Н	53		Right
	4857 611AA	1	C, Y	Н	53		Left
	4857 610AA	1	Ý	Х	53		Right
	4857 611AA	1	Υ	Х	53		Left
	4857 610AA	1	K	X	53		Right
	4857 611AA	1	K	Х	53		Left



DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

X = EX

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

|--|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4857 610AA	1	K	L	13, 53				Right
	4857 611AA	1	K	L	13, 53				Left
	4857 610AA	1	K	L	12, 52				Right
	4857 611AA	1	K	L	12, 52				Left
	4857 610AA	1	Υ	Н	52				Right
	4857 611AA	1	Υ	Н	52				Left
	4857 610AA	1	Υ	L	52				Right
	4857 611AA	1	Υ	L	52				Left
	4857 610AA	1	D, K	Н	52, 53				Right
	4857 611AA	1	D, K	Н	52, 53				Left
4	6505 341AA	2							SCREW, Fascia to Fender
5	6506 109AA	2							NUT, Snap In, M4.8x1.6, Fascia to
									Fender
-6	4857 433AA-	1							ABSORBER, Front Energy
-7	4857 182AA-	3							RETAINER, Foam To Reinforcemen
8	4857 785AA	1							REINFORCEMENT, Front Bumper,
									With Absorber
9									GRILLE, Radiator
	4857 296AA	1	K	Χ	53				
		1	D, K	Н	52, 53				
		1	K	L	12, 52				
	4857 339AA	1	Υ	Н	52				
		1	Υ	L	52				
	4857 300AA	1	C, Y	S	53				
		1	C, Y	Н	53				
		1	C, Y	P, X	53				
	4857 296AA	1	K	L	13, 52,				
					53				
	4857 300AA	1	Y	X	53				
-10	6032 723	3							SCREW, Self Tapping, M4.2x1.
									69x19.05
-11									U-CLIP, Grille To Fascia
	4805 570AA-	1	C, Y	Р	53				
		1	C, Y	S	53				
		1	D, K	Н	52, 53				
		1	K	Х	53				
		1	K	L	12, 52				
		1	K	L	13, 53				
		1	Υ	Н	52				
		1	Υ	L	52				

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

PART

1 Y X 53	
1 C, Y H 53	_
	RT, Radiator Grille, With
Decal 4857 217AC 1 K X 53	
1 K L 12, 52	
1 Y H 52	
1 Y L 52	
1 C, Y P 53	
1 C, Y S 53	
1 C, Y X 53	
1 C, Y H 53 1 K L 13, 52,	
15 (12) 5 -13 AIR DAM	M
4857 250AB- 1 C, Y P 53	
1 C, Y S 53	
1 C, Y H 53	
$\frac{1}{1} \frac{K}{D} \frac{X}{K} + \frac{53}{52.53}$	
1 D, K H 52, 53 1 K L 13, 53	
1 Y H 52	
1 Y L 52	
	IER, Push On, Air Dam to
	Crossmember
15 6101 718 2 SCREW A M6x1x25	/ AND WASHER, Oval Head,
	ID WASHER, Hex Nut-Coned
	er, M10 x 1.5
SCREW A	/ AND WASHER, M4.8X1.
59X32.00	2.00, (NOT SERVICED) (Not
Serviced Serviced	
18 6101 443 2 NOT AND	ND WASHER, Hex, M5x.80
17 19 LICENSE 4857 351AB 1 D, K Bracket	E PLATE KIT
4857 352AB 1 Y 52 Bracket	
4857 350AB	
	LION, Grille
DODGE - CHRYSLER MINIVAN (RS)	
SERIES LINE BODY ENGINE TRANSMISSION	41TE)
H = Sport	Transm
X = EX AB = Use as required = Non-illustrated part # = Now this model year	Sontombor 10, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4725 546AA	1	K	L	12, 52				
		1	K	L	13, 52,				
					53				
		1	D, K	Н	52, 53				
		1	D, K	Χ	52, 53				



DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4857 278AC	1			52, 53				SUPPORT, Rear Fascia, Plastic
2									SCREW, [.190-16X.750], (NOT
									SERVICED) (Not Serviced)
3									EXTENSION, Rear Rail
	4857 210AC	1							Used on Metal Style Beam, Right
	4857 211AC	1							Used on Metal Style Beam, Left
-4	6504 825AA-	4							SCREW, Extension Mtg.
5									RETAINER, Fascia
	4857 212AA	1			53				Right
	4857 213AA	1			53				Left
	4857 274AA	1	K, Y		52				Right
	4857 275AA	1	K, Y		52				Left
6	5113 012AB	1							REINFORCEMENT, Rear Bumper,
									Metal Style with 4 attaching points
7									FASCIA, Rear, Primed, [MLN]
	5018 617AA	1	D, K		13, 53				
	5018 618AA	1	C, Y		53				
	5018 630AA	1	K, Y	Н	52				
		1	K, Y	L	52				
8									FASCIA, Rear
	SH27 ABVAA	1	K	L	52				[BE,B8]
	SH27 AJ6AA	1	K	L	52				[JR,P4]
	SH27 ARXAA	1	K	L	52				[R8]
	SH27 ZSPAA	1	K	L	52				[EL,S2,W1,KJ,XR]
		1	K	L	12				[EL,S2,W1,KJ,XR]
-9									SCUFF PAD, Rear Fascia
	4857 273AB-	1	K, Y	Н	52				
		1	Υ	L	52				
		1	Υ	М	53				
		1	C, Y	Н	53				
		1	Υ	Χ	53				
		1	D, K		13, 53				
		1	C, Y	Р	53				
		1	C, Y	S	53				
10	6101 446	6							NUT AND WASHER
11	6501 916	4							RETAINER, Push On
12	5020 269AC	2							SLEEVE, Bumper Bracket, Plastic
-13	4857 923AA-	1							LICENSE PLATE KIT

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY


X = EX

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 014 Fuel





Group – 014



GROUP 14 - Fuel


Illustration Title	Group-Fig. No.
Tank, Fuel Tank, Fuel	Fig. 014-110
Fuel Tank Filler Tube Fuel Tank Filler Tube	Fig. 014-210
Fuel Lines Fuel Lines	Fig. 014-310
Fuel Rail Fuel Rail 2.4L [EDZ]	Fig. 014-440 Fig. 014-460
Fuel Pump and Sending Unit Fuel Pump and Level Unit	Fig. 014-510
Throttle Body Throttle Body 2.4L [EDZ]	Fig. 014-640 Fig. 014-660
Throttle Controls Throttle Controls 2.4L [EDZ] Throttle Controls 3.3L-3.8L [EGA],[EGH]	Fig. 014-740 Fig. 014-760
Air Cleaner Air Cleaner 2.4L [EDZ] Air Cleaner 3.3L-3.8L [EGA],[EGH] Fresh Air Duct	Fig. 014-810 Fig. 014-830 Fig. 014-840
Speed Control Speed Control	Fig. 014-1010
Accelerator Pedal Accelerator Pedal	Fig. 014-1110

Tank, Fuel Figure 014-110

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-	1				-			
	NOTE; Sa		DOLLC	16V CMDI	Engine					
		4L 4 Cylinder .3L V6 SMPI I		16V SIVIPI	Engine					
	[EGH] = 3.	.8L V6 SMPI	Engine							
		.3L V6 SMPI 4809 638AB	Flex Fu	el Engine			EDZ,			TANK, Fuel
		4009 030AB	'				EGA,			TAINI, I del
							EGH			07040 5 47 444 4
	2	4809 649AA	1	K, Y		12, 52				STRAP, Fuel Tank Mounting Front
	4	4809 645AA	1	,		13, 53				Front
		4809 651AA	1							STRAP, Fuel Tank Mounting, Rear
	4	6503 858	4							SCREW AND WASHER, Hex Head, M10x1.50x35
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										
$\binom{4}{}$										
	DODGE	.vo. ==	(B.C)							
	SERIES	RYSLER MINIVAL		BC	DDY	ENGI	NE		TRANS	SMISSION
	H = Sport L = LX, SE	C = Chrysl D = Dodge	er (AWD) e (AWD)	52 = 53 =	113 WB 119 WB	EGA = 3.	0 = 2.4L 4 C 3L 6 Cyl.	yı. Do	L = 4 sp 30 = All ،	od. Auto. (41TE) Automatic Transm
	P = LXI, ES S = Limited	D = Dodge Y = Chrysl K = Dodge	er (FWD) : (FWD)			EGH, EG EGM = 3	0 = 3.8L 6 C .3L 6 Cyl. FF	Eyl. EV		
	M = EL X = EX									

Fuel Tank Filler Tube Figure 014-210

014-210									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Lo	ocking Gas Ca	p canno	ot be rekey	ed after as	ssy. 50156	36AB is a ր	oackage co	ontainin	g Gas Cap and Lock Cylinder
Uninsta	alled. Dealer R	esponsi	ble for key	ing using t	umblers in	service kit	i.		
Sales Co	de:								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	l Engine					
[EGA] = 3	3.3L V6 SMPI I	Engine							
[EGH] = 3	B.8L V6 SMPI	Engine							
1									TUBE, Fuel Filler
	4880 641AE	1	K, Y		12, 52				
	4880 640AE	1			13, 53				
-2									STRAP, Ground, Fuel Filler Tube
	4809 374AB-	1	K, Y		12, 52				
		1			13, 53				
3									HOSE, Fuel Filler Tube



[EGA] =	3.3L V6 SMPI E	ngine			
[EGH] =	: 3.8L V6 SMPI E	ingine			
1					TUBE, Fuel Filler
	4880 641AE	1	K, Y	12, 52	
	4880 640AE	1		13, 53	
-2					STRAP, Ground, Fuel Filler Tube
	4809 374AB-	1	K, Y	12, 52	
		1		13, 53	
3					HOSE, Fuel Filler Tube
	4809 716AA	1	K, Y	12, 52	
		1		13, 53	
-4	4809 248AB-	1			SLEEVE, Fuel Filler Vent Hose
5					CLAMP, Hose, Serviced with hose,
					(NOT SERVICED) (Not Serviced)
6	52102 464AC	1			CAP, Fuel Filler
7	5015 636AB	1			CAP KIT, Fuel Tank Locking
8	4682 676	1			TETHER, Fuel Filler Cap
9					RETAINER, Spring to Fuel Filler
	4809 237AF	1			Use Up To 9/11/03
	4809 237AG	1			Use After 9/11/03
10	6035 593	3			SCREW, .25-14x.75
11					SCREW, (NOT SERVICED) (Not
					Serviced)
-12					TUMBLER, Ignition Number 1
	5257 132	1	C, Y	52, 53	
		1	D, K		
-13					TUMBLER, Ignition Number 2
	5257 133	1	D, K		
		1	C, Y	52, 53	
-14					TUMBLER, Ignition Number 3
	5257 134	1	D, K		
		1	C, Y	52, 53	
-15					TUMBLER, Ignition Number 4
	5257 135	1	D, K		·
		1	C, Y	52, 53	
-16	6101 802	AR			NUT, Weld Stud Repair

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Fuel Lines Figure 014-310



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
_	2.4L 4 Cylinder		16V SMP	I Engine					
_	3.3L V6 SMPI E	-							
_	3.8L V6 SMPI E	_							
1 - EGIVIJ =	3.3L V6 SMPI I	riex ru	iei Engine						BUNDLE, Fuel Supply and Vapor
'									Lines
	4809 807AC	1	K, Y		12, 52	EDZ			Lines
	4809 806AC	1	K, Y		12, 52	EGA,			
		•	, .		,	EGH			
	4809 803AC	1			13, 53	EGA,			
					-,	EGH			
-2									JUMPER, Fuel Supply
	4809 301AD-	1	K, Y		12, 52	EDZ			Line off fuel rail
	4809 304AE-	1	K, Y		12, 52	EGA,			Line off fuel rail
						EGH			
		1			13, 53	EGA,			Line off fuel rail
						EGH			
3									TUBE, Fuel Vapor
	4809 579AA	1	K, Y		12, 52				
	4809 575AB	1			13, 53				0.15 5 15 1
4	4000 000 4 4	-	17. 17		40.50	ED7			CLIP, Fuel Bundle
	4809 668AA	7	K, Y		12, 52	EDZ			
		7	K, Y		12, 52	EGA, EGH			
		7			13, 53	EGA,			
		,			13, 33	EGH,			
-5	4809 598AB-	2				2011			GROMMET, Fuel Tank Vapor Line
-6	4809 581AB-	1							TUBE, Fuel Vapor, Rollover Valve T
		•							Fuel Tube
-7									CLIP, Vapor Line
	4809 245AA-	2	K, Y		12, 52				5/8 Inch
		3			13, 53				5/8 Inch
8	4809 699AA	1				EDZ,			TUBE, Fuel Supply, Fuel Module to
						EGA,			Chassis Line
						EGH			

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



ITEM	PART	OTY	LINE	ernice	BODY	ENGINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTES:	Sales Code								
	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4861 387AD	1		J		EDZ			RAIL, Fuel
2	6101 506	2				EDZ			BOLT AND CONED WASHER, M8x1.25x18, Fuel Rail Mounting
3	4418 257AB	4				EDZ			CLIP, Fuel Injector
4	4897 125AA	1				EDZ			O RING KIT, Fuel Injector
5	4891 573AB	4				EDZ			INJECTOR, Fuel
									_
DGE - CH	IRYSLER MINIVA	N (RS) —							
ERIES = Sport : LX, SE = LXI, ES	LINE C = Chrys D = Dodg Y = Chrys	e (AWD)) 52 = 53 =	ODY = 113 WB = 119 WB	EGA = 3	INE :0 = 2.4L 4 Cy .3L 6 Cyl. :60 = 3.8L 6 C	D	GL = 4 sp	SMISSION pd. Auto. (41TE) Automatic Transm

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

P = LXI, ES S = Limited M = EL X = EX

Fuel Rail 3.3L-3.8L [EGA],[EGH] Figure 014-460

	2 3
	4
6	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes;								
	B.3L V6 SMPI	Engine							
	3.8L V6 SMPI	_							
1	4861 498AD	1				EGA,			RAIL, Fuel
						EGH			
2									INJECTOR, Fuel
	4861 454AA	6				EGA			
	4861 238AB	6				EGH			
3									O RING KIT, Fuel Injector
	4897 125AA	6				EGA			
		6				EGH			
4	4418 257AB	6				EGA,			CLIP, Fuel Injector
						EGH			
-5	6102 003	4				EGA,			BOLT AND CONED WASHER, Hex
						EGH			Head, M6x16x14, Fuel Rail
									Mounting
6									JUMPER, Fuel Supply
	4809 304AE	1			13, 53	EGA,			
						EGH			
		1	K, Y		12, 52	EGA,			
						EGH			


DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Fuel Pump and Level Unit Figure 014-510



NUMBER		PART								
[EDZ] = 2.4L 4 Cylinder DOHC 16V SMPI Engine [EGA] = 3.3L V6 SMPI Engine [EGH] = 3.8L V6 SMPI Engine 1 5127 562AA 1 EDZ, MODULE KIT, Fuel Pump/Level Unit EGA, EGH 2 SEAL, Fuel Pump and Level Unit 4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGH EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGH EDZ, LEVEL UNIT KIT, Fuel EGA, EGH EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[EDZ] = 2.4L 4 Cylinder DOHC 16V SMPI Engine [EGA] = 3.3L V6 SMPI Engine [EGH] = 3.8L V6 SMPI Engine 1 5127 562AA 1 EDZ, MODULE KIT, Fuel Pump/Level Unit EGA, EGH 2 SEAL, Fuel Pump and Level Unit 4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGH EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGH EDZ, LEVEL UNIT KIT, Fuel EGA, EGH EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module										
[EGA] = 3.3L V6 SMPI Engine EDZ, MODULE KIT, Fuel Pump/Level Unit 1 5127 562AA 1 EDZ, MODULE KIT, Fuel Pump/Level Unit 2 EGA, EGH 4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGH After 7/01/03 EGA, EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module										
EGH				16V SMP	I Engine					
1 5127 562AA 1 EDZ, MODULE KIT, Fuel Pump/Level Unit EGA, EGH 2 SEAL, Fuel Pump and Level Unit Up to 7/01/03 EGA, EGH 4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,										
EGA, EGH 2 SEAL, Fuel Pump and Level Unit 4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,							ED7			MODULE KIT Eugl Rump/Lovel Unit
EGH SEAL, Fuel Pump and Level Unit 4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGA, EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,	- 1	3127 302AA	·							MODULE KIT, Fuel Pump/Level Unit
2										
4809 308AA 1 EDZ, Up to 7/01/03 EGA, EGH 4809 783AA 1 EDZ, After 7/01/03 EGA, EGA, EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,	2									SEAL, Fuel Pump and Level Unit
## EGH ## EDZ, After 7/01/03 ## EGA, ## EGH ## EDZ, REGULATOR KIT, Fuel Pressure ## EGA, ## EGH ## EDZ, RING, Lock, Fuel Module ## EGA,		4809 308AA	1				EDZ,			
4809 783AA 1 EDZ, After 7/01/03 EGA, SO16 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,							EGA,			
EGA, EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA, EGA, EGH										
EGH 3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,		4809 783AA	1							After 7/01/03
3 5016 846AC 1 EDZ, REGULATOR KIT, Fuel Pressure EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,										
EGA, EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,	3	5016 8 <i>1</i> 6ΔC	1							REGIII ATOR KIT Fuel Pressure
EGH 4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,	3	3010 0 1 0AC	'							REGOLATOR RIT, I dell'I lessure
4 5096 150AA 1 EDZ, LEVEL UNIT KIT, Fuel EGA, EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,										
EGH 5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,	4	5096 150AA	1							LEVEL UNIT KIT, Fuel
5 4809 682AA 1 EDZ, RING, Lock, Fuel Module EGA,							EGA,			
EGA,										
	5	4809 682AA	1							RING, Lock, Fuel Module
EGH										
							EGH			
										-

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Throttle Body 2.4L [EDZ] Figure 014-640

|--|

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
III LIVI	NOMBLK	<u> </u>	LINE	JERIES	ВОВТ	LINGINE	IKANS	TIXIM	DESCRIPTION
OTES:	Sales Code;								
	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	5104 747AA	1		J		EDZ			THROTTLE BODY
2	4861 589AB	1				EDZ			GASKET, Throttle Body
3	4686 360AC	1				EDZ			SENSOR, Throttle Position
-4	8350 3642	1				EDZ			O RING, Throttle Body
5	4861 625AB	1				EDZ			SOLENOID, Linear IACV
-6	5114 356AA-	1				EDZ			O RING KIT, Linear Solenoid
7	6502 675	2				EDZ			SCREW AND WASHER, Hex Hea
									M8x1.25x65
-8	5083 049AA-	2				EDZ			SCREW, Linear IACV Solenoid

 DODGE - CHRYSLER MINIVAN (RS)

 SERIES
 LINE

 H = Sport
 C = Chrysler (AWD)

 L = LX, SE
 D = Dodge (AWD)

 P = LXI, ES
 Y = Chrysler (FWD)


 S = Limited
 K = Dodge (FWD)

P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Throttle Body 3.3L-3.8L [EGA],[EGH] Figure 014-660



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
_	3.3L V6 OHV E	_							
[EGH] =	3.8L V6 OHV E	Engine							
1									THROTTLE BODY
	5104 745AA	1				EGA			
	5104 746AA	1				EGH			
2									SEAL, Throttle Body to Intake
	4781 579AA	1				EGA			
		1				EGH			
3									SENSOR, Throttle Position
	4686 360AC	1				EGA			
		1				EGH			
4									O RING, Throttle Body
	8350 3642	1				EGA			
		1				EGH			
5									SOLENOID, Linear IACV
	4861 325AD	1				EGA			
_		1				EGH			
6									O RING KIT, Linear Solenoid
	5114 356AA	1				EGA			
		1				EGH			
7									SCREW AND WASHER, Hex Head
									M8x1.25x65, (NOT SERVICED)
_									(Not Serviced)
8									SCREW, Linear IACV Solenoid
	5083 049AA	2				EGH			
		2				EGA			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Throttle Controls 2.4L [EDZ] Figure 014-740

	O_{M}
	2
	(5)
6 4	


	PART	071/		055:50		TD 4110		DECORPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code							
	2.4L 4 Cylinder							
	Power Adjustal			lemory				
XAP] =	Power Adjustat	ole Ped	als					
1	5214 416	1			EDZ			GROMMET, Throttle Control Cable
2								CABLE, Throttle Control
	5281 292AA	1			EDZ			
	4861 640AB	1			EDZ			With [XAP,XAM]
3	5214 613	1						CLIP, Cable
4	4861 472AA	1			EDZ			BRACKET, Cable Mounting
5	4861 473AA	1			EDZ			RETAINER, Throttle Cable
6	6501 755	2			EDZ			SCREW AND WASHER, Hex Hea
								M6x1x16
DDGE - C	HRYSLER MINIVA	N (RS)—						
SERIES	HRYSLER MINIVA LINE			ODY	ENGINE			SMISSION
SERIES = Sport	LINE C = Chrys	ler (AWE)) 52 =	= 113 WB	EDZ, ED0 = $2.4L40$		GL = 4 s	pd. Auto. (41TE)
SERIES = Sport = LX, SE	LINE C = Chrys D = Dodge	ler (AWD	52 = 53 =		EDZ, ED0 = 2.4L 4 C EGA = 3.3L 6 Cyl.	D	GL = 4 s	
SERIES = Sport = LX, SE = LXI, ES	LINE C = Chrys D = Dodge Y = Chrys	ler (AWD e (AWD) ler (FWD	52 = 53 =	= 113 WB	EDZ, ED0 = 2.4L 4 C EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 C	Di Cyl.	GL = 4 s	pd. Auto. (41TE)
ERIES = Sport : LX, SE	LINE C = Chrys D = Dodge	ler (AWD e (AWD) ler (FWD	52 = 53 =	= 113 WB	EDZ, ED0 = 2.4L 4 C EGA = 3.3L 6 Cyl.	Di Cyl.	GL = 4 s	pd. Auto. (41TE)

Throttle Controls 3.3L-3.8L [EGA],[EGH] Figure 014-760

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sa	ales Codes								
[EGA] = 3	3.3L V6 SMPI I	Engine							
[EGH] = 3	B.8L V6 SMPI	Engine							
[XAM] = F	Power Adjustal	ole Ped	als With M	lemory					
	ower Adjustab			•					
1	5214 416	1				EGA,			GROMMET, Throttle Control Cable
						EGH			
2									CABLE, Throttle Control
	4861 261AC	1				EGA,			Without [XAP,XAM]
						EGH			
	4861 742AC	1				EGA,			With [XAP,XAM]
						EGH			
3									BRACKET, Throttle Control Cable
	4861 467AA	1				EGA			
		1				EGH			
4	4861 473AA	1				EGA,			RETAINER, Throttle Cable
						EGH			
-5									SCREW
	6505 812AA-	2				EGA			

EGH



X = EX

6 5214 613

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

CLIP, Cable

BODY 52 = 113 WB 53 = 119 WB

2

Air Cleaner 2.4L [EDZ] Figure 014-810



	PART													
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION					
								•						
NOTE: S	NOTE: Sales Code													
	.4L 4 Cylinder	DOHC	16V SMP	I Engine										
1	4861 378AB	1		3		EDZ			AIR CLEANER					
-2	4861 480AA-	1				EDZ			ELEMENT, Air Cleaner					
3	4573 211	1				EDZ			BUSHING, Isolator Mounting Leg					
4	4573 049	1				EDZ			ISOLATOR, Air Cleaner Mounting					
									Leg					
5	5277 576	2				EDZ			LATCH, Air Cleaner					
6	4268 295	2				EDZ			GROMMET, Air Cleaner Bracket					
7	4606 487AB	1				EDZ			SENSOR, Charge Air Temp					
8	4861 415AB	1				EDZ			HOSE, Air Cleaner to T/Body					
9									CLAMP, Purchased in Hose Assy.,					
									(NOT SERVICED) (Not Serviced)					
10	4781 287AB	1				EDZ			HOSE, Crankcase Vent					
11	6035 424	1							SCREW AND WASHER, Hex Head					
									Tapping, .25-14x1					
12	6505 890AA	1							STUD, Air Cleaner/Resonator Mtg.,					
									M8x1.25x16.5					

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

S = Limited M = EL X = EX

BODY 52 = 113 WB 53 = 119 WB

Air Cleaner 3.3L-3.8L [EGA],[EGH] Figure 014-830



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[EGA] =	3.3L V6 SMPI I	Engine							
[EGH] =	3.8L V6 SMPI	Engine							
1	4861 356AA	1				EGA,			AIR CLEANER
						EGH			
-2	4861 480AA-	1				EGA,			ELEMENT, Air Cleaner
						EGH			
3	4573 049	1				EGA,			ISOLATOR, Air Cleaner Mounting
						EGH			Leg
4	4573 211	1				EGA,			BUSHING, Isolator Mounting Leg
						EGH			
5	5277 576	2				EGA,			LATCH, Air Cleaner
						EGH			
6	4268 295	2				EGA,			GROMMET, Air Cleaner Bracket
						EGH			
7	4861 414AB	1				EGA,			HOSE, Air Cleaner to T/Body
						EGH			
8	4781 264AB	1				EGA,			HOSE, Crankcase Vent
						EGH			
9	6035 424	1							SCREW AND WASHER, Hex Head
									Tapping, .25-14x1
10									CLAMP, (NOT SERVICED) (Not
									Serviced)
11	6505 890AA	1							STUD, Air Cleaner/Resonator Mtg.,
									M8x1.25x16.5
12	4606 487AB	1				EGA,			SENSOR, Charge Air Temp
						EGH			

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4861 359AB 6034 716	!		1	1 232.			DUC SCR	ET, Fresh Air EEW AND WASHER, Hex Flange ad, .25-14x.875
H = Sport L = LX, SE P = LXI, ES S = Limited	RYSLER MINIVA LINE C = Chrys D = Dodg Y = Chrys K = Dodge	AN (RS) — Sler (AWD) e (AWD) sler (FWD) e (FWD)	B() 52 = 53 =	ODY = 113 WB = 119 WB	ENG EDZ, ED EGA = 3 EGH, EG EGM = 3	INE 00 = 2.4L 4 C 3.3L 6 Cyl. G0 = 3.8L 6 C 3.3L 6 Cyl. FF	yl. DO DO Syl. =V	TRANSMISS GL = 4 spd. Aut G0 = All Automa	ION to. (41TE) atic Transm
M = EL X = EX	20dg	- ()					•		

	3	
8	5	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	<u> </u>				<u> </u>		<u> </u>		
NOTE; S	Sales Codes								
EDZ] =	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
EGA] =	3.3L V6 SMPI I	Engine							
EGH] =	3.8L V6 SMPI I	Engine							
1									BRACKET, Speed Control Servo
	4861 456AA	1				EDZ			
		1				EGA,			
						EGH			
2	6504 572	1							NUT AND WASHER, Hex Nut-C
									Washer, M8 x 1.25
3									CABLE, Speed Control
	4861 462AA	1				EDZ			
	4861 457AA	1				EGA,			
						EGH			
-4									NUT, Hex Flange Serration, M6
	6502 493	2				EDZ			Cable To Servo
		2				EGA,			Cable To Servo
						EGH			
5									HARNESS, Vacuum Speed Con
	4861 461AA	1				EDZ			
	4861 458AB	1				EGA,			
						EGH			
6									SERVO, Speed Control
	4669 977	1				EDZ			
		1				EGA,			
						EGH			
-7									CLIP, Cable to Servo Attach
	6025 867	1				EDZ			
		1				EGA,			
						EGH			
8	5002 124AA	1				EDZ,			TRAY, Battery, Includes Reserve
						EGA,			
						EGH			
-9	4307 218	1				EGA,			CONNECTOR, "Y" Reserve Tan
						EGH			

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Accelerator Pedal Figure 014-1110



	PART		_						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sa	les Codes;								
	Power Adjustat	ble Ped	als With N	/lemory					
	Power Adjustab			-					
1	4612 223	1							PEDAL AND BRACKET, Accelerate
2									MODULE, adjustable pedal
	5072 251AB	1							[XAM]
	5134 314AA	1							[XAP]
3	5214 416	1							GROMMET, Throttle Control Cable
4	6500 274	2							LOCK NUT, M6x1.0x6
5									COVER, Accelerator Pedal Base,
^	==14.040	4							(NOT REQUIRED)
6 7	5214 613	1							CLIP, Cable
7	4287 736	1							RETAINER, Throttle Cable
DGE - CH	HRYSLER MINIVAN	N (RS) —		SODY	ENGI	NIF		TRANS	SMISSION
SERIES = Sport	LINE C = Chrysl	sler (AWD)) 52 =	= 113 WB	EDZ, ED	$00 = 2.4L 4 C_{y}$	/l. D	GL = 4 sp	SMISSION pd. Auto. (41TE)
SERIES = Sport = LX, SE	LINE C = Chrysl D = Dodge	sler (AWD) e (AWD)	52 = 53 =		EDZ, ED EGA = 3.	00 = 2.4L 4 Cy 3.3L 6 Cyl.	D	GL = 4 sp	
SERIES = Sport	LINE C = Chrysl D = Dodge Y = Chrysl	sler (AWD) e (AWD) sler (FWD)	52 = 53 =	= 113 WB	EDZ, ED EGA = 3. EGH, EG	$00 = 2.4L 4 C_{y}$	De Cyl.	GL = 4 sp	pd. Auto. (41TE)

Group – 016 Propeller Shafts and U–Joints






GROUP 16 - Propeller Shafts and U-Joints

Illustration Title Group-Fig. No. **Propeller Shaft**

Fig. 016-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4641 899AC	1	C, D		53				SHAFT, Drive
2									BOLT, Serviced with Item #1, (NOT
									SERVICED) (Not Serviced)
3	6503 858	2	C, D		53				SCREW AND WASHER, Hex Head,
									M10x1.50x35, Prop Center Bearing
									to Body
4	6501 596	3	C, D		53				SCREW AND WASHER, Hex Head,
									M10x1.5x45




X = EX


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Group – 017 Rear Suspension






GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
Rear Suspension	
Suspension, Rear-Front Wheel Drive	Fig. 017-110
Suspension, Rear-All Wheel Drive	Fig. 017-120


Suspension, Rear-Front Wheel Drive **Figure 017-110**




>>

DESCRIPTION

Suspension, Rear-Front Wheel Drive Figure 017-110




Suspension, Rear-Front Wheel Drive **Figure 017-110**



DESCRIPTION

Suspension, Rear-Front Wheel Drive Figure 017-110



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
		4743 224AA	2	K, Y		13, 53				[SDA]
_		4743 225AA	2	K, Y		13, 53				[SDB] [SDM] [SDC]
		4743 226AA	2	K, Y		12, 52				[SDA]
		4743 227AA	2	K, Y		12, 52				[SDB] [SDC]
		4743 228AA	2	K, Y						[SDH]
_		4743 229AA	2	K, Y		13, 53				[SDA,SER]
		4743 230AA	2	K, Y		13, 53				[SDB,SDM,SDC,SER]
		4743 232AA	2	K, Y		12, 52				[SDA,SER]
		4743 233AA	2	K, Y		12, 52				[SDB,SDC,SER]
	32	6505 695AA	2	K, Y						SCREW, Hex Head, M12x1.75x92.
										00, Upper Shock Mounting
	33	5006 010AA	1	K, Y						BRACKET, Track Bar
	34	6503 858	2	K, Y						SCREW AND WASHER, Hex Head,
										M10x1.50x35, Sway Link Bracket
										to Rail
	35	4684 171AB	2	K, Y						BRACKET, Stabilizer Bar Link
	36	6503 858	2	K, Y						SCREW AND WASHER, Hex Head,
										M10x1.50x35, Sway Bar Link
										Bracket Mounting
	37	5006 004AB	2	K, Y						BUMPER, Jounce
	38	4684 756AC	2	K, Y						BUMPER, Jounce
	39	6501 441	2	K, Y						BOLT, Hex Head, M8x1.25x35
	40	6507 446AA	2	K, Y						SCREW, Hex Flange Head, Shock
										Absorber Lower Mounting
_	41	6502 337	2							NUT, M10x1.5, Sway Bar Link
	42	6503 858	8		_					SCREW AND WASHER, Hex Head,
										M10x1.50x35, Rear Hanger

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited

M = ELX = EX BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Suspension, Rear-All Wheel Drive Figure 017-120


PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS TRIM	DESCRIPTION
	NOTE:Sa	ales codes							
$(25) \qquad (3)$		rough[ZZX] = {	Sprina (Group Tvr	pes: Found o	n Individu	al Vehicle S	Sales Code List	ina .
(27)	1	0. 1		1 31	,				SPRING, Rear Leaf
		5006 504AA	1	C, D		53			[ZFU] [ZUU]
		5006 505AA	1	C, D		53			[ZFV] [ZUV]
	'	5006 506AA	1	C, D		53			[ZFW] [ZUW]
(22) (26) (26)		5006 507AA	1	C, D		53			[ZFX] [ZUX]
	2	5006 950AA	1	C, D		53			BUSHING, Pivot
	3	4743 040AA	2	C, D		53			BUSHING, Spring
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	-4	3638 666	1	C, D		53			INTERLINER, Leaf Spring
	5	4766 355AB	2						HANGER, Front Spring
	6 7	6503 883 6503 040	2						BOLT, Hex Head, M14x2.0x 120
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \end{array} \end{array} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\$	8	6502 040 6503 858	2 8						NUT, Hex Flange Lock, M14x2 SCREW AND WASHER, Hex Head,
	O	0303 030	O						M10x1.50x35
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$	9	5006 089AA	2						HANGER, Leaf Spring
	10	6503 858	8						SCREW AND WASHER, Hex Head,
									M10x1.50x35, Rear Hanger
	11								PLATE, Spring Shackle
(15)		5006 016AA	1	C, D		53			Outer,Right
(18)		5006 017AB	1	C, D		53			Outer,Left
	12								PLATE, Spring Shackle
		5006 015AA	1	C, D		53			Inner Left
$\begin{array}{c c} (13) & (12) \\ \hline \end{array}$		5006 014AB	1	C, D		53			Inner Right
(14)	13	6100 525	4	C, D		53			NUT, Hex, Mx1.5
$\bigcirc \bigcirc $	14	6101 670	4	C, D		53			SCREW AND WASHER, Hex Head,
	15	4743 542AA	1	C, D		53			M10x1.50x35, Shackle AXLE, Rear
(3)	16	5080 991AA	1	C, D		53 53			BAR, Rear Sway
	17	4626 015	2	C, D		53			BUSHING, Sway Bar
	18	5006 133AA	2	C, D		53			BRACKET, Stabilizer Bar
(34)	19	4228 786AB	2	C, D		53			BRACKET, Stabilizer Bar
	20	6506 019AA	4	C, D	H, M, P,	53			BOLT AND WASHER, Hex Head,
					S, X				M10x1.5x30
	21	5272 190	2	C, D		53			LINK, Sway Eliminator
	22	6502 338	2	C, D		53			SCREW, Shouldered Hex Head,
(32)									M10x1.5x70
	23	6502 337	2	C, D		53			NUT, M10x1.5
33	24	6035 444	8	C, D		53			SCREW AND WASHER, Hex Head, .50-13x3.00
(29)									.50-13x3.00
(28)	DODGE - CH SERIES	IRYSLER MINIVAN LINE	I (RS) —		BODY	ENGI		TDA	NSMISSION
	H = Sport	C = Chrysle	er (AWD) 52	= 113 WB	EDZ, EDO	0 = 2.4L 4 Cyl	. DGL = 4	spd. Auto. (41TE)
	L = LX, SE P = LXI, ES	D = Dodge Y = Chrysle	(AWD) er (FWD	53	= 119 WB	EGA = 3.3 EGH. EG	3L 6 Cyl. 0 = 3.8L 6 Cy	DG0 = AI	Automatic Transm
	S = Limited	K = Dodge	(FWD)	,			3L 6 Cyl. FFV		
	M = EL X = EX								

Suspension, Rear-All Wheel Drive Figure 017-120



Group – 019 Steering




019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–500 Power Steering Pump
		ê de la companya de l	
019-700 Power Steering Hoses			

GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-145
Steering Column Column, Steering Upper and Lower	Fig. 019-245
	Fig. 019-245
Steering Gear	
Gear, Rack and Pinion and Attaching Parts	Fig. 019-321
Power Steering Pump	
Power Steering Pump 2.4L [EDZ]	Fig. 019-510
Power Steering Pump 3.3L-3.8L [EGA],[EGH]	Fig. 019-520
Power Steering Hoses	
Hoses, Power Steering, 2.4L [EDZ]	Fig. 019-720
Hoses, Power Steering, 3.3L-3.8L [EGA],[EGH]	Fig. 019-730

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



		PLACING THE AIRBAG MC	ARE SERVICEABLE AND AS SUCH, WHEN APPLICABLE, MUST BE DOULE ASSEMBLY.
ales C	odes		
EDZ]=2	2.4L 4 CYL DOHC	16V SMPI	
EGA]=3	3.3L V6 SMPI		
EGH]=3	3.8L V6 SMPI		
EGM]=3	3.3L V6 SMPI		
1	6505 248AA	1	DGL NUT, Hex Flange Lock
2			WHEEL, Steering
	RG65 XDVAB	1	[D5] Up to 10/03/03
	WF79 XDVAC	1	[D5] After 10/03/03
	RG65 ZJ8AB	1	[J3] Up to 10/03/03
	WF79 ZJ8AC	1	[J3] After 10/03/03
	SA44 1DVAB	1	[D5] Leather, Without Radio
			Controls Up to 10/03/03
	WF80 1DVAC	1	[D5] Leather, Without Radio
			Controls After 10/03/03
	SA44 ZJ8AB	1	[J3] Leather, Without Radio
			Controls Up to 10/03/03
	WF80 ZJ8AC	1	[J3] Leather, Without Radio
			Controls After 10/03/03
	RG66 1DVAB	1	[D5] Leather, With Radio Control
			Up to 10/03/03
	1AP39 1DVAA	1	[D5] Leather, With Radio Control
			After 10/03/03
	RG66 1J8AB	1	[J3] Leather, With Radio Contro
			Up to 10/03/03
	1AP39 1J8AA	1	[J3] Leather, With Radio Contro
			After 10/03/03
-3			COVER, Steering Wheel Back
	1AP40 1DVAA-	1	[D5] With Radio Controls
	1AP40 1J8AA-	1	[J3] With Radio Controls
4	6505 656AA	1	SCREW, Hex Flange Head, M10
			5x35., Wheel to Column
5			AIR BAG, Driver
	SX27 1DVAF	1 D, K	[D5] Without Speed Control
	SX27 1J8AF	1 D, K	[J3] Without Speed Control
	WC32 1DVAC	1 D, K	[D5] With Speed Control
	WC32 1J8AC	1 D, K	[J3] With Speed Control

DODGE - CHRY	SLER MINIVAN (RS)			
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = Sport	C = Chrysler (AWD)	52 = 113 WB	EDZ, ED0 = 2.4L 4 Cyl.	DGL = 4 spd. Auto. (41TE)
L = LX, SE	D = Dodge (AWD)	53 = 119 WB	EGA = 3.3L 6 Cyl.	DG0 = All Automatic Transm
P = LXI, ES	Y = Chrysler (FWD)		EGH, EG0 = $3.8\dot{L}$ 6 Cyl.	
S = Limited	K = Dodge (FWD)		EGM = 3.3L 6 Cyl. FFV	
M = EL	- , ,		·	
X = EX				

2	(1) (6) (5)
	8
	10 9
12	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SL01 1DVAF	1	Υ						[D5] Without Speed Control Up to
									10/03/03
	1AD94 1DVA	1	Υ						[D5] Without Speed Control After
									10/03/03
	SL01 1J8AF	1	Υ						[J3] Without Speed Control Up to
									10/03/03
	1AD94 1J8AA	1	Υ						[J3] Without Speed Control After
									10/03/03
	WC72 1DVAC	1	C, Y						[D5] With Speed Control
	WC72 1J8AC	1	C, Y						[J3] With Speed Control
6									COVER, Air Bag Module, With Horn
									Switch
	UN77 1DVAA	1	D, K						[D5]
	UN77 1J8AA	1	D, K						[J3]
	UN78 1DVAA	1	Υ						[D5]
	UN78 1J8AA	1	Υ						[J3]
	UN78 1DVAA	1	C, Y						[D5]
	UN78 1J8AA	1	C, Y						[J3]
-7	6507 294AA-	2							SCREW, Air Bag Mounting
8									SWITCH, Speed Control
	5026 006AA	1	Υ						
		1	C, Y						
		1	D, K						
9									SWITCH, Speed Control
	5026 007AA	1	D, K						
		1	Υ						
		1	C, Y						
10									DAMPER, Steering Wheel
	4680 441AA	1				EDZ			
	4680 442AA	1				EGA,			
						EGH			
11	4685 713AB	1							HOUSING, Steering Column
12	4685 712AC	1							CLOCKSPRING


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Column, Steering Upper and Lower Figure 019-245



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						I		·	
Note: Sal									
	L 4 Cylinder D		6V SMPI I	Engine					
	BL V6 SMPI Er	-							
[EGH]=3.8	BL V6 SMPI Er	ngine							
1	4680 434AF	1					DGL		COLUMN, Steering, Tilt
2	4680 500AE	1					DGL		COLUMN, steering, non tilt
-3	4690 413	2					DGL		COVER, Steering Column
4	5057 060AA	1					DGL		LEVER, Gearshift
-5	6035 937AA-	1					DGL		SCREW, .164-18x1.00
-6	4690 242AB-	1					DGL		SPRING, Gearshift Lever
7									LEVER, Tilt Column Release,
									Service in Assembly, (NOT
									SERVICED) (Not Serviced)
8	4470 934	1					DGL		COUPLING, Steering, Upper
9	6032 364	1					DGL		SNAP RING, Steering Column, .6
10	4690 805AC	1					DGL		INTERLOCK, steering column
11	6507 188AA	4							STUD, M6x1.00mmx48.80mm,
									Steering Column Mounting Uppe
12	6503 014	2							NUT AND WASHER, Hex, M6x1
13	4860 376AA	1							BRACKET, Steering Column
14	1000 07 07 07	•							PANEL, Instrument, Reference Or
									(NOT SERVICED) (Not Serviced
15	6034 678	3							SCREW, Self Piercing, .164-15-1
16	0034 076	3							SHROUD, Steering Column
10	RG55 XDVAB	1							_
	RG55 ZJ8AB	1							[D5]
									[J3]
	RG55 ZP7AB	1							[P7]
	XJ19 XDVAA	1							With Power Pedals [D5]
	XJ19 ZJ8AA	1							With Power Pedals [J3]
	XJ19 ZP7AA	1							With Power Pedals [P7]
	SU71 XDVAB	1							With Traction Control [D5]
	SU71 ZJ8AB	1							With Traction Control [J3]
	SU71 ZP7AB	1							With Traction Control [P7]
	XJ18 XDVAA	1							With Traction and Power Pedals [D5]
	XJ18 ZJ8AA	1							With Traction Control and Powe
									Pedals [J3]
	XJ18 ZP7AA	1							With Traction Control and Powe
									Pedals [P7]
17	4685 712AC	1							CLOCKSPRING
17	XJ18 ZP7AA								Pedals [P7]
E - CH	RYSLER MINIVAN LINE	N (RS) —	В(ODY	ENGI	 NE		TRAN	SMISSION
= Sport	C = Chrysl) 52 =	: 113 WB	EDZ, ED	0 = 2.4L 4 C		DGL = 4 s	pd. Auto. (41TE)
= LX, SE P = LXI, ES S = Limited M = EL	D = Dodge Y = Chrysle K = Dodge	er (FWD)		: 119 WB	EGH, EG	3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	ÿl.	DG0 = All	Automatic Transm

Column, Steering Upper and Lower Figure 019-245



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5057 094AA	1					DGL		HOUSING, Steering Column Lock
19	4685 774AA	1					DGL		TRIM RING, Ignition Key Cylinder
20	4685 713AB	1							HOUSING, Steering Column, Multi
									Function Switch Mounting
21									SHROUD, Steering Column
	4680 505AA	1							With Tilt
	4680 506AA	1							Without Tilt
22	6035 142	2							SCREW, .164-32x1.00
23	4680 437AB	1							SHAFT, Intermediate
24	6503 985	1							PIN, Spring, M8.4x30x1.60
25	4680 438AF	1							SHIELD, Steering Coupling
26	6034 978	3							SCREW, Hex Flange Head Tapping,
									.19-16x1.00
27	5015 627AA	1							BOLT, Special Head Locking, M8x1.
									25x42.50
28	5015 626AA	1							PIN, Hair, .250 Dia x.766x.059

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

M = ELX = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Gear, Rack and Pinion and Attaching Parts Figure 019-321

6	3	5	8	
			7	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co	ode:								
[EDZ]=2.	4L 4 Cylinder D	OHC 1	6V SMPI I	Engine					
	.3L V-6 SMPI E			Ü					
	.8L V6 SMPI Ei	•							
1		Ü							GEAR, Power Steering
	5114 164AA	1				EDZ			
	5114 163AA	1				EGA,			
						EGH			
2	6504 585	1							SCREW AND WASHER, Hex Head
									M14-2x95
3	6505 655AA	2							SCREW AND WASHER, Hex Head
4	6502 835	2							NUT, Lock, Steering Gear Attaching
5	6502 698	1							NUT, Hex Flange Lock
6									END, Tie Rod
	5066 373AA	2				EDZ			
		2				EGA,			
						EGH			
7	6505 347AA	2							NUT
8									NUT, Steering Gear Lock
	6507 629AA	2				EDZ			
		2				EGA,			
						EGH			
-9	6506 204AA-	1	K, Y			EGA,			SCREW, Hex Head
						EGH			

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Power Steering Pump 2.4L [EDZ] Figure

9 8 3	
	6 5 3

ITEM	PART	ОТУ	LINE	ernice	BODY	ENGINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co	- d-a.								
	.4L 4 CYL DOH	IC 16\/	SMPI Eng	uina					
1	4743 969AB	1	Sivil I Ling	IIIC		EDZ			PUMP, Power Steering
2	4612 383	1				EDZ			PULLEY, Power Steering Pump
3	6506 019AA	2				EDZ			BOLT AND WASHER, Hex Head,
	0000 010/11								M10x1.5x30
4	4612 521	1				EDZ			BRACKET, Power Steering Pump
5	6500 399	3				EDZ			BOLT, Hex Head, M10x1.5x20
6	6101 448	1				EDZ			NUT AND WASHER, Hex Nut-Cone
<u>_</u> _	0101 110	•							Washer, M10 x 1.5
7	4612 520	1				EDZ			BRACKET, Power Steering Pump
8	6501 775	1				EDZ			BOLT, Special Head, M10x1.5x40
9	6502 955	1				EDZ			SCREW AND WASHER, Hex Head
		<u> </u>							M8x1.25x90
									Mox. 125.133

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Power Steering Pump 3.3L-3.8L [EGA],[EGH] Figure 019-520

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Sales Cod	des								
[EGA]=3.3	3L V6 OHV Er	ngine							
[EGH]=3.8	8L V6 OHV Er	ngine							
1	4743 060AB	1				EGA,			PUMP, Power Steering
						EGH			
2	4861 540AA	1				EGA,			PULLEY, Power Steering Pump
						EGH			
3									SCREW AND WASHER, Hex Hea
									M8-1.25x40, (NOT SERVICED)
									(Not Serviced)



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES

S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Hoses, Power Steering, 2.4L [EDZ] Figure 019-720

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sa	les Codes;								
[EDZ] = 2	2.4L 4 Cylinder	DOHC	16V SMP	I Engine					
1	4743 967AB	1				EDZ			HOSE, Power Steering Pressure
2	6503 543	2				EDZ			BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25
3	4694 846	2				EDZ			BRACKET, Power Steering Hose
-4	4694 847	2				EDZ			BRACKET, Power Steering Hose
5	4743 904AA	1				EDZ			HOSE, Power Steering Return
6	6101 718	2							SCREW AND WASHER, Oval Head,
									M6x1x25
7	5073 039AA	1				EDZ			STRAP, Tie
8	6035 824	1				EDZ			CLAMP, Power Steering Hose
9	4743 496AA	1				EDZ			HOSE, Power Steering
10									PUMP, Power Steering, (Reference),
									(NOT REQUIRED)
11	4743 063AA	1				EDZ			RESERVOIR, Power Steering Pump
12	5011 231AB	1				EDZ			CAP, Power Steering Reservoir
13	4743 140AC	1				EDZ			COOLER, Power Steering


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Hoses, Power Steering, 3.3L-3.8L [EGA],[EGH] Figure 019-730




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220	202.				2200
IOTE: S	Sales Codes;								
	3.3L V6 SMPI E	Engine							
= EGH] =	3.8L V6 SMPI E	Engine							
NMC] =	: Heavy Duty En	gine Co	ooling						
1									HOSE, Power Steering Return
	5138 969AA	1				EGA,			Without [NMC]
						EGH			
	4743 851AA	1				EGA,			With [NMC]
						EGH			
2	4743 237AD	1				EGA,			COOLER, Power Steering
						EGH			
3	4766 032AA	1				EGA,			HOSE, Power Steering Pressure
						EGH			
4	6503 543	2				EGA,			BOLT AND CONED WASHER, He
						EGH			Head, M8x1.25x25
5	4694 861	1				EGA,			BRACKET, Power Steering Hose
						EGH			
6	4694 846	1				EGA,			CLIP, Bracket
						EGH			
7	6101 718	2							SCREW AND WASHER, Oval Hea
									M6x1x25, Cooler Mounting
8	4546 098	1				EGA,			CLIP, Power Steering Hose
_	0404					EGH			DOLT AND WAS STORY
9	6101 799	1				EGA,			BOLT AND WASHER, Hex Head,
4.0	4740.04::5					EGH			M8x1.25x20
10	4743 011AC	1				EGA,			HOSE, Power Steering Reservoir
4.4	4740.040^^	4				EGH			DECEDIOR December 2
11	4743 012AA	1				EGA,			RESERVOIR, Power Steering Pur
10	5011 231AB	4				EGH			CAD Dower Steering December
12	DUIT ZJIAB	1				EGA,			CAP, Power Steering Reservoir
10	6E01 720	4				EGH			NUIT Potoipor M6 v 4 00
13	6501 730	1				EGA, EGH			NUT, Retainer, M6 x 1.00
14	6505 812AA	2				EGH EGA,			SCREW
14	0000 01ZAA	2				EGA, EGH			JONEVV
15	4743 045AA	1				EGA,			BRACKET, Power Steering Reserv
10	7170 UTOAA	'				EGA, EGH			DIVICILE, I OWEL OLEGING INCOME
16	5114 531AA	1				EGA,			HOSE, Power Steering
	3	•				EGH,			
						_0.1			
DGE - C	HRYSLER MINIVAN	N (RS) —							
ERIES	LINE			ODY	ENGI				SMISSION
= Sport = LX, SE	C = Chrysle D = Dodge			= 113 WB = 119 WB		0 = 2.4L 4 C .3L 6 Cyl.			pd. Auto. (41TE) Automatic Transm
= LXI, ES	S Y = Chrysle	er (FWD)			EGH, EG	60 = 3.8L 6 C	ÿl.	/ W /	
= Limited = EL	K = Dodge	(FWD)			EGM = 3	.3L 6 Cyl. FF	V		
= EL = EX									

Hoses, Power Steering, 3.3L-3.8L [EGA],[EGH] Figure 019-730



Group – 40TE–AE

Automatic Transaxle 4 Speed



40TE-AE-100	40TE-AE-200	40TE-AE-300	40TE-AE-400
Transaxle Assembly	Case and Extension	Oll Pump	Gear Train
			5000 m
40TE-AE-700	40TE-AE-800	40TE-AE-1200	
Valve Body	Differential	Gearshift Controls	

GROUP 40TE-AE - Automatic Transaxle 4 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly Transaxle Assembly [DGL] - 40TE	Fig. 40TE-AE-110
Case and Extension Transaxle Mounting & Misc. Parts [DGL] - 40TE Case & Extension [DGL] - 40TE Collar, Structural [DGL] - 40TE	Fig. 40TE-AE-210 Fig. 40TE-AE-220 Fig. 40TE-AE-230
Oil Pump Oil Pump & Reaction Shaft [DGL - 40TE]	Fig. 40TE-AE-310
Gear Train Shaft, Transfer [DGL] - 40TE Clutch & Input Shaft [DGL] - 40TE Gear Train [DGL] - 40TE	Fig. 40TE-AE-410 Fig. 40TE-AE-420 Fig. 40TE-AE-430
Valve Body Valve Body [DGL] - 40TE Accumulator Piston & Springs [DGL] - 40TE Parking Sprag [DGL] - 40TE	Fig. 40TE-AE-710 Fig. 40TE-AE-720 Fig. 40TE-AE-730
Differential Differential [DGL] - 40TE	Fig. 40TE-AE-810
Gearshift Controls Gear Shift Controls	Fig. 40TE-AE-1210

Transaxle Assembly [DGL] - 40TE Figure 40TE-AE-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NOTE:

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE


WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

[DGL]=4 Speed Automatic Transmission - [41TE/AE & 40TE]

[EDZ]=2.4L 4 Cyl. 16V DOHC Engine

1 5095 240AA 1 EDZ DGL TRANSAXLE PACKAGE, WITH TORQUE CONVERTER

CONVERTER PACKAGE, Torque 2 5018 956AB 1 EDZ



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD) H = Sport D = Dodge (AWD)L = LX, SEP = LXI, ES

Y = Chrysler (FWD) K = Dodge (FWD) S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

M = ELX = EX

Transaxle Mounting & Misc. Parts [DGL] - 40TE Figure 40TE-AE-210

	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE

WITH THE [41TE-AE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

[DGL]=4 Speed Automatic Transmission - [41TE/AE & 40TE]

[EDZ]=2.4L 4 Cyl. DOHC 16V Engine

[EGA]=3.3L OHV V-6 Engine

[EGH]=3.8L OHV V-6 Engine

[-0]		.9			
1					ENGINE, Complete, See Engine
					Group, (NOT SERVICED) (Not
					Serviced)
2	4593 175AB	1	EDZ		COVER, Transmission Dust
3	6100 264	1	EDZ		BOLT AND CONED WASHER, Hex
					Head, M6x14x12.5
4	6504 383	4			BOLT, Hex Head, M10x1.50 x 13.20
5	4567 143	1	EDZ		PLATE, Drive Plate
6	4471 933	1		DGL	PLATE, Drive Plate Backing
7	6503 465	8		DGL	BOLT, Drive Plate and Flywheel
8	5018 956AB	1	EDZ		CONVERTER PACKAGE, Torque
9	6030 608	1			SEAL, Oil Filler Tube
10	4593 273AG	1	EDZ,	DGL	INDICATOR, Transmission Fluid
			EGA,		Level
			EGH		
11	4861 645AA	1	EDZ	DGL	TUBE, Filler
12					SCREW, M6x1.00x20.00, (NOT
					SERVICED) (Not Serviced)
13	6501 742	2	EDZ		SCREW, Hex Head, M12x1.75x50
14					TRANSAXLE, With Torque
					Converter, See Illustration 110,
					(NOT SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD) H = Sport D = Dodge (AWD)L = LX, SEP = LXI, ES

S = Limited M = ELX = EX


Y = Chrysler (FWD) K = Dodge (FWD)

ENGINE 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. 53 = 119 WB

TRANSMISSION DGL = 4 spd. Auto. (41TE) EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV DG0 = All Automatic Transm

BODY

Case & Extension [DGL] - 40TE Figure 40TE-AE-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NOTE:

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE

WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

[DGL]=4 Speed Automatic Transmission - [41TE/AE & 40TE]

[EDZ]=2.4L 4 Cyl. DOHC 16V Engine

[EGA]=3.3L OHV V-6 Engine

[EGH]=3.8L OHV V-6 Engine

-1	5166 503AA-	1	EDZ	DGL	SEAL AND GASKET PACKAGE,
					Transmission
2	4883 522AE	1	EDZ	DGL	CASE, Transaxle
3	4659 520	1	EDZ	DGL	PAN, Transaxle Differential Oil
4	6501 474	10	EDZ	DGL	BOLT, Hex Head, M8x1.25x16
5	4659 636	1	EDZ	DGL	COVER, Transaxle Rear
6	6501 474	10	EDZ	DGL	BOLT, Hex Head, M8x1.25x16
7	6501 658AB	1	EDZ	DGL	O RING, Trans Speed Sensor
8	4800 879	1	EDZ	DGL	SENSOR, Transmission Output
					Speed
9	4809 377AA	1	EDZ	DGL	CONNECTOR, Oil Cooler Hose
10	4659 290	1	EDZ	DGL	DAM, Differential Extension Oil
11	4659 736	1	EDZ	DGL	RETAINER, Differential Bearing
12	4800 878	1	EDZ	DGL	SENSOR, Transmission Input Speed
13	6506 408AA	5	EDZ	DGL	SCREW AND WASHER, Hex Flange
					Head, M8x1.25x25
-14	6504 225	6	EDZ	DGL	SCREW AND WASHER, Hex Flange
					Head Lock, M8x1.25x25.00
15	4412 522AB	1	EDZ	DGL	SEAL
16	6036 053AA	6	EDZ	DGL	PLUG, Pressure Check
17	4446 728	1	EDZ	DGL	MAGNET, Transmission
18	4800 210AA	1	EDZ	DGL	PAN, Transmission Oil
19	6501 474	14	EDZ	DGL	BOLT, Hex Head, M8x1.25x16
20	6501 657AB	1	EDZ	DGL	O RING, Trans Speed Sensor
21	6506 194AA	3	EDZ	DGL	SCREW AND WASHER, Hex Head,
					M6x1x93.5
22	5140 429AA	1	EDZ	DGL	SOLENOID PACKAGE, 41TE
					Transaxle
23	4659 982	1	EDZ	DGL	GASKET, Transmission Solenoid
24	4412 522AB	1	EDZ	DGL	SEAL
-25	4412 522AB-	1	EDZ	DGL	SEAL

DODGE -	CHRYSLER	MINIVAN	(RS)
SERIES	:	LINE	

C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ D = Dodge (AWD)Y = Chrysler (FWD) K = Dodge (FWD) P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

X = EX

M = EL

Case & Extension [DGL] - 40TE Figure 40TE-AE-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26									BUSHING, Trans. Extension
									(Serviced in Ext.), (NOT
									SERVICED) (Not Serviced)
27	6500 511	4				EDZ	DGL		SCREW, Flange Head, M8x1.25x33
28	4567 413	1				EDZ	DGL		CASE, Transaxle Rear
29	4659 946AB	1				EDZ	DGL		VALVE, Cooler Bypass
30	4567 494	1				EDZ	DGL		RETAINER, Transmission Extension
									Oil
31	4567 022	1				EDZ	DGL		BEARING CUP, Differential
32	4800 230AA	1				EDZ	DGL		CUP, Differential Side Bearing
33	4659 257	AR				EDZ	DGL		SPACER, Final Drive, 0.98mm
-34	4659 258	AR				EDZ	DGL		SPACER, Final Drive, 1.02mm
-35	4659 259	AR				EDZ	DGL		SPACER, Final Drive, 1.06mm
-36	4659 260	AR				EDZ	DGL		SPACER, Final Drive, 1.10mm
-37	4659 261	AR				EDZ	DGL		SPACER, Final Drive, 1.14mm
-38	4659 262	AR				EDZ	DGL		SPACER, Final Drive, 1.18mm
-39	4659 263	AR				EDZ	DGL		SPACER, Final Drive, 1.22mm
-40	4659 264	AR				EDZ	DGL		SPACER, Final Drive, 1.26mm
-41	4659 265	AR				EDZ	DGL		SPACER, Final Drive, 1.30mm
-42	4659 266	AR				EDZ	DGL		SPACER, Final Drive, 1.34mm
-43	4659 267	AR				EDZ	DGL		SPACER, Final Drive, 1.38mm
-44	4659 268	AR				EDZ	DGL		SPACER, Final Drive, 1.42mm
-45	4659 269	AR				EDZ	DGL		SPACER, Final Drive, 1.46mm
-46	4659 270	AR				EDZ	DGL		SPACER, Final Drive, 1.50mm
-47	4659 271	AR				EDZ	DGL		SPACER, Final Drive, 1.54mm
-48	4659 272	AR				EDZ	DGL		SPACER, Final Drive, 1.58mm
-49	4659 273	AR				EDZ	DGL		SPACER, Final Drive, 1.62mm
-50	4659 274	AR				EDZ	DGL		SPACER, Final Drive, 1.66mm
-51	4659 275	AR				EDZ	DGL		SPACER, Final Drive, 1.70mm
-52	4659 283	AR				EDZ	DGL		SPACER, Final Drive, 2.02mm
-53	4659 284	AR				EDZ	DGL		SPACER, Final Drive, 2.06mm

M = ELX = EX


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Collar, Structural [DGL] - 40TE Figure 40TE-AE-230

1754	PART	0.77/		050150	DODY.				DECODIFICAL
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE									
NOTE:	ODTAIN (DK)	NILIMADE	D TO ODI	DEB COBI	DECT DAD	TC EOD T	UE [40TE]	TDAN	SMISSION. SOME PARTS ARE N
	RCHANGEABLE		K IO OKI	DER CORI	RECTPAR	13 FUR I	ne (401e)	IKAN	SMISSION. SOME PARTS ARE IN
	HE [41TE] EVE		IFY HAVE	THE SAM	F SALES (CODE IDG	11		
Sales C			IL 1 11/11/	TITL O/ (IVI	L O/ILLO		∟ j.		
	Speed Automa	tic Tran	smission -	· [41TE/AE	& 40TE]				
	.4L 4 Cyl. 16V I			•	•				
1	6507 132AA	1				EDZ			BOLT, Hex Flange Head
2	6506 019AA	2				EDZ			BOLT AND WASHER, Hex Head
									M10x1.5x30
3	4792 251AC	1				EDZ			COLLAR, Structural, Oil Pan To Transmission
4	6507 132AA	1				EDZ			BOLT, Hex Flange Head



X = EX


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Oil Pump & Reaction Shaft [DGL - 40TE] Figure 40TE-AE-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•	•	•		•			
	NOTE:	OBTAIN [PK]	NUMBE	R TO OR	DER CORI	RECT PAR	TS FOR T	HE [40TE]] TRANS	SMISSION. SOME PARTS ARE NOT
	INTERC	CHANGEABL	E						-	
	WITH THE Sales Cod	E [41TE] EVE	EN IF TH	IEY HAVE	THE SAM	E SALES (CODE [DG	iL].		
		Speed Autom	atic Trar	nsmission	- [41TE/AE	& 40TE]				
(8) (10)		L 4 Cyl. DOF	HC 16V	Engine			FD7	DOL		OF ALL AND CARKET BACKAGE
9 (10)		4883 260	1				EDZ	DGL		SEAL AND GASKET PACKAGE, Transmission Oil Pump
		5127 197AA 4471 874	1 4				EDZ EDZ	DGL DGL		PUMP, Transmission Oil SEAL, Ring Reaction Support, 2 1/16
	Ü	1171 071					202	202		O.D.
	<u>4</u> 5	6500 211	6				EDZ	DGL		BOLT, Hex Head, M8x1.25x19 BALL, Check
		4446 616	2				EDZ	DGL		Support
6		5211 8261 4412 844	1				EDZ EDZ	DGL DGL		Transmission Check Valve - Small GASKET, Transmission Oil Pump
		6506 408AA	5				EDZ	DGL		SCREW AND WASHER, Hex Flange
										Head, M8x1.25x25
		4659 945 4659 515	1 1				EDZ EDZ	DGL DGL		SEAL, Oil Pump BUSHING, Front Pump
		4412 475	1				EDZ	DGL		SEAL, Impeller Hub, 57.25mm OD
(5)										
	DODGE - CHI	RYSLER MINIVA	AN (RS) —							
	SERIES H = Sport	LINE C = Chry	sler (AWD)) 52 =	ODY = 113 WB	ENG EDZ, ED	0 = 2.4L 4 C	Syl. D	GL = 4 sp	SMISSION od. Auto. (41TE)
	L = LX, SE P = LXI, ES	D = Dodg Y = Chrys	ge (AWD) sler (FWD	53 =	= 119 WB	EGA = 3 EGH, EG	60 = 3.8 L 6	Cyl.	G0 = All	Automatic Transm
	S = Limited M = EL	K = Dodg	je (FWD)			EGM = 3	3.3L 6 Cyl. F	FV		
	X = EX									



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NOTE:

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE

WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

Sales Codes:

[DGL]=4	4 Speed Automat	ic Transmission - [41TE/AE & 40TE]			
[EDZ]=2	2.4L 4 Cyl. DOHC	C 16V Engine			
1	4412 273	1	EDZ	DGL	RETAINER, Transfer Gear Bearing
2	4504 041	1	EDZ	DGL	BEARING CUP, Transfer Gear
3	4505 570AB	1	EDZ	DGL	SPACER, Transfer Shaft, 3.22mm
4	4446 698AB	1	EDZ	DGL	BEARING CONE, Transfer Shaft
-5	4412 801AB-	1	EDZ	DGL	SPACER, Transfer Shaft, 3.26mm
-6	4412 802AB-	1	EDZ	DGL	SPACER, Transfer Shaft, 3.30mm
-7	4412 803AB-	1	EDZ	DGL	SPACER, Transfer Shaft, 3.34mm
-8	4412 804AB-	1	EDZ	DGL	SPACER, Transfer Shaft, 3.38mm
-9	4412 806AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.46mm
-10	4412 807AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.50mm
-11	4412 808AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.54mm
-12	4412 809AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.58mm
-13	4412 810AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.62mm
-14	4412 811AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.66mm
-15	4412 812AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.70mm
-16	4412 813AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.74mm
-17	4412 814AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.78mm
-18	4412 815AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.82mm
-19	4412 816AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.86mm
-20	4412 817AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.90mm
-21	4412 818AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.94mm
-22	4412 819AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.98mm
-23	4412 820AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.02mm
-24	4412 821AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.06mm
-25	4412 822AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.10mm
-26	4412 823AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.14mm
-27	4412 824AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.18mm
-28	4412 825AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.22mm
-29	4412 826AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.26mm
-30	4412 827AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.30mm
-31	4412 828AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.34mm
-32	4412 829AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.38mm
-33	4412 830AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.42mm

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD) H = Sport D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl.


EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

M = ELX = EX

S = Limited

Shaft, Transfer [DGL] - 40TE Figure 40TE-AE-410



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										-
	-34	4412 831AB-	1				EDZ	DGL		SPACER, Transfer Shaft, 4.46mm
	-35	4412 832AB-	1				EDZ	DGL		SPACER, Transfer Shaft, 4.50mm
	-36	4412 833AB-	1				EDZ	DGL		SPACER, Transfer Shaft, 4.54mm
	-37	4412 835AB-	1				EDZ	DGL		SPACER, Transfer Shaft, 4.62mm
	-38	4505 588AB-	1				EDZ	DGL		SPACER, Transfer Shaft, 4.66mm
	39	4713 444AC	1				EDZ	DGL		GEAR PACKAGE, Output And
										Transfer Shaft
	40	6501 833	1				EDZ	DGL		WASHER, Coned, M22.6x45x3.42
	41	6507 156AA	1				EDZ	DGL		LOCK NUT, M22x1.50
	42	6501 853	1				EDZ	DGL		SNAP RING
	43	4471 869	1				EDZ	DGL		BAFFLE, Transfer Shaft
	44	6501 768	1				EDZ	DGL		O RING, Transfer Shaft Bearing
										Retainer, ATX
	45	4856 911	1				EDZ	DGL		BEARING PACKAGE, Transfer Shaft
	46	4531 976	1				EDZ	DGL		SHAFT, Transfer Gear
	40	7001 970	'				LUZ	DGL		Olini I, Hallolei Geal


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Clutch & Input Shaft [DGL] - 40TE Figure 40TE-AE-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NC	DTE:
PL	EASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT
I	INTERCHANGEABLE
\ A / I	IT I THE MATELEVEN IS THEY HAVE THE CAME ON SO CODE IDON

WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

Sales Codes:
IDGL1=4 Speed Automatic Transmission

	4 Speed Automat 2.4L 4 Cyl. DOHC	ic Transmission - [41TE/AE]			
-1	4883 240AB-	1	EDZ	DGL	SEAL AND GASKET PACKAGE, Transmission Front Clutch
2	4883 013AB	1	EDZ	DGL	PLATE PACKAGE, Underdrive Reaction, 5.72/5.82
-3	4883 014AB-	1	EDZ	DGL	PLATE PACKAGE, Underdrive Reaction, 6.21/6.31
-4	4883 015AB-	1	EDZ	DGL	PLATE PACKAGE, Underdrive Reaction, 6.70/6.80
5	4659 934	1	EDZ	DGL	SNAP RING, Underdrive Clutch, Tapered
6	4567 262	1	EDZ	DGL	THRUST BEARING
7	4864 936AC	1	EDZ	DGL	HUB AND SHAFT PACKAGE, Underdrive Clutch
8	5018 923AA	1	EDZ	DGL	PLATE AND WASHER PACKAGE, Thrust
9	4505 621	1	EDZ	DGL	SNAP RING
10	4531 678	3	EDZ	DGL	DISC, Clutch
11	.001 010	G		502	PLATE, Transmission O/Drive Clutch
	4531 556AD	1	EDZ	DGL	Transmission Reverse & Overdrive Clutch
	4800 233AA	1	EDZ	DGL	
12	5017 518AB	1	EDZ	DGL	HUB PACKAGE, Input Clutch
13	4505 622	1	EDZ	DGL	SNAP RING
14	4531 678	3	EDZ	DGL	DISC, Clutch
15	4659 053	3	EDZ	DGL	PLATE, Transmission O/Drive Clutch
16	4377 194	1	EDZ	DGL	PLATE, Transmission Clutch
17	4377 195	1	EDZ	DGL	Reaction SNAP RING
-18	4412 871	1	EDZ	DGL	SNAP RING, Reverse Clutch, 1.77-1
-19	4412 872	1	EDZ	DGL	SNAP RING, Reverse Clutch, 2.02-2 07mm
-20	4412 873	1	EDZ	DGL	SNAP RING, Reverse Clutch, 2.27-2 32mm

DODGE - CHRYSLI	ER MINIVAN (RS)
SERIES	LINE


LINE
C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited

M = ELX = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Clutch & Input Shaft [DGL] - 40TE Figure 40TE-AE-420



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	5018 923AA	1				EDZ	DGL		PLATE AND WASHER PACKAGE,
									Thrust
22	4659 993	1				EDZ	DGL		HUB AND SHAFT, Overdrive Clutch
23									PLATE, Transmission O/Drive Clutch
	3836 237AB	1				EDZ	DGL		[1.70/1.77]
	3836 238AB	AR				EDZ	DGL		[1.92/1.99]
	3836 239AB	AR				EDZ	DGL		[2.14/2.21]
	3836 240AB	AR				EDZ	DGL		[2.36/2.43]
	3836 241AB	1				EDZ	DGL		[2.58/2.65]
	4431 665AB	1				EDZ	DGL		[1.59/1.66]
	4431 666AB	1				EDZ	DGL		[1.81/1.88]
	4431 667AB	1				EDZ	DGL		[2.03/2.10]
	4431 668AB	1				EDZ	DGL		[2.25/2.32]
	4431 669AB	1				EDZ	DGL		[2.47/2.54]
	4446 670AB	1				EDZ	DGL		[2.69/2.76]
	4446 671AB	1				EDZ	DGL		[2.91/2.98]
24	4659 980	1				EDZ	DGL		SNAP RING, Underdrive Clutch, Flat
25	4531 678	3				EDZ	DGL		DISC, Clutch
26	4659 053	3				EDZ	DGL		PLATE, Transmission O/Drive Clutch
27	6501 715	1				EDZ	DGL		SNAP RING
28	4431 612	1				EDZ	DGL		RETAINER AND SEAL,
									Transmission U/Drive Spring
29	4377 177	1				EDZ	DGL		SPRING, Drive Lower Case
30	4800 231AA	1				EDZ	DGL		PISTON, Underdrive
31	6507 226AA	1				EDZ	DGL		SNAP RING
32	4659 871	1				EDZ	DGL		SEAL, Piston Outer, 140mm OD
33	4659 935	1				EDZ	DGL		RETAINER, Transmission Input
									Clutch
34	4446 543	3				EDZ	DGL		SEAL, Input Shaft
35	4412 209	1				EDZ	DGL		THRUST BEARING
36	4549 223AB	1				EDZ	DGL		INPUT SHAFT PACKAGE, Transaxle
37	5017 518AB	1				EDZ	DGL		HUB PACKAGE, Input Clutch
38	6502 271	1				EDZ	DGL		O RING, Transmission Clutch
39	6502 269	1				EDZ	DGL		O RING, Transmission Clutch
40	4659 391AB	1				EDZ	DGL		SEAL, Under Drive
41	6501 702	1				EDZ	DGL		SNAP RING
42	4412 203	1				EDZ	DGL		SNAP RING
43	4412 202	1				EDZ	DGL		SPRING, Overdrive Piston
44	6033 158	1				EDZ	DGL		O RING, Reverse & O/Drive Clutch Piston, Transmission

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

X = EX


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



Clutch & Input Shaft [DGL] - 40TE Figure 40TE-AE-420



1 (2) (3) (37) (37) (37) (37) (37) (37) (37)	
41 40 39	
50 45 43 55 55 55 62	
59 58 58	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NOTE:

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE

WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

[DGL]=	4 Speed Automat	ic Transmission - [41TE/AE & 40TE]			
[EDZ]=:	2.4L 4 Cyl. DOHC	C 16V Engine			
1	5014 200AB	1	EDZ	DGL	CARRIER AND BEARING, Planet Pinion
2	4567 025AB	1	EDZ	DGL	BEARING
3	6501 853	1	EDZ	DGL	SNAP RING
4	4800 236AA	1	EDZ	DGL	SPRING, Low/Reverse Clutch Pistor
5	4800 235AA	1	EDZ	DGL	PISTON, Low and Reverse Clutch
6	4800 255AA	1	EDZ	DGL	RETAINER, Transmission Low and
					Reverse Clutch Pistion
-7	6501 819	3	EDZ	DGL	SCREW AND WASHER, Pan Head,
					M5x0.8x11.00
8	4800 253AA	1	EDZ	DGL	GASKET, Clutch Retainer
9	4567 022	1	EDZ	DGL	BEARING CUP, Differential
10	4412 806AB	1	EDZ	DGL	SPACER, Output Shaft, 3.46mm
-11	4412 807AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.50mm
-12	4412 808AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.54mm
-13	4412 809AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.58mm
-14	4412 811AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.66mm
-15	4412 812AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.70mm
-16	4412 813AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.74mm
-17	4412 814AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.78mm
-18	4412 815AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.82mm
-19	4412 816AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.86mm
-20	4412 817AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.90mm
-21	4412 818AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.94mm
-22	4412 819AB-	1	EDZ	DGL	SPACER, Output Shaft, 3.98mm
-23	4412 820AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.02mm
-24	4412 821AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.06mm
-25	4412 822AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.10mm
-26	4412 823AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.14mm
-27	4412 824AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.18mm
-28	4412 825AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.22mm
-29	4412 826AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.26mm
-30	4412 827AB-	1	EDZ	DGL	SPACER, Output Shaft, 4.30mm

DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

M = ELX = EX

S = Limited

Gear Train [DGL] - 40TE Figure 40TE-AE-430



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-31	4412 828AB-	1				EDZ	DGL		SPACER, Output Shaft, 4.34mm
-32	4412 829AB-	1				EDZ	DGL		SPACER, Output Shaft, 4.38mm
-33	4412 830AB-	1				EDZ	DGL		SPACER, Output Shaft, 4.42mm
34	4412 234	1				EDZ	DGL		BEARING CUP, Output Shaft
35	4412 235AB	1				EDZ	DGL		BEARING CONE, Output Shaft
36	4713 444AC	1				EDZ	DGL		GEAR PACKAGE, Output And
									Transfer Shaft
37	6501 832	1				EDZ	DGL		WASHER, Output Shaft
38	6506 972AA	1				EDZ	DGL		BOLT, Hex Head
39	4567 262	1				EDZ	DGL		THRUST BEARING
40	4377 080	1				EDZ	DGL		GEAR, Sun
41	4412 229AB	1				EDZ	DGL		THRUST BEARING, Rear Sun Gea
									Front
42	4567 573AB	4				EDZ	DGL		DISC, Clutch
43	4659 055	4				EDZ	DGL		PLATE, Transmission Clutch
									Reaction
44	4412 395	1				EDZ	DGL		SNAP RING
45	4897 452AA	1				EDZ	DGL		PLATE PACKAGE, Low/Reverse
									Clutch, 5.753/6.012
-46	4897 453AA-	1				EDZ	DGL		PLATE PACKAGE, Low/Reverse
									Clutch, 6.013/6.272
-47	4897 454AA-	1				EDZ	DGL		PLATE PACKAGE, Low/Reverse
									Clutch, 6.273/6.532
-48	4897 455AA-	1				EDZ	DGL		PLATE PACKAGE, Low/Reverse
									Clutch, 6.533/6.792
-49	4897 456AA-	1				EDZ	DGL		PLATE PACKAGE, Low/Reverse
									Clutch, 6.793/7.052
50	4799 858AA	1				EDZ	DGL		SNAP RING
51	4799 794	1				EDZ	DGL		GEAR, Annulus
52	6035 238	2				EDZ	DGL		SNAP RING
53	4567 539AB	1				EDZ	DGL		CARRIER, Planetary Pinion
-54	4567 262	1				EDZ	DGL		THRUST BEARING
55	6035 238	2				EDZ	DGL		SNAP RING
56	4505 591	1				EDZ	DGL		SNAP RING
57	5102 879AA	1				EDZ	DGL		RETAINER PACKAGE, 2nd & 4th
									Clutch Piston
58	5102 879AA	1				EDZ	DGL		RETAINER PACKAGE, 2nd & 4th
									Clutch Piston
59	4412 248	1				EDZ	DGL		SPRING, 2nd And 4th Clutch Pistor
60	4412 216AB	1				EDZ	DGL		THRUST WASHER, Second and
									Fourth Clutch

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

AR = Use as required -= Non illustrated part # = New this model year

Gear Train [DGL] - 40TE Figure 40TE-AE-430



PART								
NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4659 618AB	1				EDZ	DGL		HUB AND GEAR, Second And
								Fourth Clutch
4659 054	3				EDZ	DGL		PLATE, Transmission Clutch
								Reaction
4799 860AB	3				EDZ	DGL		DISC, Clutch
3743 664	57				EDZ	DGL		ROLLER, Front and Rear Pinion
	NUMBER 4659 618AB 4659 054 4799 860AB	NUMBER QTY 4659 618AB 1 4659 054 3 4799 860AB 3	NUMBER QTY LINE 4659 618AB 1 4659 054 3 4799 860AB 3	NUMBER QTY LINE SERIES 4659 618AB 1 4659 054 3 4799 860AB 3	NUMBER QTY LINE SERIES BODY 4659 618AB 1 4659 054 3 4799 860AB 3	NUMBER QTY LINE SERIES BODY ENGINE 4659 618AB 1 EDZ 4659 054 3 EDZ 4799 860AB 3 EDZ	NUMBER QTY LINE SERIES BODY ENGINE TRANS 4659 618AB 1 EDZ DGL 4659 054 3 EDZ DGL 4799 860AB 3 EDZ DGL	NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM 4659 618AB 1 EDZ DGL 4659 054 3 EDZ DGL 4799 860AB 3 EDZ DGL

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NOTE:

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE

WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

Sales Codes:

IDGI 1-/	1 Speed Automat	ic Transmission - [41TE/AE & 40TE]			
	2.4L 4 Cyl. DOHO	-			
-1	4864 696AB-	1	EDZ	DGL	GASKET PACKAGE, Valve Body
2	4897 890AA	1	EDZ	DGL	VALVE BODY, Complete
3	4412 836	 1	EDZ	DGL	SEAL, Manual Valve Lever
4	4883 316	1	EDZ	DGL	LEVER, Manual Valve
5	6506 245AA	1	EDZ	DGL	SCREW
6	4412 291	1	EDZ	DGL	SEAL, Clutch Feed
7	4505 557	1	EDZ	DGL	VENT, Transmission
8	4659 676AC	1	EDZ	DGL	SENSOR, Transmission Range
9	4446 620AC	1	EDZ	DGL	PISTON, 2nd and 4th Accumulator
10	4567 575	1	EDZ	DGL	SPRING, Accumulator
11	6500 215	24	EDZ	DGL	SCREW AND WASHER, Pan Head,
					M5x.8x25
12	6100 155	18	EDZ	DGL	BOLT, Hex Head, M8x30
13	4864 505AB	1	EDZ	DGL	FILTER PACKAGE, Transmission Oil
14	6032 780	1	EDZ	DGL	O RING, Trans Oil Filter
15	3878 313	1	EDZ	DGL	SCREEN, Transmission Regulator
					Valve
16	6503 232	3	EDZ	DGL	SCREW, Pan Head, M5 x 0.8 x 12.
					60
17	4431 711	1	EDZ	DGL	RETAINER, Transmission 2nd and
					4th Accumulator Piston
18	4431 710	1	EDZ	DGL	DETENT, Valve Body
19	4471 880	1	EDZ	DGL	SPRING, Accumulator
-20	5140 429AA-	1	EDZ	DGL	SOLENOID PACKAGE, 41TE
					Transaxle
-21	4659 081	1	EDZ	DGL	VALVE, Transmission Regulator
22	4446 616	2	EDZ	DGL	BALL, Check
23	0104 918	1	EDZ	DGL	BALL, Valve Body Check

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = EL X = EX

Accumulator Piston & Springs [DGL] - 40TE Figure 40TE-AE-720

1)——	
2	
3	
4	
5——	

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS AR INTERCHANGEABLE WITH THE [11TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL]. Sales Codes: [DGL]=4 Speed Automatic Transmission - [41TE/AE] [EDZ]=2.4 L 4 Cyl. DOHC 16V Engine 1	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS AR INTERCHANGEABLE WITH THE [ATTE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL]. Sales Codes: [DGL]=4 Speed Automatic Transmission - [41TE/AE] [ED2]=2.4 t. 4 Cyl. DOHC 16V Engine 1									•	
INTERCHANGEABLE WITH THE (41TE) EVEN IF THEY HAVE THE SAME SALES CODE [DGL].	NOTE:									
WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL]. Sales Codes: [DGL]=4 Speed Automatic Transmission - [41TE/AE] [EDZ]=2,4L,4 Cyl. DOHC 16V Engine 1				R TO ORI	DER CORF	RECT PAR	TS FOR T	HE [40TE]	TRAN	SMISSION. SOME PARTS ARE NO
Sales Codes: Codes				E\/	THE 0 4 4 4	E 041 E0 /	2005 100			
			NIFIH	EY HAVE	THE SAM	E SALES (JODE [DG	LJ.		
EDZ =2.4L 4 Cyl. DOHC 16V Engine			atic Tran	emission .	. [41TF/ΔF	1				
1					[- 1112/AC	J				
Accumulator Inner / Underd 3 4446 620AC 1 EDZ DGL COVER, Accumulator 5 6501 695 1 EDZ DGL SNAP RING ODGE - CHRYSLER MINIVAN (RS) SERIES LINE BODY ENGINE TRANSMISSION SERIES LINE BODY ENGINE TRANSMISSION EDZ DGL SNAP RING TRANSMISSION DGL = 4 spd. Auto. (41TE) EQ 2 DGL SNAP RING				go			EDZ	DGL		SPRING, Accumulator, Transmiss Accumulator / Overdrive
3 4446 620AC 1 EDZ DGL PISTON, 2nd and 4th Accum 4 4431 617AB 1 EDZ DGL COVER, Accumulator 5 6501 695 1 EDZ DGL SNAP RING ODGE - CHRYSLER MINIVAN (RS) SERIES LINE BODY ENGINE TRANSMISSION ESPORT C = Chrysler (AWD) 52 = 113 WB EGA = 3.3.6 Cyl. EGH, EGO = 3.3.6 Cyl. DGL = 4 spd. Auto. (41TE) DGO = All Automatic Transm EJXI, ES P = Chrysler (FWD) 53 = 119 WB EGA = 3.3.6 Cyl. EGH, EGO = 3.3.6 Cyl. DGO = All Automatic Transm	2	4567 575	1				EDZ	DGL		SPRING, Accumulator, Transmiss
A										Accumulator Inner / Underdrive
DOGE - CHRYSLER MINIVAN (RS) SERIES	3	4446 620AC	1				EDZ	DGL		PISTON, 2nd and 4th Accumulato
ODGE - CHRYSLER MINIVAN (RS) SERIES LINE BODY ENGINE TRANSMISSION SERIES LINE BODY ENGINE TRANSMISSION SERIES LINE BODY ENGINE TRANSMISSION SERIES LIN BODY EGA = 3.3.1 6 Cyl. DGL = 4 spd. Auto. (41TE) SEX D = Dodge (AWD) 53 = 119 WB EGA = 3.3.1 6 Cyl. DGO = All Automatic Transm EJX SEX Y = Chrysler (FWD) EGH, EGO = 3.8 L 6 Cyl. DGO = All Automatic Transm	4	4431 617AB	1				EDZ	DGL		COVER, Accumulator
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.	5	6501 695	1				EDZ	DGL		SNAP RING
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) = LXI, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.										
SERIES LINE BODY ENGINE TRANSMISSION I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.		DV01 ED ******	N (BO)							
I = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE) E = LXI, ES D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm E = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.			N (RS) —	Ri	ODY	FNG	INE		TRAN	SMISSION
P = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl.	I = Sport	C = Chrys) 52 =	= 113 WB	EDZ, ED	0 = 2.4L 4 C		GL = 4 s	pd. Auto. (41TE)
	= LX, SE				= 119 WB				30 = All	Automatic Transm
- Little Givi = 3.3 L G Gyi. FF V	S = LXI, ES S = Limited			1						
1 = EL	/I = EL (= EX	3	. ,				,			



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	l					1	I		
NOTE:									
PLEASE	OBTAIN [PK] N	NUMBE	R TO ORI	DER CORF	RECT PAR	TS FOR T	HE [40TE]	TRAN	SMISSION. SOME PARTS ARE N
INTER	CHANGEABLE								
WITH TH	E [41TE] EVEN	N IF TH	HEY HAVE	THE SAM	E SALES	CODE [DG	L].		
Parts Not	Called Out In	Box Ar	e Serviced	I In Item 1.					
Sales Co	des:								
[DGL]=4	Speed Automa	tic Trar	nsmission -	· [41TE/AE	& 40TE]				
[EDZ]=2.4	L 4 Cyl. DOH	C 16V	Engine						
1	4883 505AA	1				EDZ	DGL		GUIDE PACKAGE, Parking Sprag
									Pawl
2	52852 949AA	1				EDZ	DGL		SPRING, Parking Sprag Return
3	4431 999	1				EDZ	DGL		SHAFT, Parking Sprag
4	4412 289	1				EDZ	DGL		SHAFT, Parking Sprag
	4446 612	1				EDZ	DGL		CUP, Parking Brake Sprag
6	4431 634	1				EDZ	DGL		ROD, Parking Sprag
7	6035 256	1				EDZ	DGL		SNAP RING, Rod


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

BODY 52 = 113 WB 53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD)

P = LXI, ES S = Limited M = EL X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION

NOTE:

PLEASE OBTAIN [PK] NUMBER TO ORDER CORRECT PARTS FOR THE [40TE] TRANSMISSION. SOME PARTS ARE NOT INTERCHANGEABLE

WITH THE [41TE] EVEN IF THEY HAVE THE SAME SALES CODE [DGL].

[DGL]=4	Speed Automa	tic Transmission - [41TE/AE]			
[EDZ]=2	2.4L 4 Cyl. DOH	C 16V Engine			
1	4800 241AA	1	EDZ	DGL	DIFFERENTIAL, Transaxle
2	4659 175	1	EDZ	DGL	GEAR, Differential Ring, 60 Teeth
3	4659 500AB	1	EDZ	DGL	CASE, Differential
4	4348 679AB	2	EDZ	DGL	PINION, Differential
-5	3681 949	10	EDZ	DGL	THRUST WASHER, Planet Pinion
6	4412 521	2	EDZ	DGL	WASHER, Thrust
7	4659 502	2	EDZ	DGL	GEAR, Differential Side
8	4504 568	AR	EDZ	DGL	WASHER PACKAGE, Side Gear
					Thrust
9	4800 058AA	2	EDZ	DGL	BRACKET, Differential Pinion Shaft
10	4659 142AB	1	EDZ	DGL	SHAFT, Pinion Gear
11	4531 976	1	EDZ	DGL	SHAFT, Transfer Gear
12	6501 240	12	EDZ	DGL	BOLT, Hex Head, M10x1.00x25
13	4800 230AA	1	EDZ	DGL	CUP, Differential Side Bearing
14	4659 238	1	EDZ	DGL	BEARING CONE, Differential
15	4567 025AB	1	EDZ	DGL	BEARING
16	4567 022	1	EDZ	DGL	BEARING CUP, Differential
-17	4659 253	AR	EDZ	DGL	SPACER, Final Drive, 0.82mm
-18	4659 276	AR	EDZ	DGL	SPACER, Final Drive, 1.74mm
-19	4659 277	AR	EDZ	DGL	SPACER, Final Drive, 1.78mm
-20	4659 278	AR	EDZ	DGL	SPACER, Final Drive, 1.82mm
-21	4659 279	AR	EDZ	DGL	SPACER, Final Drive, 1.86mm

DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ D = Dodge (AWD)Y = Chrysler (FWD) K = Dodge (FWD) P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

M = ELX = EX

Gear Shift Controls Figure 40T



-AE-12	210					,			
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes: Speed Automa	tio Tron	omionion	[44TE/AE	9 40TE1				
1	4641 755AD	ilic ITai	151111551011 -	[411C/AC	& 401⊑j		DGL		CABLE, Gearshift Control
-2	6500 776	1					DGL		SCREW AND WASHER, Hex Hea
									M5x.8x14, Adjusting Screw
3									COLUMN, Steering, See Steering
									Group, (NOT SERVICED) (Not
									Serviced)
4									GROMMET, Included With Cable,
_	1070 00015						5.01		(NOT SERVICED) (Not Serviced
5	4670 322AB	1					DGL		LEVER, Manual Control
6	6101 978	1					DGL		SCREW AND WASHER, Hex Hea M8-1.25x40
7									TRANSAXLE, See Transaxle Grou
•									Illustration # 110, (NOT
									SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Group – 41TE–AE

Automatic Transaxle 4 Speed



41TE-AE-100	41TE-AE-200 Case and Extension	41TE-AE-300	41TE-AE-400
Transaxle Assembly		Oil Pump	Gear Train
			Front Rear
41TE-AE-700	41TE-AE-800	41TE-AE-1200	
Valve Body	Differential	Gearshift Controls	

GROUP 41TE-AE - Automatic Transaxle 4 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly Transaxle Assembly	Fig. 41TE-AE-110
Case and Extension Transaxle Mounting & Related Parts [EGA, EGH + DGL] Case, Extension & Solenoid [DGL] Transmission, Engine Strut [DGL]	Fig. 41TE-AE-210 Fig. 41TE-AE-220 Fig. 41TE-AE-230
Oil Pump Pump, Oil & Reaction Shaft [DGL]	Fig. 41TE-AE-310
Gear Train Shaft Transfer [DGL] Clutch, Input Shaft [DGL] Gear Train [DGL]	Fig. 41TE-AE-410 Fig. 41TE-AE-420 Fig. 41TE-AE-430
Valve Body Valve Body [DGL] Accumulator Piston & Springs [DGL] Parking Sprag [DGL]	Fig. 41TE-AE-710 Fig. 41TE-AE-720 Fig. 41TE-AE-730
Differential Differential [DGL]	Fig. 41TE-AE-810
Gearshift Controls Controls, Gearshift [DGL]	Fig. 41TE-AE-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								1	2200.m 11011
NOTE:									
Sales Co									
	Speed Automa		smission -	- [41TE/AE	& 40TE]				
_	.3L OHV V-6 E .8L OHV V-6 E	-							
1	.02 0117 7 0 2	ingino							TRANSAXLE PACKAGE, WITH
									TORQUE CONVERTER
	5102 918AF	1	C, D			EGH	DGL		
	5102 931AF 5102 932AF	1	K, Y K, Y			EGA EGH	DGL DGL		
2	5102 932AF 5093 926AA	1	Ν, τ			EGH EGA,	DGL		CONVERTER PACKAGE, Torque
_	0000 020/1/1					EGH			CONVENTER L'ACTORICE, TOIQUE
DGE - C	HRYSLER MINIVA LINE	N (RS) —		ODY	ENG	INF		TRAN	SMISSION
\-KI-\	C = Chrys) 52 =	= 113 WB	EDZ, ED	00 = 2.4L 4 C		GL = 4 s	od. Auto. (41TE)
= Sport		(^) ^ ()		440 14/0	EC 4 2	OL C Cul		CO - AII	Automatic Transm
SERIES = Sport = LX, SE = I XI, FS	D = Dodge $Y = Chrysl$			= 119 WB		.3L 6 Cyl. 30 = 3.8L 6 C		GU = All	Automatic Transm
= Sport	Y = Chrys	ler (FWD)		= 119 WB	EGH, EG	3.3L 6 Cyl. 3.3L 6 Cyl. FF 3.3L 6 Cyl. FF	yl.	GU = All	Automatic Transm

Transaxle Mounting & Related Parts [EGA, EGH + DGL] Figure 41TE-AE-210

ITEM

12

PART

NUMBER

QTY

LINE

SERIES


BODY

odes:							
Speed Automat	ic Transmission	- [41TE/AE	& 40TE1				
•							
	•						
	3						ENGINE, Complete, See Engine Group, (NOT SERVICED) (Not Serviced)
6501 742	5			EGA,			SCREW, Hex Head, M12x1.75x50
				EGH			
6504 383	4						BOLT, Hex Head, M10x1.50 x 13.20
4736 832AB	1			EGA,			PLATE, Torque Converter Drive
				EGH			
4471 933	1				DGL		PLATE, Drive Plate Backing
6503 465	8				DGL		BOLT, Drive Plate and Flywheel
5093 926AA	1			EGA,			CONVERTER PACKAGE, Torque
				EGH			
6501 742	5			EGA,			SCREW, Hex Head, M12x1.75x50
				EGH			
4593 273AG	1			EDZ,	DGL		INDICATOR, Transmission Fluid
				EGA,			Level
				EGH			
4861 557AA	1			EGA,			TUBE, Filler
				EGH			
6030 608	1						SEAL, Oil Filler Tube
	6501 742 6504 383 4736 832AB 4471 933 6503 465 5093 926AA 6501 742 4593 273AG	Speed Automatic Transmission 3.3L OHV V-6 Engine 3.8L OHV V-6 Engine 3.8L OHV V-6 Engine 5.8L OHV V-6 Engine 5.8L OHV V-6 Engine 6504 383	Speed Automatic Transmission - [41TE/AE 3.3L OHV V-6 Engine 3.8L OHV V-6 Engine 3.8L OHV V-6 Engine 5	Speed Automatic Transmission - [41TE/AE & 40TE] 3.3L OHV V-6 Engine 3.8L OHV V-6 Engine 6501 742	Speed Automatic Transmission - [41TE/AE & 40TE] 3.3L OHV V-6 Engine 3.8L OHV V-6 Engine 6501 742	Speed Automatic Transmission - [41TE/AE & 40TE] 3.3L OHV V-6 Engine 3.8L OHV V-6 Engine 6501 742	Speed Automatic Transmission - [41TE/AE & 40TE] 3.3L OHV V-6 Engine 3.8L OHV V-6 Engine 6501 742

ENGINE TRANS TRIM

DESCRIPTION

SCREW, M6x1.00x20.00, (NOT SERVICED) (Not Serviced)




DODGE - CHRYSLER MINIVAN (RS) -

SERIES LINE C = Chrysler (AWD) H = Sport D = Dodge (AWD)L = LX, SE

Y = Chrysler (FWD) K = Dodge (FWD) P = LXI, ES S = Limited

BODY **ENGINE** 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV 53 = 119 WB

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	verhaul Transm	ission I	Package Is	Not Servi	ced.				
Sales Co	odes:								
[DGL]=4	Speed Automa	tic Tran	nsmission -	[41TE/AE	& 40TE]				
	.3L OHV V-6 E	-							
[EGH]=3	.8L OHV V-6 E	ngine							
-1									SEAL AND GASKET PACKAGE,
									Transmission
	5103 047AA-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
2									CASE, Transaxle
	4883 524AF	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
3									PAN, Transaxle Differential Oil
	4659 520	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
4									BOLT, Hex Head, M8x1.25x16
	6501 474	12	K, Y			EGA	DGL		
		12	K, Y			EGH	DGL		
		12	C, D			EGH	DGL		
5									COVER, Transaxle Rear
	4659 636	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
6			•						BOLT, Hex Head, M8x1.25x16
	6501 474	10	K, Y			EGA	DGL		,
		10	ĸ, Y			EGH	DGL		
		10	C, D			EGH	DGL		
7			-,						O RING, Trans Speed Sensor
	6501 658AB	1	K, Y			EGA	DGL		
	0001 000/12	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
8		'	٥, ٥			_0	201		SENSOR, Transmission Output
O									Speed
	4800 879	1	K, Y			EGA	DGL		Cp300
	1000 010	<u>'</u> 1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
9		ı	O, D			LGII	DGL		CONNECTOR, Oil Cooler Hose
ð									CONNECTOR, OIL COOLEL LIOSE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV









	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 263	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-41									SPACER, Final Drive, 1.26mm
	4659 264	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-42									SPACER, Final Drive, 1.30mm
	4659 265	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-43									SPACER, Final Drive, 1.34mm
	4659 266	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-44									SPACER, Final Drive, 1.38mm
	4659 267	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-45									SPACER, Final Drive, 1.42mm
	4659 268	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-46									SPACER, Final Drive, 1.46mm
	4659 269	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-47									SPACER, Final Drive, 1.50mm
	4659 270	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-48									SPACER, Final Drive, 1.54mm
	4659 271	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-49									SPACER, Final Drive, 1.58mm
	4659 272	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-50									SPACER, Final Drive, 1.62mm

M = ELX = EX


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4659 273	AR	K, Y			EGA	DGL		
_			AR	K, Y			EGH	DGL		
			AR	C, D			EGH	DGL		
	-51									SPACER, Final Drive, 1.66mm
		4659 274	AR	K, Y			EGA	DGL		
			AR	K, Y			EGH	DGL		
			AR	C, D			EGH	DGL		
	-52									SPACER, Final Drive, 1.70mm
		4659 275	AR	K, Y			EGA	DGL		
			AR	K, Y			EGH	DGL		
			AR	C, D			EGH	DGL		
	-53									SPACER, Final Drive, 2.02mm
		4659 283	AR	K, Y			EGA	DGL		
			AR	K, Y			EGH	DGL		
			AR	C, D			EGH	DGL		
	-54									SPACER, Final Drive, 2.06mm
		4659 284	AR	K, Y			EGA	DGL		
			AR	K, Y			EGH	DGL		
			AR	C, D			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

M = EL

H = Sport L = LX, SE C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year


Transmission, Engine Strut [DGL] Figure 41TE-AE-230


	PART								I
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							· · · · · · ·	1	
NOTE:									
Sales Co	des:								
[EGA]=3.	3L OHV V-6 E	ngine							
	8L OHV V-6 E	ngine							
1	4064 600 4 4	1	V V			EGA,			BRACE, Transmission
	4861 622AA	1	K, Y			EGA, EGH,			
						EGM			
	4861 657AA	1	C, D			EGA,			
						EGH			
2	6501 741	4							SCREW AND WASHER, Hex Head M12x1.75x30
DODGE - CH	RYSLER MINIVA	N (RS) —							
SERIES H = Sport L = LX, SE P = LXI, ES S = Limited	LINE C = Chrys D = Dodge	ler (AWD e (AWD) ler (FWD	52 = 53 =	ODY = 113 WB = 119 WB	EGA = 3 EGH, EG	INE 0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	D Cyl.	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm
S = Limited M = EL X = EX	K = Dodge	e (FWD)	,		EGM = 3	3.3L 6 Cyl. FF	-V		

Pump, Oil & Reaction Shaft [DGL] Figure 41TE-AE-310


		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE:									
	Sales Coo	des:								
		Speed Automa	atic Tran	smission -	· [41TE/AE	& 40TE1				
		3L OHV V-6 E			•	•				
		8L OHV V-6 E								
	<u>-1</u>									SEAL AND GASKET PACKAGE,
										Transmission Oil Pump
(8)	9 (10)	4883 260	1	K, Y			EGA	DGL		·
			1	K, Y			EGH	DGL		
	\ _		1	C, D			EGH	DGL		
	_ \									PUMP, Transmission Oil
		5127 197AA	1	K, Y			EGA	DGL		
			1	K, Y			EGH	DGL		
			1	C, D			EGH	DGL		
	3									SEAL, Ring Reaction Support, 2 1/16
6										O.D.
		4471 874	4	K, Y			EGA	DGL		
	3\ \ \		4	K, Y			EGH	DGL		
	3 6		4	C, D			EGH	DGL		
	4									BOLT, Hex Head, M8x1.25x19
		6500 211	6	K, Y			EGA	DGL		
			6	K, Y			EGH	DGL		
			6	C, D			EGH	DGL		
	5									BALL, Check
		4446 616	2	K, Y			EGA	DGL		Support
			2	K, Y			EGH	DGL		Support
	(7)		2	C, D			EGH	DGL		Support
	O /	5211 8261	1	K, Y			EGA	DGL		Transmission Check Valve - Small
A LONG TO THE REAL PROPERTY OF THE PARTY OF			1	K, Y			EGH	DGL		Transmission Check Valve - Small
			1	C, D			EGH	DGL		Transmission Check Valve - Small
	6									GASKET, Transmission Oil Pump
(5)		4412 844	1	K, Y			EGA	DGL		
			1	K, Y			EGH	DGL		
			1	C, D			EGH	DGL		
	7									SCREW AND WASHER, Hex Flange
										Head, M8x1.25x25
4		6506 408AA	5	K, Y			EGA	DGL		_
			5	K, Y			EGH	DGL		
			5	C, D			EGH	DGL		
	8									SEAL, Oil Pump
(3)										
	DODGE GU	DVCI ED MANNIA	N (DC)							
	SERIES	RYSLER MINIVA LINE		В(ODY	ENGI	NE		TRAN	SMISSION
	H = Sport	C = Chrys	ler (AWD) 52 =	: 113 WB	EDZ, ED	0 = 2.4L 4 C	yl. D	$GL = 4 s_1$	pd. Auto. (41TE)
	L = LX, SE P = LXI, ES	D = Dodg Y = Chrys	ler (FWD)	53 =)	: 119 WB	EGA = 3. EGH, EG	0 = 3.8L 6 C	Cyl.	GU = All I	Automatic Transm
	S = Limited	K = Dodge	e (FWD)			EGM = 3	.3L 6 Cyl. FF	FV		
	M = EL X = EX									

Pump, Oil & Reaction Shaft [DGL] Figure 41TE-AE-310





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•				•	
NOTE:									
Sales Co		· -			0 40751				
	Speed Automa BL OHV V-6 Er		smission -	· [411E/AE	& 401Ej				
	BL OHV V-6 EI	-							
1	32 3111 1 3 21	1191110							RETAINER, Transfer Gear Bearing
	4412 273	1	K, Y			EGA	DGL		,
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
2									BEARING CUP, Transfer Gear
	4504 041	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		11	C, D			EGH	DGL		
3	4505 555	<u>.</u>	16.35				- 0:		SPACER, Transfer Shaft, 3.22mm
	4505 570AB	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		DEADING CONF. Transfer Ob et
4	4446 600AB	4	K V			FC 4	DGL		BEARING CONE, Transfer Shaft
	4446 698AB	1 1	K, Y K, Y			EGA EGH	DGL		
		1	C, D			EGH	DGL		
-5		'	О, Б			LOIT	DOL		SPACER, Transfer Shaft, 3.26mm
J	4412 801AB-	1	K, Y			EGA	DGL		of AGEN, Transfer Ghan, 6.20mm
	1112 001713	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-6			•						SPACER, Transfer Shaft, 3.30mm
	4412 802AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-7									SPACER, Transfer Shaft, 3.34mm
	4412 803AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-8	4440 00445	,	14.34			F.C. 1	D.C.		SPACER, Transfer Shaft, 3.38mm
	4412 804AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		SPACER, Output Shaft, 3.46mm
-9	4412 806AB-	1	K, Y			EGA	DGL		SPACER, Output Shart, 3.46mm
	4412 000AD-	1	K, Y			EGH	DGL		
		ı	K, I			EGII	DGL		
	RYSLER MINIVAN	N (RS) —							
SERIES H = Sport	LINE C = Chrysl	er (AWD		DDY : 113 WB	ENGI FDZ. FD	NE 0 = 2.4L 4 C	vl. Γ		SMISSION pd. Auto. (41TE)
H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX	D = Dodge Y = Chrysle K = Dodge	e (AWD) er (FWD)	53 =	: 113 WB : 119 WB	EGA = 3 EGH, EG	0 = 2.4L 4 C 3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	cyl.		Pd. Auto. (411E) Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
-10			0, 5						SPACER, Output Shaft, 3.50mm
	4412 807AB-	1	K, Y			EGA	DGL		•
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-11									SPACER, Output Shaft, 3.54mm
	4412 808AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-12									SPACER, Output Shaft, 3.58mm
	4412 809AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
-13		1	C, D			EGH	DGL		SPACER, Output Shaft, 3.62mm
	4412 810AB-	1	K, Y			EGA	DGL		SPACER, Output Shart, 3.62mm
	4412 010AD-	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-14		<u>'</u>	<u> </u>			2011			SPACER, Output Shaft, 3.66mm
	4412 811AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-15									SPACER, Output Shaft, 3.70mm
	4412 812AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-16									SPACER, Output Shaft, 3.74mm
	4412 813AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
4.7		1	C, D			EGH	DGL		CDACED Output Chaft 2 70mm
-17	4412 814AB-	1	k v			EGA	DGL		SPACER, Output Shaft, 3.78mm
	4412 014AD-	1 1	K, Y K, Y			EGA	DGL		
		1	C, D			EGH	DGL		
-18		- 1	O, D				DOL		SPACER, Output Shaft, 3.82mm
	4412 815AB-	1	K, Y			EGA	DGL		o. r.ozri, odipat orian, o.ozriini
	0.00	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-19			·						SPACER, Output Shaft, 3.86mm
	4412 816AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	C D			ГСИ	DCI		
-20		1	C, D			EGH	DGL		SPACER, Output Shaft, 3.90mr
20	4412 817AB-	1	K, Y			EGA	DGL		or Notice, output orials, ordering
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-21			,						SPACER, Output Shaft, 3.94mr
	4412 818AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-22									SPACER, Output Shaft, 3.98mr
	4412 819AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-23									SPACER, Output Shaft, 4.02mr
	4412 820AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		001050 0 1 101 11 11
-24	4440.004.45	,	14.34			F.C. 4	D.C.		SPACER, Output Shaft, 4.06mr
	4412 821AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
25		1	C, D			EGH	DGL		CDACED Output Chaft 4.40
-25	4412 822AB-	1	K, Y			EGA	DGL		SPACER, Output Shaft, 4.10mr
	4412 022AD-	1 1	κ, τ Κ, Υ			EGA	DGL		
		1	C, D			EGH	DGL		
-26		1	O, D			LO11	DOL		SPACER, Output Shaft, 4.14mr
20	4412 823AB-	1	K, Y			EGA	DGL		C. AGER, Garpat Ghan, 4.14mi
	2.1.2 0.20, 1.2	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-27			,			-			SPACER, Output Shaft, 4.18mr
	4412 824AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-28									SPACER, Output Shaft, 4.22mr
	4412 825AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-29									SPACER, Output Shaft, 4.26mr
	4412 826AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
-30									SPACER, Output Shaft, 4.30mm
	4412 827AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-31		_					- 0.		SPACER, Output Shaft, 4.34mm
	4412 828AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-32									SPACER, Output Shaft, 4.38mm
	4412 829AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-33		_							SPACER, Output Shaft, 4.42mm
	4412 830AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-34		_							SPACER, Transfer Shaft, 4.46mi
	4412 831AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-35									SPACER, Transfer Shaft, 4.50mr
	4412 832AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		001050 T
-36	4440.0004.5		14. 14			50 4	DOL		SPACER, Transfer Shaft, 4.54mi
	4412 833AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
07		1	C, D			EGH	DGL		ODAOED Terrator Objets 4 00mm
-37	4440.00545		14. 14			50 4	DOL		SPACER, Transfer Shaft, 4.62mr
	4412 835AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		004050 T
-38	4505 500 A.D.	4	IZ XZ			FC ^	DCI		SPACER, Transfer Shaft, 4.66mi
	4505 588AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
00		1	C, D			EGH	DGL		OFAR RACKACE O :
39									GEAR PACKAGE, Output And
	4740 44045	4	IZ XZ			FOLI	DCI		Transfer Shaft
	4713 443AB	1	K, Y			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
	4713 444AC	1	K, Y			EGA	DGL		
40									WASHER, Coned, M22.6x45x3.42
	6501 833	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
41									LOCK NUT, M22x1.50
	6507 156AA	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
42									SNAP RING
	6501 853	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
43									BAFFLE, Transfer Shaft
	4471 869	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
44									O RING, Transfer Shaft Bearing Retainer, ATX
	6501 768	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
45									BEARING PACKAGE, Transfer Shafe
	4856 911	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
46									SHAFT, Transfer Gear
	4531 978	1	K, Y			EGA	DGL		
	4799 815AB	1	, К, Y			EGH	DGL		
		1	C, D			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

PART



NOTE:									
Sales Co				 	0 40751				
_	Speed Automa		smission	- [41 I E/AE	& 401EJ				
	.3L OHV V-6 E	-							
<u>[⊑G⊓]=3</u> -1	.8L OHV V-6 E	rigirie							SEAL AND GASKET PACKAGE,
- 1									Transmission Front Clutch
	4883 240AB-	1	K, Y			EGA	DGL		Transmission Front Clutch
	4000 Z40AD	1	K, Y			EGH	DGL		
		<u></u>	C, D			EGH	DGL		
2		•	О, Б			LOIT	DOL		PLATE PACKAGE, Underdrive
_									Reaction, 5.72/5.82
	4883 013AB	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-3			,						PLATE PACKAGE, Underdrive
									Reaction, 6.21/6.31
	4883 014AB-	1	K, Y			EGA	DGL		·
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-4									PLATE PACKAGE, Underdrive
									Reaction, 6.70/6.80
	4883 015AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
5									SNAP RING, Underdrive Clutch,
									Tapered
	4659 934	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
6		_							THRUST BEARING
	4567 262	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
7		1	C, D			EGH	DGL		LILID AND CHAFT DACKAGE
7									HUB AND SHAFT PACKAGE,
	4864 936AC	1	K V			EGA	DGL		Underdrive Clutch
	4004 930AC	<u>1</u> 1	K, Y K, Y						
		-				EGH EGH	DGL		
Ω		1	О, Б			LGII	DGL		PLATE AND WASHER PACKAGE
O									
8		1	C, D			EGH	DGL		PLATE AND WASHER PACKA
ODGE - C	HRYSLER MINIVAI	N (RS) —		ODV	ENO.	INIT		TDAN	CMICCION
SERIES = Sport	LINE C = Chrysl	er (AWD		ODY = 113 WB	ENG EDZ, ED	INE 00 = 2.4L 4 C	yl. D		SMISSION pd. Auto. (41TE)
= LX, SE = LXI, ES	D = Dodge	(AWD)	53 =	= 119 WB	EGA = 3	3.3L 6 Cyl.			Automatic Transm
	Y = Chrysl	er (FWD))		EGH. EC	30 = 3.8L 6 C	VI.		




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TDANG	TDIM	DESCRIPTION
IIEM	NUMBER	QIY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	E019 022 A A	1	K V			EGA	DGL		
	5018 923AA	<u>1</u> 1	K, Y K, Y			EGH	DGL		
		1	C, D				DGL		
0		ı	С, D			EGH	DGL		CNIAD DINIC
9	4505 621	4	K V			EGA	DGL		SNAP RING
	4505 621	1	K, Y K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
10		'	C, D			EGII	DGL		DISC, Clutch
10	4531 678	4	K, Y			EGA	DGL		DISC, Clutch
	4331 070	4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		
11		4	C, D			EGII	DGL		PLATE, Transmission O/Drive Clutc
	4531 556AD	1	K, Y			EGA	DGL		Transmission Reverse & Overdrive
	4331 330AD	'	ΙΧ, Ι			LGA	DGL		Clutch
		1	K, Y			EGH	DGL		Transmission Reverse & Overdrive
		•	13, 1			2011	DOL		Clutch
		1	C, D			EGH	DGL		Transmission Reverse & Overdrive
			O, D						Clutch
	4659 053	1	K, Y			EGA	DGL		G.4.6.1
		1	ĸ, Y			EGH	DGL		
		1	C, D			EGH	DGL		
12			-						PLATE, Transmission O/Drive Clutc
	4531 556AD	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
13									SNAP RING
	4505 622	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
14									DISC, Clutch
	4531 678	4	K, Y			EGA	DGL		
		4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		
15									PLATE, Transmission O/Drive Clutch
	4659 053	4	K, Y			EGA	DGL		
		4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		
16									PLATE, Transmission Clutch
	1077 17:		14.54				D.C.		Reaction
	4377 194	1	K, Y			EGA	DGL		

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	K, Y			EGH	DGL		
47		1	C, D			EGH	DGL		ONAR RING
17	1277 105	4	K V			EGA	DGL		SNAP RING
	4377 195	1 1	K, Y K, Y			EGH	DGL		
		<u>'</u> 1	C, D			EGH	DGL		
-18		·	J, 2						SNAP RING, Reverse Clutch, 1.77-1
									83mm
	4412 871	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-19									SNAP RING, Reverse Clutch, 2.02-2
									07mm
	4412 872	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
00		1	C, D			EGH	DGL		CNAD DING. Decrees Obstale 0.07.6
-20									SNAP RING, Reverse Clutch, 2.27-2
	4412 873	1	K, Y			EGA	DGL		32mm
	4412 073	1	K, I K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
21		<u> </u>	<u> </u>						PLATE AND WASHER PACKAGE,
									Thrust
	5018 923AA	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
22									HUB AND SHAFT, Overdrive Clutch
	4659 993	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
00		1	C, D			EGH	DGL		DI ATE Transmission O/Drive Obstal
23	2026 227AB	4	K V			FC 4	DCI		PLATE, Transmission O/Drive Clutch
	3836 237AB	1 1	K, Y K, Y			EGA EGH	DGL DGL		[1.70/1.77] [1.70/1.77]
		<u>'</u> 1	C, D			EGH	DGL		[1.70/1.77]
	3836 238AB	1	С, В К, Y			EGA	DGL		[1.92/1.99]
	2300 200, 12	1	K, Y			EGH	DGL		[1.92/1.99]
		1	C, D			EGH	DGL		[1.92/1.99]
	3836 239AB	1	K, Y			EGA	DGL		[2.14/2.21]
		1	K, Y			EGH	DGL		[2.14/2.21]
		1	C, D			EGH	DGL		[2.14/2.21]


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





.TES-	PART	0.77		055:50	DODY.	ENGINE	TDANG		DEGGD!DT!G!!
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3836 240AB	1	K, Y			EGA	DGL		[2.36/2.43]
	3030 Z40AB	<u>'</u> 1	K, Y			EGH	DGL		[2.36/2.43]
		1	C, D			EGH	DGL		[2.36/2.43]
	3836 241AB	1	K, Y			EGA	DGL		[2.58/2.65]
	0000 2117.12	1	K, Y			EGH	DGL		[2.58/2.65]
		1	C, D			EGH	DGL		[2.58/2.65]
	4431 665AB	1	K, Y			EGA	DGL		[1.59/1.66]
		1	ĸ, Y			EGH	DGL		[1.59/1.66]
		1	C, D			EGH	DGL		[1.59/1.66]
	4431 666AB	1	K, Y			EGA	DGL		[1.81/1.88]
		1	K, Y			EGH	DGL		[1.81/1.88]
		1	C, D			EGH	DGL		[1.81/1.88]
	4431 667AB	1	K, Y			EGA	DGL		[2.03/2.10]
		1	K, Y			EGH	DGL		[2.03/2.10]
		1	C, D			EGH	DGL		[2.03/2.10]
	4431 668AB	1	K, Y			EGA	DGL		[2.25/2.32]
		1	K, Y			EGH	DGL		[2.25/2.32]
		1	C, D			EGH	DGL		[2.25/2.32]
	4431 669AB	1	K, Y			EGA	DGL		[2.47/2.54]
		1	K, Y			EGH	DGL		[2.47/2.54]
		1	C, D			EGH	DGL		[2.47/2.54]
	4446 670AB	1	K, Y			EGA	DGL		[2.69/2.76]
		1	K, Y			EGH	DGL		[2.69/2.76]
		1	C, D			EGH	DGL		[2.69/2.76]
	4446 671AB	1	K, Y			EGA	DGL		[2.91/2.98]
		1	K, Y			EGH	DGL		[2.91/2.98]
		1	C, D			EGH	DGL		[2.91/2.98]
24									SNAP RING, Underdrive Clutch, Flat
	4659 980	11	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
25									DISC, Clutch
	4531 678	4	K, Y			EGA	DGL		
		4	K, Y			EGH	DGL		
		4	C, D			EGH	DGL		DIATE T
26	4050 050	4	17.37			F.O. ^	DC!		PLATE, Transmission O/Drive Clutch
	4659 053	4	K, Y			EGA	DGL		
		4	K, Y			EGH	DGL		
27		4	C, D			EGH	DGL		CNAD DING
27									SNAP RING


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV






	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
65	01 715	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
28									RETAINER AND SEAL,
									Transmission U/Drive Spring
44	31 612	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
29									SPRING, Drive Lower Case
43	77 177	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
30									PISTON, Underdrive
44	31 610	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
31									SNAP RING
65	07 226AA	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
32			- /						SEAL, Piston Outer, 140mm OD
	59 871	1	K, Y			EGA	DGL		,
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
33			- /						RETAINER, Transmission Input
									Clutch
46	59 935	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
34		•	<u> </u>						SEAL, Input Shaft
	46 543	3	K, Y			EGA	DGL		ozniz, inpat onat
• • •	10 0 10	3	K, Y			EGH	DGL		
		3	C, D			EGH	DGL		
35			0, 5				DOL		THRUST BEARING
	12 209	1	K, Y			EGA	DGL		THOU BEAUTIO
44	12 203	1	K, T K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
36		'	O, D			LG11	DGL		INPUT SHAFT PACKAGE, Transa
	49 223AB	1	k v			EGA	DGL		INFOT SHAFT FACKAGE, Hansa
40	43 ZZJAD	1	K, Y						
		1	K, Y			EGH	DGL		
		'							

SERIES H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX

LINE
C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
37									HUB PACKAGE, Input Clutch
	5017 518AB	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
38							- 0.		O RING, Transmission Clutch
	6502 271	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
39	0500 000		14. 14				D.O.I		O RING, Transmission Clutch
	6502 269	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
10		1	C, D			EGH	DGL		0541 11 1 5 :
40	4050 004 AD		IZ V			FO 4	DOL		SEAL, Under Drive
	4659 391AB	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
41		1	C, D			EGH	DGL		SNAP RING
41	6501 702	4	K V			EGA	DGL		SNAP KING
	6501 702	1	K, Y			EGH	DGL		
		1 1	K, Y			EGH	DGL		
42		'	C, D			EGII	DGL		SNAP RING
42	4412 203	1	K, Y			EGA	DGL		SNAL KING
	4412 203	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
43			0, 0			LOIT	DOL		SPRING, Overdrive Piston
10	4412 202	1	K, Y			EGA	DGL		or raise, everance ristori
	1112 202	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
44		•	<u> </u>						O RING, Reverse & O/Drive Clutch
									Piston, Transmission
	6033 158	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
45			,			-	-		HUB PACKAGE, Input Clutch
	5017 518AB	1	K, Y			EGA	DGL		
		1	ĸ, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-46			*						FILTER, Reverse And O/D Clutch
	4531 903	1	K, Y			EGA	DGL		


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL X = EX


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



























ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE								•	
NOTE: Sales Co	dos								
	ues. Speed Automat	tic Tran	emission	[41TE/AE	8 40TE1				
			151111551011 -	(411E/AE	& 401⊑j				
	3L OHC V-6 Er	_							
	8L OHC V-6 Er	ngine							OAGKET DAGKAGE Webs Desk
-1	1001 00015		14. 14			E0.4	D.O.I		GASKET PACKAGE, Valve Body
	4864 696AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
2									VALVE BODY, Complete
	4897 890AA	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
3									SEAL, Manual Valve Lever
	4412 836	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
4									LEVER, Manual Valve
	4883 316	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
5									SCREW
	6506 245AA	1	K, Y			EGA	DGL		
	0000 = 107	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
6		<u> </u>	<u> </u>						SEAL, Clutch Feed
Ū	4412 291	1	K, Y			EGA	DGL		OE/IE, Clatoff Food
	1112 201	1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
7		'	C, D			LGII	DGL		VENT, Transmission
,	4505 557	1	K V			EGA	DGL		VENT, Transmission
	4505 557		K, Y			EGH			
		1	K, Y				DGL		
		1	C, D			EGH	DGL		OFNICOR Transmission Reserve
8	4050 07040		17.37			F.C. 4	DO!		SENSOR, Transmission Range
	4659 676AC	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
9									PISTON, 2nd and 4th Accumulate
	4446 620AC	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
	IRYSLER MINIVAN	N (RS) —		DDV	- FNC:			TD 411	CMICCION
SERIES I = Sport	LINE C = Chrysle	er (AWD		DDY : 113 WB	ENGI FDZ. FD	NE 0 = 2.4L 4 C ₎	vI.		SMISSION pd. Auto. (41TE)
T = Sport	D = Dodge Y = Chrysle K = Dodge	(AWD) er (FWD)	53 =	: 113 WB : 119 WB	EGA = 3 EGH, EG	0 = 2.4L 4 Cy .3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	yl.		Automatic Transm
(= EX									



TEM	NUMBER	QTY				1		1	
		QII	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
10									SPRING, Accumulator
	4567 575	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
11									SCREW AND WASHER, Pan Head, M5x.8x25
	6500 215	24	K, Y			EGA	DGL		
		24	K, Y			EGH	DGL		
		24	C, D			EGH	DGL		
12									BOLT, Hex Head, M8x30
	6100 155	18	K, Y			EGA	DGL		
		18	K, Y			EGH	DGL		
		18	C, D			EGH	DGL		
13									FILTER PACKAGE, Transmission O
	4864 505AB	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
14									O RING, Trans Oil Filter
	6032 780	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
15									SCREEN, Transmission Regulator Valve
	3878 313	1	K, Y			EGA	DGL		
		1	, К, Y			EGH	DGL		
		1	C, D			EGH	DGL		
16			,						SCREW, Pan Head, M5 x 0.8 x 12.
									60
	6503 232	3	K, Y			EGA	DGL		
		3	K, Y			EGH	DGL		
		3	C, D			EGH	DGL		
17			,						RETAINER, Transmission 2nd and
									4th Accumulator Piston
	4431 711	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
18			· ·						DETENT, Valve Body
	4431 710	1	K, Y			EGA	DGL		•
	-	1	K, Y			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Valve Body [DGL] Figure 41TE-AE-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, D			EGH	DGL		
19									SPRING, Accumulator
	4471 880	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
-20									VALVE, Transmission Regulator
	4659 081	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
21									BALL, Check
	4446 616	2	K, Y			EGA	DGL		
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
22									BALL, Valve Body Check
	0104 918	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


X = EXAR = Use as required -= Non illustrated part # = New this model year

Accumulator Piston & Springs [DGL] Figure 41TE-AE-720

1)——	
2	
3	
4	
5)——	


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWIDER		LINE	3LKIL3	ВОВТ	LINGINE	IKANS	TKIW	DESCRIPTION
NOTE:									
Sales Co									
	Speed Automa		ısmission -	· [41TE/AE	& 40TE]				
_	3L OHC V-6 E	-							
<u>евпј=з.</u> 1	8L OHC V-6 E	ngine							SPRING, Accumulator
•	4471 880	1	K, Y			EGA	DGL		Transmission Accumulator /
		•	, .			20/1	202		Overdrive
		1	K, Y			EGH	DGL		Transmission Accumulator /
									Overdrive
		1	C, D			EGH	DGL		Transmission Accumulator /
									Overdrive
2									SPRING, Accumulator
	4567 575	1	K, Y			EGA	DGL		Transmission Accumulator Inner /
									Underdrive
		1	K, Y			EGH	DGL		Transmission Accumulator Inner /
									Underdrive
		1	C, D			EGH	DGL		Transmission Accumulator Inner /
3									Underdrive PISTON, 2nd and 4th Accumulator
3	4446 620AC	1	K, Y			EGA	DGL		PISTON, 2nd and 4th Accumulator
	4440 0207.0	<u>'</u> 	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
4		•	O, _				20_		COVER, Accumulator
	4431 617AB	1	K, Y			EGA	DGL		
		1	K, Y	-		EGH	DGL		
		1	C, D			EGH	DGL		
5									SNAP RING
	6501 695	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
DGE - CH	IRYSLER MINIVAN	N (RS) —							
SERIES	LINE			ODY	ENGI				SMISSION
	C = Chrysl			= 113 WB		00 = 2.4L 4 C			pd. Auto. (41TE)
= Sport	D = Dodge	(ΔWD)	53 -	- 119 WR	FGA = 3	31 6 Cvl	1):	$^{\prime}$ i() = AII .	Alliomatic Transm
= Sport = LX, SE = LXI, ES	D = Dodge Y = Chrysle	er (FWD)		= 119 WB	EGH, EG	.3L 6 Cyl. 30 = 3.8L 6 C	Cyl.	G0 = All	Automatic Transm
= Sport = LX, SE		er (FWD)		= 119 WB	EGH, EG		Cyl.	G0 = All	Automatic Transm

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	arts Not Called	Out In	Box Are S	Serviced In	Item 1.				
Sales Co									
DGL]=4	Speed Automat	tic Tran	smission -	- [41TE/AE	& 40TE]				
EGA]=3	.3L OHV V-6 Er	ngine							
EGH]=3	.8L OHV V-6 Er	ngine							
1									GUIDE PACKAGE, Parking Spra Pawl
	4883 505AA	1	K, Y			EGA	DGL		
	1000 0007 11 (1	K, Y			EGH	DGL		
		<u>·</u> 1	C, D			EGH	DGL		
2		•	0, 5			20	502		SPRING, Parking Sprag Return
_	52852 949AA	1	K, Y			EGA	DGL		or raine, raining oping retain
	0_00_ 0 .07	1	K, Y			EGH	DGL		
		<u>·</u> 1	C, D			EGH	DGL		
3		•	٥, ٥				202		SHAFT, Parking Sprag
Ü	4431 999	1	K, Y			EGA	DGL		on a right oping
	1101 000	1	K, Y			EGH	DGL		
		<u>·</u> 1	C, D			EGH	DGL		
4		•	0, 5			20	502		SHAFT, Parking Sprag
•	4412 289	1	K, Y			EGA	DGL		Critical Try Franking Oping
	1112 200	1	K, Y			EGH	DGL		
		<u>·</u> 1	C, D			EGH	DGL		
5		•	О, Б			LOIT	DOL		CUP, Parking Brake Sprag
3	4446 612	1	K, Y			EGA	DGL		COI , I aiking brake oprag
	4440 012	1	K, Y			EGH	DGL		
		<u>'</u> 1	C, D			EGH	DGL		
6		'	О, Б			LOIT	DOL		ROD, Parking Sprag
O	4431 634	1	K, Y			EGA	DGL		NOD, I alking Oplag
	1101 001	1	K, Y			EGH	DGL		
		<u>·</u> 1	C, D			EGH	DGL		
7		•	0, 5			20	502		SNAP RING, Rod
•	6035 256	1	K, Y			EGA	DGL		
	2000 200	1	K, Y			EGH	DGL		
		<u>·</u> 	C, D			EGH	DGL		
		·	0, 2			20	502		
ODGE - C	HRYSLER MINIVAN	I (RS)							
SERIES	LINE			ODY	ENG				SMISSION
= Sport	C = Chrysle) 52 =	= 113 WB	EDZ, ED	00 = 2.4L 4 C			od. Auto. (41TE)
= LX, SE = LXI, ES	D = Dodge Y = Chrysle			= 119 WB		.3L 6 Cyl. ∋0 = 3.8L 6 C		DGU = All I	Automatic Transm
Limited						3.3L 6 Cyl. FF			
= EL									

Differential [DGL] Figure 41TE-AE-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		· · · · · · · · · · · · · · · · · · ·						•	
IOTE:Diff	ferential Case	Not Se	viced. Mu	st Order C	omplete Di	fferential.			
ales Coo									
=	Speed Automa	tic Tran	smission -	· [41TE/AE	& 40TE]				
_	3L V-6 Engine								
	BL V-6 Engine								DIEEE DEVITING T
1	4000 004 4 4	4	IZ . V			FO 4	DOL		DIFFERENTIAL, Transaxle
	4800 031AA	1	K, Y			EGA EGH	DGL DGL		
	4800 046AA 4800 047AA	1 1	K, Y			EGH	DGL		
	4659 592	1	C, D K, Y			EGA	DGL		GEAR, Differential Ring, 59 Teeth
3	4039 392	'	ΙΧ, Ι			LOA	DGL		GEAR, Differential Ring, 56 Teeth
	4659 956	1	K, Y			EGH	DGL		OLAN, Differential King, 30 Feeti
	1000 000	1	C, D			EGH	DGL		
-4		•	<u> </u>						GEAR PACKAGE, Differential
	5016 315AB-	1	K, Y			EGA	DGL		
		1	K, Y			EGH	DGL		
		1	C, D			EGH	DGL		
5			<u> </u>						PINION, Differential
	4799 139AA	2	K, Y			EGA	DGL		
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
-6									THRUST WASHER, Planet Pinion
	3681 949	10	K, Y			EGA	DGL		
		10	K, Y			EGH	DGL		
		10	C, D			EGH	DGL		
		10				EDZ	DGL		
7									WASHER, Thrust
	4659 223	2	K, Y			EGA	DGL		
		2	K, Y			EGH	DGL		
		2	C, D			EGH	DGL		
8									GEAR, Differential Side
	4799 913AA	1	K, Y			EGA	DGL		
		2	K, Y			EGH	DGL		
						EGH	DGL		
		2	C, D				202		
9		2	С, D				202		WASHER PACKAGE, Side Gear
	4504 500								WASHER PACKAGE, Side Gear Thrust
	4504 568	AR	C, D			EGH	DGL		
	4504 568	AR AR	C, D K, Y			EGH EGA	DGL DGL		
	4504 568	AR	C, D			EGH	DGL		

Differential [DGL] Figure 41TE-AE-810



013AB 235AB	2 2 2 2	K, Y K, Y	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2	K, Y						
	2	K, Y			EGA	DGL		
235AB					EGH	DGL		
235AB	2	\sim D			EGH	DGL		
235AB		C, D			ЕОП	DGL		CHAFT Dinion Coor
ZJJAD	4	K V			ГСА	DGL		SHAFT, Pinion Gear
	1 1	K, Y K, Y			EGA			
					EGH	DGL		
	1	C, D			EGH	DGL		OUATT Transfer Occur
12 4531 978 4799 815AB	4	IZ . V			FO 4	DOL		SHAFT, Transfer Gear
	1	K, Y			EGA	DGL		
	1	K, Y			EGH	DGL		
	1	C, D			EGH	DGL		0005744 0 11 10 11 11
13								SCREW, Special Shouldered, M10x1x29
6502 034	12	K, Y			EGA	DGL		
	12	K, Y			EGH	DGL		
	12	C, D			EGH	DGL		
								CUP, Differential Side Bearing
230AA	1	K, Y			EGA	DGL		
	1	K, Y			EGH	DGL		
	1	C, D			EGH	DGL		
								BEARING CONE, Differential
382	1	C, D			EGH	DGL		Right
4659 238	1	K, Y			EGA	DGL		
	1	K, Y			EGH	DGL		
	1	C, D			EGH	DGL		
								BEARING
4567 025AB	1	K, Y			EGA	DGL		
	1	K, Y			EGH	DGL		
	1	C, D			EGH	DGL		
								BEARING CUP, Differential
4567 022	1	K, Y			EGA	DGL		
	1	K, Y			EGH	DGL		
	1	C, D			EGH	DGL		
								SPACER, Final Drive, 0.82mm
4659 253	AR	K, Y			EGA	DGL		
	AR	K, Y			EGH	DGL		
	AR	C, D			EGH	DGL		
								SPACER, Final Drive, 1.74mm
	AR	K, Y			EGA	DGL		
276	,				EGH	DGL		
		AR AR	AR C, D	AR C, D	AR C, D	AR C, D EGH	AR C, D EGH DGL AR K, Y EGA DGL	AR C, D EGH DGL AR K, Y EGA DGL

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



Differential [DGL] Figure 41TE-AE-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR	C, D			EGH	DGL		
-20									SPACER, Final Drive, 1.78mm
	4659 277	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-21									SPACER, Final Drive, 1.82mm
	4659 278	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
-22									SPACER, Final Drive, 1.86mm
	4659 279	AR	K, Y			EGA	DGL		
		AR	K, Y			EGH	DGL		
		AR	C, D			EGH	DGL		
									·

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

BODY 52 = 113 WB 53 = 119 WB

Controls, Gearshift [DGL] Figure 417



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			<u> </u>						
NOTE:									
Sales C	odes:								
DGL]=4	Speed Automa	atic Trar	nsmission -	- [41TE/AE	& 40TE]				
1	5127 717AA	1		-	-		DGL		CABLE PACKAGE, Gearshift Conf
-2	6500 776	1					DGL		SCREW AND WASHER, Hex Hea
									M5x.8x14, Adjusting Screw
3									COLUMN, Steering, See Steering
									Group, (NOT SERVICED) (Not
									Serviced)
4									GROMMET, Included With Cable,
									(NOT SERVICED) (Not Serviced
5	4670 322AB	1					DGL		LEVER, Manual Control
6	6101 978	1					DGL		SCREW AND WASHER, Hex Hea
									M8-1.25x40
7									TRANSAXLE, See Transaxle Grou
									Illustration # 110, (NOT
									SERVICED) (Not Serviced)
									· · · · · · · · · · · · · · · · · · ·

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Group – 088 Power Transfer Unit AWD





GROUP 88 - Power Transfer Unit AWD

Illustration Title	Group-Fig. No.
Power Transfer Assembly and Mounting	
Power Transfer Unit Assembly [AWD]	Eig 000 110
	· ·
Power Transfer Unit Service Parts [AWD]	Fig. 088-120
Power Transfer Mounting [AWD]	Fig. 088-130

Power Transfer Unit Assembly [AWD] Figure 088-110

3 5 6

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes:								
[EGH]=3	.8L OHV V-6 E	ngine							
1	4861 270AB	1				EGH			SUPPORT, Engine Mount
2	4641 855AA	1							SHAFT, Front Drive
3									TRANSAXLE, 41TE, See Transax
									Group, (NOT SERVICED) (Not
									Serviced)
4	6503 131	5							BOLT, Hex Flange Head, M8x1.
									25x30
5	4518 738	1							BRACKET, Power Transfer Unit
6	4641 900AB	1							POWER TRANSFER UNIT
7	6503 131	5							BOLT, Hex Flange Head, M8x1.
									25x30
8	6100 940	2							BOLT, Hex Flange Head, M10x1.
									5x50
9	4641 665	1							BRACKET, Power Take Off
10									ENGINE, Complete, (NOT
									SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB **ENGINE**

EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Power Transfer Unit Service Parts [AWD] Figure 088-120

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
	NOTE:									
	Sales Co	ndes:								
		Speed Autom	atic Tran	smission :	- [41TF/AF	1				
		.8L V-6 Engin		101111001011	[1112//(2	J				
	1	.oc v o Engin	O .							PLUG, Oil Drain, Service In
	•									Assembly, (NOT SERVICED) (Not
										Serviced)
	2	4518 903	1							NUT, Hex Flange Lock, M16x1.5
	3	4486 070	1							O RING, Output Shaft Flange Tube
	4	6504 171	5							SCREW, Hex Flange Head, M8x1.
			_							25x32
	5	4486 077	1							O RING, PTU Case Rear Cover
	6	6504 171	5							SCREW, Hex Flange Head, M8x1.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										25x32
$\mathcal{A} \mathcal{A} \mathcal{A} \mathcal{A} \mathcal{A} \mathcal{A} \mathcal{A} \mathcal{A} $	7	4486 042	1				EGH	DGL		SEAL
(1) (16) (17)	8									RETAINER, Differential, Service In
$\begin{array}{c c} & & & & & & & & & & & & & & & & & & &$										Assembly, (NOT SERVICED) (Not
$\begin{array}{cccccccccccccccccccccccccccccccccccc$										Serviced)
(50) (50) (59) (3)	9	6500 111	1				EGH	DGL		O RING, Transmission Case
	10	4637 108	1							PLUG PACKAGE, Fill
	11								•	TROUGH, Service In Assembly,
										(NOT SERVICED) (Not Serviced)
$(12) \qquad (3) \qquad (4) \qquad (95) \qquad (2)$	12	4486 046	1							MAGNET, Power Take Off
	13	4486 796	1							TROUGH, Power Take Of Unit
	14	4486 065	1							BEARING, Drive Shaft
	15	6500 511	4				EGH	DGL		SCREW, Flange Head, M8x1.25x33
$\begin{array}{c} (91) \\ (10) \\ (7) \\ (8) \\ (7) \\ (8) \\ (8) \\ (10) \\ $	16	4641 848AA	. 1							SEAL, Extension
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	17	4486 754	1							SNAP RING
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	18	4641 769	1							FLANGE, Output
	-19	4641 415	AR							SHIM, Output Shaft, 4.67 - 4.69mm
90 95 96	-20	4641 416	AR							SHIM, Output Shaft, 4.70 - 4.72mm
90 92 96	-21	4641 417	AR							SHIM, Output Shaft, 4.73 - 4.75mm
	-22	4641 418	AR							SHIM, Output Shaft, 4.76 - 4.78mm
$\begin{array}{c} 88 \\ 60 \\ \end{array}$	-23	4641 419	AR							SHIM, Output Shaft, 4.79 - 4.81mm
89 94 65 66	-24	4641 420	AR							SHIM, Output Shaft, 4.82 - 4.84mm
94 65 66 98	-25	4641 421	AR							SHIM, Output Shaft, 4.85 - 4.87mm
(91)	-26	4641 422	AR							SHIM, Output Shaft, 4.88 - 4.90mm
	-27	4641 423	AR							SHIM, Output Shaft, 4.91 - 4.93mm
	-28	4641 424	AR							SHIM, Output Shaft, 4.94 - 4.96mm
	-29	4641 425	AR							SHIM, Output Shaft, 4.97 - 4.99mm
	-30	4641 426	AR							SHIM, Output Shaft, 5.00 - 5.02mm
	DODGE - CH	HRYSLER MINIV	AN (RS) —							
	SERIES	LINE		, Б	ODY	ENG		5-1		MISSION
	H = Sport L = LX, SE	D = Dodo	rsler (AWD ge (AWD)) 52 = 53 =	= 113 WB = 119 WB		00 = 2.4L 4 C 3.3L 6 Cyl.			d. Auto. (41TE) automatic Transm
	P = LXI, ES	Y = Chry	sler (FWD))		EGH, EG	30 = 3.8 L 6 C	Cyl.		
	S = Limited M = EL	K = Dodo	ge (FWD)			EGIVI = 3	3.3L 6 Cyl. FI	- v		
	X = EX									

Power Transfer Unit Service Parts [AWD] Figure 088-120

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-31	4641 427	AR							SHIM, Output Shaft, 5.03 - 5.05mm
	-32	4641 428	AR							SHIM, Output Shaft, 5.06 - 5.08mm
	-33	4641 429	AR							SHIM, Output Shaft, 5.09 - 5.11mm
	-34	4641 430	AR							SHIM, Output Shaft, 5.12 - 5.14mm
	-35	4641 431	AR							SHIM, Output Shaft, 5.15 - 5.17mm
	-36	4641 432	AR							SHIM, Output Shaft, 5.18 - 5.20mm
	-37	4641 433	AR							SHIM, Output Shaft, 5.21 - 5.23mm
	-38	4641 434	AR							SHIM, Output Shaft, 5.24 - 5.26mm
	-39 -40	4641 435 4641 436	AR AR							SHIM, Output Shaft, 5.27 - 5.29mm
	-40 -41	4641 436	AR							SHIM, Output Shaft, 5.30 - 5.35mm SHIM, Output Shaft, 5.33 - 5.35mm
	-42	4641 438	AR							SHIM, Output Shaft, 5.36 - 5.38mm
	-43	4641 439	AR							SHIM, Output Shaft, 5.39 - 5.41mm
$ \begin{array}{cccc} \boxed{17} & \boxed{14} & \boxed{56} & \boxed{} \end{array} $	-44	4641 440	AR							SHIM, Output Shaft, 5.42 - 5.44mm
- 1 1 / \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	-45	4641 442	AR							SHIM, Output Shaft, 5.48 - 5.50mm
$\begin{pmatrix} 1 \\ 1 \end{pmatrix} \begin{pmatrix} 16 \\ 1 \end{pmatrix} \begin{pmatrix} 1 \\ 1 \end{pmatrix} \begin{pmatrix} 16 \\ 1 \end{pmatrix} \begin{pmatrix} 16 \\ 1 \end{pmatrix} \begin{pmatrix} 16 \\ 16 \end{pmatrix}$	-46	4641 443	AR							SHIM, Output Shaft, 5.51 - 5.53mm
(57) / (54)	-47	4641 444	AR							SHIM, Output Shaft, 5.54 - 5.56mm
	-48	4641 445	AR							SHIM, Output Shaft, 5.57 - 5.59mm
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	-49	4641 446	AR							SHIM, Output Shaft, 5.60 - 5.62mm
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-50	4641 447	AR							SHIM, Output Shaft, 5.63 - 5.65mm
	<u>-51</u> -52	4641 448 4641 449	AR AR							SHIM, Output Shaft, 5.66 - 5.68mm SHIM, Output Shaft, 5.69 - 5.71mm
	-52 53	4641 851AA	1							SEAL
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	54	4641 852AA	2							SEAL
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	55	4641 853AA	1							SEAL
57 9 9 96 97	56									CASE, Service In Assembly, (NOT
$(91) \qquad (10) (7) \qquad (7) $										SERVICED) (Not Serviced)
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	57									BEARING, Service In Assembly,
$(56) \bigcirc \bigcirc$										(NOT SERVICED) (Not Serviced)
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	58									SHAFT, Input, Service In Assembly,
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	59									(NOT SERVICED) (Not Serviced) COVER, Service In Assembly, (NOT
	59									SERVICED) (Not Serviced)
(88)	60									SHIM, Service In Assembly, (NOT
(89) (94)(65)										SERVICED) (Not Serviced)
88 89 94 65 66 98	61									GEAR, Service In Assembly, (NOT
(91)										SERVICED) (Not Serviced)
	62	4641 848AA	1							SEAL, Extension
	63	4567 025AB	1				EGH	DGL		BEARING
	64	4567 022	1				EGH	DGL		BEARING CUP, Differential
	DODGE - C	HRYSLER MINIVA	N (RS)							
	SERIES	LINE		B(ODY	ENGI	NE C 41 1 =			SMISSION
	H = Sport L = LX, SE	C = Chrys D = Dodg	e (AWD)	53 =	= 113 WB = 119 WB	EGA = 3	0 = 2.4L 4 C ₃ .3L 6 Cyl.	DO		od. Auto. (41TE) Automatic Transm
	P = LXI, ES S = Limited	Y = Chrys	sler (FWD	D)		EGH, EG	60 = 3.8L 6 C 3.3L 6 Cyl. FF	yl.		
	M = EL	n in = Dody	~ (1 VVD)			LOIVI = 3	.or o call it	•		
	X = EX									

Power Transfer Unit Service Parts [AWD] Figure 088-120

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	65	4567 382	1				EGH	DGL		BEARING CONE, Differential
-	66	4567 022	1				EGH	DGL		BEARING CUP, Differential
	67	4659 257	AR				EGH	DGL		SPACER, Final Drive, 0.98mm
	-68	4659 258	AR				EGH	DGL		SPACER, Final Drive, 1.02mm
	-69	4659 259	AR				EGH	DGL		SPACER, Final Drive, 1.06mm
	-70	4659 260	AR				EGH	DGL		SPACER, Final Drive, 1.10mm
	-71	4659 261	AR				EGH	DGL		SPACER, Final Drive, 1.14mm
	-72	4659 262	AR				EGH	DGL		SPACER, Final Drive, 1.18mm
	-73	4659 263	AR				EGH	DGL		SPACER, Final Drive, 1.22mm
	-74	4659 264	AR				EGH	DGL		SPACER, Final Drive, 1.26mm
	-75	4659 265	AR				EGH	DGL		SPACER, Final Drive, 1.30mm
	-76	4659 266	AR				EGH	DGL		SPACER, Final Drive, 1.34mm
	-77	4659 267	AR				EGH	DGL		SPACER, Final Drive, 1.38mm
(17) (14) (56)	-78	4659 268	AR				EGH	DGL		SPACER, Final Drive, 1.42mm
$\bigcirc \bigcirc $	-79	4659 269	AR				EGH	DGL		SPACER, Final Drive, 1.46mm
(1) (16) (17)	-80	4659 270	AR				EGH	DGL		SPACER, Final Drive, 1.50mm
(57) / (54)	-81	4659 271	AR				EGH	DGL		SPACER, Final Drive, 1.54mm
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-82	4659 272	AR				EGH	DGL		SPACER, Final Drive, 1.58mm
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-83	4659 273	AR				EGH	DGL		SPACER, Final Drive, 1.62mm
$\begin{array}{c c} \hline \\ \hline $	-84	4659 274	AR				EGH	DGL		SPACER, Final Drive, 1.66mm
	-85	4659 275	AR				EGH	DGL		SPACER, Final Drive, 1.70mm
	-86	4659 283	AR				EGH	DGL		SPACER, Final Drive, 2.02mm
$\begin{array}{c} 12 \\ \hline \end{array}$	-87	4659 284	AR				EGH	DGL		SPACER, Final Drive, 2.06mm
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	88	4659 290	1				EGH	DGL		DAM, Differential Extension Oil
	89	4412 522AB	1				EGH	DGL		SEAL
	90	4659 736	1				EGH	DGL		RETAINER, Differential Bearing
$(91) \qquad (10) / (7) \qquad (7$	91									SHAFT, Drive, See Group 2 For
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										Service Part Numbers, (NOT
\sim (56) \sim (\sim) \sim \sim \sim \sim \sim \sim \sim \sim		4050 005 A D					FOLL	DOI.		SERVICED) (Not Serviced)
$ \begin{array}{c c} 63 \\ \hline 64 \end{array} $ $ \begin{array}{c c} 95 \end{array} $	92	4659 235AB	1				EGH	DGL		SHAFT, Pinion Gear
$\begin{array}{c c} & & & & & & & & & & & & & & & & & & &$	93									CASE, Differential, Service In
90 (64) (95) (96)										Differential, (NOT SERVICED) (Not
88) (67) > -	94	4659 956	1				EGH	DGL		Serviced) GEAR, Differential Ring, 56 Teeth
88 89 94 65 66 98	9 4 95	4659 223	2				EGH	DGL		WASHER, Thrust
	96	4504 568	AR				EGH	DGL		WASHER PACKAGE, Side Gear
(91)	30	1004 000	7111				2011	DOL		Thrust
-	97	4799 139AA	2				EGH	DGL		PINION, Differential
	98	4799 913AA	2				EGH	DGL		GEAR, Differential Side
										•

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)

P = LXI, ES S = Limited M = EL


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Power Transfer Mounting [AWD] Figure 088-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4641 900AB	1							POWER TRANSFER UNIT
2	4641 665	1							BRACKET, Power Take Off
3	6504 257	3							BOLT, Hex Head, M8x1.25x70
4	4641 855AA	1							SHAFT, Front Drive, For Additional
									Shafts See Group 2
5	6502 350	12							BOLT, Hex Flange Head, M10x1.
									50x25
6	6101 670	4							SCREW AND WASHER, Hex Head,
									M10x1.50x35
7	4641 899AC	1							SHAFT, Drive
8	6501 596	3							SCREW AND WASHER, Hex Head,
									M10x1.5x45
9	6503 858	2							SCREW AND WASHER, Hex Head,
									M10x1.50x35
10	4641 897AB	1							SHAFT, Axle Half
11	6502 350	12							BOLT, Hex Flange Head, M10x1.
									50x25
12	4641 896AA	1							SHAFT, Axle Half
13	4641 893AD	1							MODULE, AWD Driveline
14	6503 352	4							WASHER, Flat, M23x38.0x405
15	6500 298	4							NUT, Hub, M22x1.5
16	4293 167	4							NUT AND WASHER PACKAGE,
									Front Hub
17	6500 336	4							PIN, Cotter, M5x36.00
18	4641 525AC	2							HUB AND BEARING, Brake


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Group – 022 Wheels, Covers and Jacks









022-300









GROUP 22 - Wheels, Covers and Jacks

illustration little	Group-Fig. No
Wheels and Hardware Wheels and Hardware	Fig. 022-140
Wheel Covers and Center Caps	
Covers and Caps, Wheels	Fig. 022-240
Jack Stowage	
Jack Stowage	Fig. 022-340
Spare Tire Stowage	
Wheel, Spare	Fig. 022-410

Wheels and Hardware Figure 022-140





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales Codes:								
WCP] =	Wheels - 15 x 6	6.5 Bla	ck						
WDK] =	Wheels - 16 x 6	6.5 Ste	el						
WF7] =	Wheels - 17 incl	h Alum	ninum, Chr	ome					
WFY] =	Wheels - 17 x 7	.5 Fro	nt/20 x 10	Rear, Alun	ninum				
WNQ] =	Wheels - 16 Alu	uminur	n, Chrome						
[WNY] =	Wheels - 16 x 6	3.5 Alu	minum						
WN2] =	Wheels - 16 inc	h Alun	ninum						
WN3] =	Wheels - 16 x 6	.5 Alu	minum, Ch	rome					
1									WHEEL, Steel
	4766 332AA	4							16 x 6.5
	4766 331AB	4							15 x 6.5
2									NUT, Wheel, M12x1.5
	6504 672	20							[WCP,WDK]
	6500 092	20							[WN5]
3	4743 278AA	5							STEM, Wheel Valve
4									WHEEL, Aluminum
	XP27 PAKAA	4	C, K, Y						[WNB]
	4743 621AA	4							[WGH]
	4766 220AA	4	C, Y		52, 53				[WN5]
	4766 657AA	4							[WNQ]
5									WHEEL, Aluminum
	RM26 PAKAC	4							[WNY]
	WV25 PAKAA	4	C, K, Y						[WNW]
6	6502 738	20							NUT, Wheel Chrome, M12x1.5,
									[WNY]
7									CAP, Wheel Center
	4284 004	4							[WNY] MEXICO
	4743 728AA	4							[WNY]
	4782 258AB	4	C, Y		52, 53				[WNB]
	4862 260AA	4	C, Y		52, 53				[WN5]
	4743 572AA	4							[WGH]
	4743 655AA	4							[WNQ]
	4862 224AB	4	C, Y		52, 53				[WNW]
8									WEIGHT, Wheel Balance Tape,
									(NOT SERVICED) (Not Serviced
9	5127 335AB	4							SENSOR PACKAGE, Tire pressur
									Valve Stem, Includes Sensor and
									Nut, Magnet
-10	4897 346AA-	1							VALVE CORE, WHEEL SENSOR
									VALVE, ALUMINUM

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Wheels and Hardware Figure 022-140

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•	-11	5127 333AB-	4							CAP, valve stem
-	-12	5127 336AA-	4							SEAL AND NUT PACKAGE, Tire
										Pressure Sensor







DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE H = Sport L = LX, SE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Covers and Caps, Wheels Figure 022-240



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
	•	•									
NOTE:Sa	ales Codes:										
	Wheels - 15 x	6.5 Bla	ck								
[WDK] = Wheels - 16 x 6.5 Steel											
[WNQ] = Wheels - 16 inch Aluminum, Chrome											
	Wheels - 16 x										
[WN2] =	Wheels - 16 in	ch Alun	ninum								
[WN3] =	Wheels - 16 X	6.5 Alu	ıminum, Cl	nrome							
[W5D,W5	[L,W5K] = Whe	eel Cov	ers - 15 ind	ch							
[W6D] =	Wheel Covers	- 16 inc	ch								
1	4766 971AA	4							COVER, Wheel, 15", [W5L]		
2	5006 441AA	4							COVER, Wheel, 15", [W5K]		
3	4766 336AA	4	K						COVER, Wheel, 16", [W6C]		
4	4743 278AA	5							STEM, Wheel Valve		
5	6502 738	20							NUT, Wheel Chrome, M12x1.5,		
									[WNF,WNQ,WNY,WNB]		
6	6504 672	20							NUT, Wheel, M12x1.5, [WCP,WDK]		
-7									CAP, Wheel Center		
	4743 728AA-	4							[WNY]		
	4284 004	4							[WNY,WNF] MEXICO		
	4782 258AB-		C, Y		52, 53				[WNB]		
	4743 572AA-								[WGH]		
	4743 655AA-								[WNQ]		
	4862 260AA-	4	C, Y		52, 53				[WN5]		

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6504 118	1							U-NUT, M6 x 1.00, M6x1.00
2	5066 455AA	1							JACK, Scissors
3	4741 753AA	1							WRENCH, Wheel Lug Nut
-4	6035 995AA-	1							WINGNUT, Jack and Tire Hold Down
5	4716 535	1							SCREW, Jack




DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	C404 202	0							LINUT MOVA OF
1 	6101 283	2							U-NUT, M8x1.25 WINCH, Spare Tire Carrier
_	4860 958AA	1							Compact Spare
	4860 959AB	1							Full Size Spare
3	6100 575	4							BOLT AND CONED WASHER, He
									Head, M8x25x17
4	4743 334AA	1							WHEEL, Spare, 16 x 4
5	0.//								PLUG, Carpet
	SX76 XDHAB SX76 ZJ8AB	3 1 1							[D5]
	SATO ZJOAD	'							[J3]
GE - CH	IRYSLER MINIVAI	N (RS) —							
RIES	LINE			ODY = 113 WB	ENG FD7 FD		vi D		SMISSION and Auto (41TF)
RIES Sport LX, SE	LINE C = Chrysl D = Dodge	ler (AWD e (AWD)	52 = 53 =	ODY = 113 WB = 119 WB	EDZ, ED EGA = 3	00 = 2.4L 4 C 3.3L 6 Cyl.	D	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm
RIES Sport	LINE C = Chrysl D = Dodge	ler (AWD e (AWD) ler (FWD	52 = 53 =	= 113 WB	EDZ, ED EGA = 3 EGH, EG	00 = 2.4L 4 C	D(Syl.	GL = 4 s	pd. Auto. (41TE)

Group – 23D


Wiper/Lock Cylinder and Keys







GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders, Keys and Repair Components	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper System	Fig. 23D-205
Washer System	Fig. 23D-210
Rear Wiper and Washer System	
Rear Wiper	Fig. 23D-305







ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[GXX=Se	entry Key]								
1									KEY, Blank
	5018 689AA	1	D, K						Without Sentry
	5134 937AA	1	D, K						[GXX]
		2	D, K						[GXW]
	5018 868AA	1	C, Y		52, 53				Without Sentry
-2									KEY, BLANK WITH TRANSMITTER
	5134 938AA-	2	C, Y		52, 53				[GXW]
	5134 964AA-	2	C, Y		52, 53				[GXW,CUW,JRA,JRB,JRC]
	5134 965AA-	2	D, K						[GXW,CUW]
	5134 967AA-	2	D, K						[GXW,CUW,JRA,JRB,JRC]
3		_							CYLINDER, Ignition Lock
	5003 843AB	1	C, Y		52, 53				
4		1	D, K						TUMPLED legition Number 4
4									TUMBLER, Ignition Number 1,
	E010 970 A A	4	C V		E0 E0				Sidebar
	5010 879AA	1	C, Y D, K		52, 53				
-5		'	D, K						TUMBLER, Ignition Number 2,
-5									Sidebar
	5010 880AA-	1	C, Y		52, 53				Sidebai
	3010 000AA-	<u>'</u> 	D, K		32, 33				
-6		'	D, K						TUMBLER, Ignition Number 3,
J									Sidebar
	5010 881AA-	1	C, Y		52, 53				Cidobal
		1	D, K		,				
-7			_,						TUMBLER, Ignition Number 4,
									Sidebar
	5010 882AA-	1	C, Y		52, 53				
		1	D, K						
8									SPRING, Ignition Tumbler, Sidebar
	5010 883AB	1	C, Y		52, 53				
		1	D, K						
9									CYLINDER, Door Lock
	5011 040AA	1	C, Y		52, 53				
		1	D, K						
10									TUMBLER, Door and Deck Number
									1, Wide
	4778 117	1	C, Y		52, 53				
		1	D, K						
SERIES I = Sport L = LX, SE LXI, ES E = Limited		er (AWD e (AWD) er (FWD	53 = 1	DY 13 WB 19 WB	EGA = 3 EGH, EG	INE 0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	De Cyl.	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm
P = LXI, ES S = Limited M = EL X = EX	Y = Chrysl	er (FWD			EGH, EG	60 = 3.8 L 6 C	yl.		




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		<u> </u>						Į	
-11									TUMBLER, Door and Deck Number
									2, Wide
	4778 118	1	C, Y		52, 53				
		1	D, K						
-12									TUMBLER, Door and Deck Number 3, Wide
	4778 119	1	C, Y		52, 53				3, Wide
		1	D, K		02, 00				
-13			,						TUMBLER, Door and Deck Number
									4, Wide
	4778 120	1	C, Y		52, 53				
4.4		1	D, K						ODDING Deep and Deep Tourshie
14	4778 121	1	C, Y		52, 53				SPRING, Door and Deck Tumbler
	4770 121	1	D, K		02, 00				
15			,						LEVER, Front Door Cylinder
	5019 125AA	1	C, Y		52, 53				
		1	D, K						
16	4070 700		0. \		FO FO				SPRING, Cylinder Return
	4378 793	1 1	C, Y D, K		52, 53				
17		<u>'</u>	D, K						CLIP, Latch
	4658 444	1	C, Y		52, 53				Purple
		1	D, K						Purple
	4658 445	1	C, Y		52, 53				Orange
		1	D, K						Orange
18	E010 60E A A	4	C V		E0 E0				SHUTTER, Lock Cylinder
	5019 605AA	1 1	C, Y D, K		52, 53				
19			Β, π						CAP, Door Lock Cylinder, Bright
	4778 149	1	C, Y		52, 53				, , , , , ,
		1	D, K						
	5019 127AA	1	C, Y		52, 53				Liftgate Cylinder
20		1	D, K						Liftgate Cylinder CLIP, Retainer, (NOT SERVICED)
20									(Not Serviced)
21									LEVER, Sliding DoorLock Cylinder,
									(NOT REQUIRED)
22									LOCK CYLINDER
	5019 130AC	1	C, Y		52, 53				Liftgate
D DGE - CI SERIES = Sport = LX, SE	HRYSLER MINIVAI LINE C = Chrysl D = Dodge	ler (AWD)) 52 = 53 =	DDY : 113 WB : 119 WB		INE 0 = 2.4L 4 C ₃ .3L 6 Cyl.		GL = 4 sp	SMISSION od. Auto. (41TE) Automatic Transm
= LX, SE = LXI, ES = Limited = EL = EX	Y = Chrysl	er (FWD)			EGH, EG	30 = 3.8L 6 C 3.3L 6 Cyl. FF	yl.	- All I	









	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, K						Liftgate
-23									TUMBLER, Door and Deck Number
	4770 447	4	D K						1, Wide
	4778 117	1 1	D, K C, Y		52, 53				
-24		'	<u> </u>		32, 33				TUMBLER, Door and Deck Number
									2, Wide
	4778 118	1	C, Y		52, 53				_,
		1	D, K		,				
-25									TUMBLER, Door and Deck Number
									3, Wide
	4778 119	1	C, Y		52, 53				
		1	D, K						
-26									TUMBLER, Door and Deck Number
	4778 120	4	C V		E0 E0				4, Wide
	4776 120	1 1	C, Y D, K		52, 53				
-27			D, K						SPRING, Door and Deck Tumbler
	4778 121	1	C, Y		52, 53				or range, boor and book rambion
		1	D, K		,				
-28									SHUTTER, Lock Cylinder
	5019 605AA-	1	C, Y		52, 53				
		1	D, K						
-29									CAP, Door Lock Cylinder, Bright
	4778 149	1	C, Y		52, 53				
30		1	D, K						LEVER Liftgata Look Cylindar
30	5019 128AA	1	C, Y		52, 53				LEVER, Liftgate Lock Cylinder
	3013 120AA	1	D, K		32, 33				
31		•							SPRING, Cylinder Return
	4378 793	1	C, Y		52, 53				, ,
		1	D, K						
-32	4717 921AB-	1							ROD, Liftgate Handle to Latch
33									CLIP, Cylinder Retainer, serviced
									with Lock Cylinder, (NOT
									SERVICED) (Not Serviced)
34	4685 774AA	1							TRIM RING, Ignition Key Cylinder
35 -36	4894 520AA	1							PLUG, Key Cylinder CYLINDER, Glove Box Lock
-30	4746 674	1	C, Y		52, 53				Glove box
	4/40 0/4	ı	C, i		J∠, 53				GIUVE DUX

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)


 $L = L\dot{X}, SE$ P = LXI, ES S = Limited


C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


M = ELX = EX







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, K						Glove box
	4778 448	1	C, Y		52, 53				Console
		1	D, K						Console
-37									TUMBLER, Ignition Number 1
	5257 132	1	C, Y		52, 53				
		1	D, K						
-38									TUMBLER, Ignition Number 2
	5257 133	1	C, Y		52, 53				
		1	D, K						
-39									TUMBLER, Ignition Number 3
	5257 134	1	C, Y		52, 53				
		1	D, K						
-40									TUMBLER, Ignition Number 4
	5257 135	1	C, Y		52, 53				
		1	D, K						
-41									SPRING, Lock Cylinder Tumbler
	4746 873	1	C, Y		52, 53				
		1	D, K						
-42									BATTERY, Transmitter
	5066 241AA-	2	C, Y		52, 53				
		1	D, K						



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ D = Dodge (AWD)P = LXI, ES S = Limited


Y = Chrysler (FWD) K = Dodge (FWD)

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX BODY 52 = 113 WB 53 = 119 WB

Windshield Wiper System Figure 23D-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BLADE, Wiper
	5096 134AA	1							Right
		1							Left
2									ARM, Wiper
	5096 132AA	1							Right
	5096 133AA	1							Left
3	4630 783	2							CAP, Wiper Arm Nut
4	6503 335	2							NUT, Hex, M10X1.25, Arm attaching
-5	4717 941AB-	1							HOSE, Windshield Washer
6	4717 553AF	1							PANEL, Cowl Top
7	5080 937AA	1							HOUSING PACKAGE, Wiper
									Nosecone
8	5114 534AA	1							MOTOR KIT, Windshield Wiper
9									LINK AND BUSHING, Wiper
	5018 666AA	1							Right
	5018 667AA	1							Left
10	5114 512AA	1							WIRING, Windshield Wiper, 4 Way
11									PIVOT PACKAGE, Windshield Wiper
	5080 842AA	1							Right
	5080 843AA	1							Left
12									BRACE, Cowl Grille
	5018 660AA	1							Right Inner
	5018 663AA	1							Left Inner
13									BRACE, Cowl Grille
	5018 661AA	1							Right,Outer
	5018 662AA	1							Left
14	5018 668AA	1							GROMMET
15	5073 534AA	1							FOAM BLOCKER PACKAGE
-16									NUT, Hex Flange, M8x1.25, (NOT
									SERVICED) (Not Serviced)
-17	6505 897AA-	4							NUT, Plastic Snap-in
18	4857 870AC	1							TUBE, Wiper Drain Module, Right
19	4857 871AC	1							TUBE, Wiper Drain Module, Left
									, ,


DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4717 941AB	1							HOSE, Windshield Washer
2	4894 508AA	2							NOZZLE, Washer, Windshield
3	5018 127AA	1							HOSE, Windshield Washer
-4	4857 783AA-	1							NOZZLE, Washer, Liftgate
-5	4334 799	1							CONNECTOR, Washer Hose, In Line
6	4717 715AB	1							GROMMET AND HOSE, Liftgate
									Washer
7	5127 200AA	1							RESERVOIR, Washer
8	5018 127AA	1							HOSE, Windshield Washer
-9	4805 409AA-	1							CLIP, Washer Hose
-10	4334 799	1							CONNECTOR, Washer Hose, In Line
-11									HOSE, Windshield Washer, serviced
									in body harness, (NOT SERVICED)
									(Not Serviced)
12	4797 694	1							CAP, Washer Reservoir
13	5127 201AA	1							PUMP, Washer, Windshield, Dual
									Action front and rear
14	5018 131AA	1							GROMMET, Windshield Washer
									Pump
-15	5019 246AA-	1							SENSOR, Washer Fluid Level
-16	5013 755AA-	1							GROMMET, Washer Reservoir
-17	6034 716	3							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875, reservoir
									mounting
-18	4717 213	2							CLIP, Washer Hose And Wiring
-19	5086 004AA-	1							CHECK VALVE, Washer
-20	4717 059	3							CLIP, Washer Hose
-21									HOSE, Liftgate Washer, Interior Floor
	4717 714AB-	1			13, 53				
	4717 976AC-	1	K, Y		12, 52				
-22	3799 520	2							GROMMET, Hose to Reservoir
-23	5127 202AA-	1							HOSE, Windshield Washer,
									Reservoir

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Rear Wiper Figure 23D-305

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE


TRANS

TRIM

DESCRIPTION

	1 5018 407AA 1	BLADE, Wiper
		ARM, Liftgate Wiper
		MOTOR, Liftgate Wiper
	4 6101 712 3	NUT, U, M6x1, Motor attaching
	5 6101 818 3	SCREW, Motor attaching
	6 6500 165 1	NUT, Wiper Arm
	-7 55077 097AC- 1	CAP, Wiper Arm Nut
	-8 5020 577AA- 1	GROMMET, Glass
(6)		
o		
	•	
		_
		!
	DODGE - CHRYSLER MINIVAN (RS)	
	SERIES LINE BODY ENGINE	TRANSMISSION
	DODGE - CHRYSLER MINIVAN (RS) SERIES LINE BODY ENGINE H = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL L = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 P = LXI, ES Y = Chrysler (FWD) EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV	= 4 spd. Auto. (41TE) = All Automatic Transm
	P = LXI. ES $Y = Chrysler (FWD)$ $SS = 119 WB$ $LGA = 3.3L G GyI$. $P = LXI$. EGH, EGO = 3.8L 6 CyI.	= All Automatic Harisin
	S = Limited K = Dodge (FWD) EGM = 3.3L 6 Cyl. FFV	'
	M = EL X = EX	
	AP - Use as required - Non-illustrated part # - Now this model year	Sontombor 10, 2005

Group – 024 Air Conditioning & Heater




024–100 Air Conditioner and Heater Units	024–200 Air Conditioner and Heater Plumbing	024–300 Air Conditioner and Heater Controls	024–400 Air Conditioning Compressor
024-600 Air Ducts and Outlets			

GROUP 24 - Air Conditioning & Heater

Illustration Litle	Group-Fig. N
Air Conditioner and Heater Units	
Air Conditioning and Heater Unit [HAA]	Fig. 024-120
Air Conditioning and Heater Unit - Zone [HAD,HAG]	Fig. 024-130
Air Conditioning and Heater, ATC with Zone [HAH]	Fig. 024-140
Aux. Air Conditioning and Heater	Fig. 024-150
Air Conditioner and Heater Plumbing	
Plumbing, Heater	Fig. 024-205
Plumbing, Heater, with Aux. Heater	Fig. 024-207
Plumbing, Air Conditioning, 2.4L	Fig. 024-215
Plumbing, Air Conditioning, 3.3L, 3.8L	Fig. 024-220
Plumbing, Underbody, Rear	Fig. 024-230
Air Conditioner and Heater Controls	
Controls, A/C and Heater	Fig. 024-310
Air Conditioning Compressor	
Compressor and Mounting Brackets, All Engines	Fig. 024-410
Air Ducts and Outlets	5
Ducts and Outlets, Front	Fig. 024-610
Ducts and Outlets, Profit Ducts and Outlets, Rear	<u> </u>
Ducts and Oddets, Near	

Air Conditioning and Heater Unit [HAA] Figure 024-120



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co	des:								
	AIR CONDITIO	NING							
1	5073 225AB	1							HOUSING, Air Inlet, Includes Upper
									Housing, Air Inlet Cover, Upper and
									Lower Recirc Doors, Screws and
									Washers
-2	4885 491AA-	1							COVER, Center Distribution
3	5136 108AA	1							HOUSING, Blower Motor
-4	8220 5905	1							FILTER KIT, Cabin Air
5	4885 463AA	1							DOOR, Filter Access, A/C and
									Heater Unit, Includes: Vane, Frame
6	4734 227	60							SCREW, Hex Head, M4.8-1.59x19
-7	4734 392	3							STUD, A/C Heater Housing
-8	5061 426AA-	3							WASHER, A/C Unit Mounting Stud
9	4885 475AC	1							MOTOR, Blower with Wheel
-10	4885 583AC-	1							RESISTOR, Blower Motor
11	5019 217AE	1							EVAPORATOR, Air Conditioning,
									Includes: Insert, Sleeve, Liner,
									Grommet
-12	5061 454AA-	1							INSERT, Evaporator Tube
13	4885 488AA	1							HOUSING, Distribution, Includes:
									Doors, Gears, Actuators, Covers,
									Seals, Cams
14	4885 465AA	3							ACTUATOR, A/C and Heater
15	5019 219AD	1							CORE, Heater, with Seal
-16	4885 024AC-	1							O RING, Heater Core
17	4885 520AA	1							TUBE, Heater Core
18	4885 525AA	1							COVER, Heater Core Tubes
19	4734 226	1							STRAP, A/C Unit Mounting
-20	4885 526AB-	<u>·</u> 1							WIRING, A/C and HEATER
-21	4734 723	1							NOZZLE, Radio Cooling
-22	5019 220AF-	1							SEAL KIT, A/C And Heater Unit,
	0010 220/11	•							Includes Drain Tube, Distribution
									Outlet, Evap Tube Grommets
-23	4734 709	1							CLIP, Wiring
-23	4754 765	'							OLII , Willing

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)


P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Air Conditioning and Heater Unit - Zone [HAD,HAG] Figure 024-130



Sales Co	odes:					
	DUAL ZONE TE	MP CO	ONTROL			
	W/3 ZONE TEM					
1	5073 225AB	1				HOUSING, Air Inlet
2	5136 110AA	1				HOUSING, Blower Motor
-3	8220 5905	1				FILTER KIT, Cabin Air
4	4885 463AA	1				DOOR, Filter Access, A/C and
						Heater Unit, Includes: Vane, Fra
5	4734 227	60				SCREW, Hex Head, M4.8-1.59x19
-6	4734 392	3				STUD, A/C Heater Housing
-7	5061 426AA-	3				WASHER, A/C Unit Mounting Stud
-8	4885 583AC-	1				RESISTOR, Blower Motor
9	4885 475AC	1				MOTOR, Blower with Wheel
10	5019 217AE	1				EVAPORATOR, Air Conditioning,
						Includes: Insert, Sleeve, Liner ar
						Grommet
-11	5061 454AA-	1				INSERT, Evaporator Tube
12	4885 487AA	1				HOUSING, Distribution,
						Includes:Doors, Gears, Actuators
						Covers, Seals
13	4885 465AA	3				ACTUATOR, A/C and Heater
14	5019 219AD	1				CORE, Heater
-15	4885 024AC-	1				O RING, Heater Core
16	4885 520AA	1				TUBE, Heater Core
17	4885 525AA	1				COVER, Heater Core Tubes
18	4734 226	1				STRAP, A/C Unit Mounting
-19	4885 527AB-	1				WIRING, A/C and HEATER
-20	4734 723	1				NOZZLE, Radio Cooling
-21	5019 220AF-	1				SEAL KIT, A/C And Heater Unit,
						Includes Drain Tube, Distribution
						Outlet, Evap Tube Grommets
-22	5061 096AA-	1				PROBE, Air Conditioning
-23	4644 388	1				CLIP, A/C Heater Housing
-24	5019 218AE-	1				VALVE KIT, Expansion

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Air Conditioning and Heater, ATC with Zone [HAH] Figure 024-140

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co									
HAH] =	ATC - W/3 ZON	NE TEM	IP CONTR	ROL					
1	5073 225AB	1							HOUSING, Air Inlet
2	5136 110AA	1							HOUSING, Blower Motor
-3	8220 5905	1							FILTER KIT, Cabin Air
4	4885 463AA	1							DOOR, Filter Access, A/C and
									Heater Unit, Includes: Vane,
									Frame, Filters
5	4734 227	60							SCREW, Hex Head, M4.8-1.59x1
-6	4734 392	3							STUD, A/C Heater Housing
-7	5061 426AA-	3							WASHER, A/C Unit Mounting Stu
8	4885 482AA	1							MODULE, Power, Blower Motor
9	4885 475AC	1							MOTOR, Blower with Wheel
10	5019 217AE	1							EVAPORATOR, Air Conditioning
									Includes: Insert, Sleeve, Liner a
									Grommet
11	4885 487AA	1							HOUSING, Distribution,
									Includes:Doors, Gears, Actuato
									Covers, Seals
12	4885 465AA	3							ACTUATOR, A/C and Heater
13	5019 219AD	1							CORE, Heater
-14	4885 024AC-	1							O RING, Heater Core
15	4885 520AA	1							TUBE, Heater Core
16	4885 525AA	1							COVER, Heater Core Tubes
17	4734 226	1							STRAP, A/C Unit Mounting
-18	4885 527AB-	1							WIRING, A/C and HEATER
-19	4734 723	1							NOZZLE, Radio Cooling
-20	5019 220AF-	1							SEAL KIT, A/C And Heater Unit,
									Includes Drain Tube, Distribution
									Outlet, Evap Tube Grommets
									•

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


X = EX

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

BODY 52 = 113 WB 53 = 119 WB

Aux. Air Conditioning and Heater Figure 024-150



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		•								
	1	5019 181AA	1							HOUSING, A/C Upper
_	2	5019 182AA	1							HOUSING, A/C Lower
	3	5134 526AA	1							PLATE, Retaining
	4	5019 183AC	1							EVAPORATOR, Air Conditioning
	5	5019 184AA	1							CORE, Heater
_	6	5019 185AA	1							MOTOR, Blower with Wheel
	7	5019 189AA	1							RESISTOR, Blower Motor
	8	5019 186AB	1							VALVE KIT, Expansion
	-9	5139 728AA-	1							O RING PACKAGE, EXPANSION
_										VALVE, Includes o-rings for both
										sides of the expansion valve
	10	5019 187AA	1							EXTENSION, A/C Evaporator
	11	5019 188AB	1							SEAL KIT, A/C And Heater Unit
	-12	4886 013AA-	1							GROMMET AND SPACER, Auxiliary
										A/C and Heater
	13	5019 190AA	1							WIRING, A/C and HEATER
	14	5019 191AB	1							PLATE, Extension
	15	5019 192AB	1							PLATE, Evaporator
	16									BRACKET, H Valve, (NOT
										REQUIRED)
	17	4885 465AA	2							ACTUATOR, A/C and Heater
	18	5019 194AA	1							HOSE, Heater
	19	6501 938	3			13, 53				SCREW AND WASHER, Unit
										Mounting
_	20	6101 712	3			13, 53				NUT, U, M6x1, Unit Mounting
	-21	6504 516	3			13, 53				NUT AND WASHER, M6x1.00, Unit
										Mounting

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

2.4L	
3.3L 3.5L	14 12 12 3.8L 9

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sale	is Codes.								
	L 4 Cyl DOHO	. 16V							
	3L 6 Cyl SMPI								
	5L High Outpu								
	BL 6 Cyl SMPI								
	3L 6 Cyl SMP								
	-								LIOSE Harter
	5019 194AA	1							HOSE, Heater
2									BOLT AND WASHER, Hex Head, M8x1.25x20
	C4.04. 700					EDZ			IVIOX 1.25X2U
	6101 799	1							
		1				EGA,			
•						EGH			CODEW AND WACHED II. II.
3									SCREW AND WASHER, Hex Head,
	0504	-				E67			M6x1x16
	6501 755	2				EDZ			
		1				EGA,			
						EGH			
4									SCREW, Hex Flange Head
	6504 386	2				EDZ			
	6502 832	1				EGA,			
						EGH			
5	5005 348AC	1				EGA,			HOSE, Heater Return
						EGH			
6	5505 5694	1				EGA,			CAP, Heater Hose, 5/8"
						EGH			
7									CLAMP, Heater Hose
	6502 017	1				EDZ			
		1				EGA,			
						EGH			
8	5005 342AB	1				EGA,			HOSE, Oil Cooler Outlet, with Oil
						EGH			Cooler
9	6505 242AA	1				EGA,			SCREW
						EGH			
10	6500 158	1				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M10x1.5x25
11									HOSE, Heater Return
	5005 348AC	1				EGA,			[HAA,HAD]+[NHA]
		<u> </u>				EGH			K Z STANTON
	5005 343AB	1				EGA,			[HAG+HAH]+[NHA]
	0000 0 10/12	•				EGH			
12						2011			HOSE, Heater Return
12									TIOOL, Tieater Neturn
DODGE - CH	RYSLER MINIVA	N (RS) —							
SERIES	LINE			ODY	ENG				SMISSION
H = Sport L = LX, SE	C = Chrysl D = Dodge			: 113 WB : 119 WB		0 = 2.4L 4 C .3L 6 Cyl.			pd. Auto. (41TE) Automatic Transm
P = LXI, ES	Y = Chrysl	ler (FWD		- 110 440	EGH, EG	30 = 3.8 L 6 C	Cyl.	- All	Actionatio Transiti
S = Limited	K = Dodge				EGM = 3	3.3L 6 Cyl. FI	FV		
M = EL X = EX									

Plumbing, Heater Figure 024-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5005 349AC	1				EGA,			[HAA,HAD]-[NHA]
						EGH			
	5005 344AC	1				EGA,			[HAG+HAH]-[NHA]
						EGH			
-13	4677 378	1				EGA,			VALVE, Variable Restrictor
						EGH			
14	5005 347AB	1				EGA,			HOSE, Heater Supply
						EGH			
-15	HHR00 034A	A- 1							HOSE 1FT, Heater, 3/4"
-16	5005 312AB-	1				EDZ			TUBE & HOSE, Supply & Return

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Plumbing, Heater, with Aux. Heater Figure 024-207





ITE**	PART	0.73	1 1815	eeniee	DODY	ENGINE	TDANO	TD::4	DECODIDATION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote:Sale	s Codes:								
	BL 6 Cyl SMPI								
	BL 6 Cyl SMPI								
	3L 6 Cyl SMPI								
1	5005 394AD	1			13, 53	EGA,			TUBE & HOSE, Supply & Return w
2	6100 106	2				EGH			Aux. Heater
	6102 126AA 6102 132AA	2 2							NUT AND WASHER, Hex, M6x1.0 SCREW, Hex Head, M6x1x20
	5005 391AA	1			13, 53	EGA,			HOSE, Heater Supply w/Aux. Heater
•	0000 00 17 0 1				10, 00	EGH			1100E, 110ator Cappiy W/Max. 110ato

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Plumbing, Air Conditioning,2.4L Figure 024-215

PART



ITEM	NUMBER	QTY	LINE	SERIES BOI	DΥ	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Codes:								
		C 16V S	Single Mult	i-Point Injection					
. – – – , 1	6101 445	2							NUT AND WASHER, Hex Nut-Coned
·		_							Washer, M8 x 1.25
2	5005 210AC	1	K, Y	12,	52	EDZ			LINE, A/C Suction
3	5066 498AA	1	K, Y	12,		EDZ			GASKET & O RING KIT, A/C Line
4	5066 500AA	1	K, Y	12,		EDZ			O RING, A/C Line
5	5011 346AA	1	K, Y	12,		EDZ			VALVE CORE, Service Port
6	5019 242AA	1	K, Y	12,		EDZ			CAP, A/C Check Valve
7	5066 633AA	1	K, Y	12,		EDZ			LINE, A/C Liquid, Drier to Condenser
8	5066 637AA	1	K, Y	12,	52	EDZ			O RING, A/C Line, three port Drier
									Block
9	5264 638	1	K, Y	12,	52	EDZ			VALVE, Charging
10	5072 866AA	1	K, Y	12,	52	EDZ			CAP, A/C Charge Valve
11	5066 497AA	1	K, Y	12,	52	EDZ			GASKET & O RING KIT, A/C Line,
									Contains 5103428AA- Gasket and
									5102355AA - O-Ring
12	5066 634AA	1	K, Y	12,	52	EDZ			LINE, A/C Liquid, Drier to Expansion
									Valve
13	5066 636AA	1	K, Y	12,	52	EDZ			O RING, A/C Line, two port Drier
									Block
14	5096 084AA	1	K, Y	12,	52	EDZ			TRANSDUCER, Air Conditioning
15	5073 618AA	1	K, Y	12,	52	EDZ			O RING, Transducer
16	5066 504AA	1	K, Y	12,	52	EDZ			O RING, A/C Line
17	6101 445	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Line to
									Expansion Valve
18	5066 635AB	1	K, Y	12,	52	EDZ			DRIER, Receiver
19	5114 490AA	1	K, Y	12,	52	EDZ			BRACKET, A/C Filter Drier
20	4809 227AD	1				EDZ			CONDENSER, Air Conditioning
21	5005 211AC	1	K, Y	12,	52	EDZ			LINE, A/C Discharge
22	5066 497AA	1	K, Y	12,	52	EDZ			GASKET & O RING KIT, A/C Line,
									Discharge Line
23	5136 101AA	1							VALVE KIT, Expansion
-24									O RING, Expansion Valve
	4885 802AA-	1							15 mm
	4885 803AA-	1							10 mm

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Plumbing, Air Conditioning, 3.3L, 3.8L Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220				1	
	les Codes:								
	.3L V6 SMPI								
	.8L V6 SMPI								
	3,3L V6 SMPI	NIINIO		LICATED					
1 1	AIR CONDITIO	INING -	REAR W/	HEATER					LINE, A/C Suction
'	5005 240AB	1				EGA,			LINE, A/O Suction
	0000 2 10/13	•				EGH			
	5005 243AD	1			13, 53	EGA,			[HBB]
						EGH			
2	5066 498AA	1				EGA,			GASKET & O RING KIT, A/C Line,
						EGH			Compressor
3	5066 500AA	1				EGA,			O RING, A/C Line, Expansion Valve
						EGH			
4	5264 638	1				EGA,			VALVE, Charging
_	E010 2424 A	4				EGH			CAR A/C Charle Valva
5	5019 242AA	1				EGA, EGH			CAP, A/C Check Valve
6	4677 492AA	1				EGA,			LINE, A/C Discharge
Ü	1077 102701	•				EGH			ziitz, 710 Bioonargo
7	5066 497AA	2				EGA,			GASKET & O RING KIT, A/C Line,
						EGH			Discharge Line
8									NUT, Discharge Line to A/C
									Compressor-Purchase Compressor
									(NOT SERVICED) (Not Serviced)
9	4809 227AD	1				EGA,			CONDENSER, Air Conditioning
4.0						EGH			
-10									SUPPORT, Radiator, Condenser
	4809 274AC-	1				EGA,			Mounting
	4609 274AC-	'				EGA, EGH			Right
	4809 273AC-	1				EGA,			Left
	1000 270/10	•				EGH			2011
11									NUT, Suction Line to A/C
									Compressor-Purchase Compressor
									(NOT SERVICED) (Not Serviced)
12	6101 445	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
13	6101 445	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
									Washer, M8 x 1.25
ODGE - C	HRYSLER MINIVAI	N (PS) -							
SERIES	LINE			ODY	ENG				SMISSION
H = Sport L = LX, SE	C = Chrysl D = Dodge			: 113 WB : 119 WB		0 = 2.4L 4 C .3L 6 Cyl.			pd. Auto. (41TE) Automatic Transm
? = LX, SE ? = LXI, ES S = Limited I = EL	Y = Chrysl	er (FWD		- 110 440	EGH, EG	30 = 3.8L 6 C 3.3L 6 Cyl. FF	Cyl.	5 0 – All	Accordance Transmill

Plumbing, Air Conditioning, 3.3L, 3.8L Figure 024-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	6101 445	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Liquid Line/
									Filter Drier to Shock Tower
									Mounting
15	5066 506AA	1				EGA,			LINE, A/C Liquid, to Condenser
						EGH			
16	5066 497AA	1				EGA,			GASKET & O RING KIT, A/C Line
						EGH			
17	5066 560AA	1				EGA,			O RING, A/C Line, Liquid Line
						EGH			
18	4856 769	1				EGA,			CLIP, A/C Liquid Line
						EGH			
19									LINE, A/C, Liquid to Expansion Valve
	5066 517AA	1				EGA,			
					40.50	EGH			(100)
	5066 505AA	1			13, 53	EGA,			[HBB]
20	5066 504AA	1				EGH			O RING, A/C Line
20	3000 304AA	ı				EGA, EGH			O RING, A/C LINE
21	4882 137	1				EGA,			O RING, A/C Line
21	400Z 131	· ·				EGH			O KING, A O LINE
22	5019 881AA	1				EGA,			TRANSDUCER PACKAGE, A/C
						EGH			Pressure
23	5066 503AB	1				EGA,			DRIER, Receiver
						EGH			
24	5066 502AA	1				EGA,			BRACKET, A/C Filter Drier
						EGH			
25	5003 463AA	1				EGA,			VALVE, Check
						EGH			
26									VALVE KIT, Expansion
	5136 101AA	1							[HAD,HAG] Without [HAH]
	5019 218AE	1							[HAH]
-27									O RING, Expansion Valve
	4885 802AA-	1							15mm
00	4885 803AA-	1				F.C. 1			10mm
-28	6505 242AA-	1				EGA,			SCREW
						EGH			

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI $L = L\dot{X}, SE$

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = ELX = EX

Plumbing, Underbody, Rear Figure 024-230

PART

ITEM	NUMBER	QTY	LINE SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:0	ales Codes:							
	3.3L V6 SMPI E	-ngine						
	3.5L High Outp	-	ne					
	3.8L V6 SMPI E	•						
	3,3L V6 SMPI	-						
1	6502 059	1		13, 53	EGA,			BOLT AND WASHER, Self Taping
					EGH			Flange Head, M8x1.25x40.00
2	5066 523AB	1		13, 53	EGA,			LINE, Auxiliary A/C Liquid
					EGH			
-3	4882 137	2		13, 53	EGA,			O RING, A/C Line
					EGH			
4	5066 520AA	1		13, 53	EGA,			LINE, Auxiliary A/C Suction
					EGH			
-5	4882 136	2		13, 53	EGA,			O RING, A/C Line
_	E000 E011	0		40 50	EGH			TUDE Uses
6	5066 524AA	2		13, 53	EGA,			TUBE, Heater
7	5066 527AA	2		12 52	EGH			HOSE Hooter Front
7	5000 527AA	2		13, 53	EGA, EGH			HOSE, Heater, Front
8	5066 525AA	2		13, 53	EGA,			HOSE, Heater, Rear
0	3000 323AA	۷		13, 33	EGH,			TIOSE, Fleater, Real
9	5066 526AB	1		13, 53	EGA,			BRACKET, Aux A/C And Heater Li
ŭ	0000 020. 12	•		. 0, 00	EGH			
10	4856 780AB	1		13, 53	EGA,			BRACKET, Aux A/C And Heater Li
					EGH			
11	5066 521AA	1		13, 53	EGA,			BRACKET, Aux A/C And Heater Li
					EGH			
12	5005 394AE	1		13, 53	EGA,			TUBE & HOSE, Supply & Return v
					EGH			Aux. Heater
13	5005 391AA	1		13, 53	EGA,			HOSE, Heater Supply w/Aux. Heat
					EGH			
20005 2	HDV6LED MANY	N (DC)						
OODGE - C SERIES	HRYSLER MINIVA LINE	N (RS) ——	BODY	ENG	INE		TRAN	SMISSION
H = Sport	C = Chrys		52 = 113 WB	EDZ, ED	00 = 2.4L 4 Cy		GL = 4 s	pd. Auto. (41TE)
L = LX, SE P = LXI, ES	D = Dodg Y = Chrys		53 = 119 WB		3.3L 6 Cyl. 30 = 3.8L 6 C		GU = All	Automatic Transm
S = Limited					3.3L 6 Cyl. FF			
M = EL								



Controls, A/C and Heater Figure 024-310

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: \$	Sales Codes:								
[HAD] =	AIR CONDITION	NING -	· DUAL ZO	NE TEMP	CNTRL				
[HAG] =	AIR CONDITION	NING -	- W/3 ZON	E TEMP C	ONTROL				
[HAH] =	ATC-w/3 Zone 7	Tempe	rature Con	trol					
1									CONTROL, A/C And Heater
	5127 376AA	1	D, K		53				[HAH]
		1	C, Y		53				[HAH]
	5134 625AA	1	K, Y						[HAA] With Rear Defroster
		1	C, Y		53				[HAA] With Rear Defroster
	5134 624AA	1							[HAA]
	5134 626AA	1	D, K, Y		52, 53				[HAD]
	5134 627AA	1			13, 53				[HAG]
2									KNOB, A/C And Heater Control -
									Rotary
	5019 526AA	3			13, 53				[HAG,HAD],[HAA] With Rear
									Defroster
	5019 594AA	1	D, K		53				[HAH], Center
		1	C, Y		53				[HAH], Center
	5019 527AA	2	D, K		53				[HAH]
		2	C, Y		53				[HAH]
-3									KNOB, A/C And Heater Control -
									Slide
	5019 525AA-	1	D, K, Y		52, 53				[HAD,HAG], Driver
	5019 587AA-	1	D, K, Y		52, 53				[HAD,HAG], Passenger
-4	4685 797AA-	1							SWITCH, Rear Blower, Rear
									Headliner without ATC, Rear
									Headliner
-5	5005 009AD-	1			13, 53				CONTROL, A/C And Heater, Rear
									Headliner
-6	5028 053AA-	1			13, 53				RETAINER, Overhead Console
-7	SU73 BD1AA-	1			13, 53				BEZEL, Heater and A/C Control,
									Rear
8	5066 124AA	1							OUTLET, Air Conditioning & Heate
-9									SCREW, Tapping
	6504 912AA-	6	D, K		53				5
			C, Y		53				

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Compressor and Mounting Brackets, All Engines Figure 024-410


(10)

(16)



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOWIDER	QII	LINE	JERIES	ВОВТ	LINGINE	INANO	I IXIIVI	DESCRIFTION
Note: Sale	s Codes								
	.4L 4 Cylinder	DOHC	16 Valve	SMPI					
	.3L V6 SMPI	200		• • • • • • • • • • • • • • • • • • • •					
	.5L High Outp	ut V6							
	.8L V6 SMPI								
	3,3L V6 SMPI								
[HAA] = A	ir Conditioning	g							
[HAD] = A	ir Conditioning	g w/Dua	al Zone Te	mperature	Control				
[HBB] = A	ir Conditioning	g Rear v	w/Heater						
1	6101 514	4				EDZ			BOLT AND WASHER, Hex Head,
									M10x1.5x35
2	5281 444	1				EDZ			BRACKET, A/C Compressor
3	6502 425	4				EDZ			SCREW AND WASHER, Hex Head,
									M8x1.25x95
4	5005 498AD	1	K, Y		12, 52	EDZ			COMPRESSOR, Air Conditioning
5	5066 229AA	1	K, Y		12, 52	EDZ			PULLEY HUB KIT, A/C Compressor
	4797 384	2	K, Y		12, 52	EDZ			NUT, Manifold Stud Mounting
-7	5066 228AA-	1	K, Y		12, 52	EDZ			CLUTCH OVERHAUL KIT, A/C
									Compressor
	5066 226AA-	1	K, Y		12, 52	EDZ			COIL, Stator, A/C Compressor Clutch
	5264 454	1	K, Y		12, 52	EDZ			SNAP RING KIT, A/C Clutch
10									COMPRESSOR, Air Conditioning
	5005 440AF	1				EGA,			
					40.50	EGH			(UDD)
	5005 441AG	1			13, 53	EGA,			[HBB]
4.4	5000 007AA					EGH			DULLEY LUD KIT. A/O. O
11	5066 227AA	1				EGA, EGH			PULLEY HUB KIT, A/C Compressor
-12	5066 225AA-	4				EGA,			CLUTCH OVERHALII KIT A/C
-12	5000 225AA-	1				EGA, EGH			CLUTCH OVERHAUL KIT, A/C Compressor
-13	4797 384	2				EGA,			NUT, Manifold Stud Mounting
-13	4797 304	2				EGH,			NOT, Marillold Stud Mounting
-14	5066 226AA-	1				EGA,			COIL, Stator, A/C Compressor Clutch
• • •	0000 220/ 0 (•				EGH			COIL, Clator, 740 Compressor Clator
-15	5264 454	1				EGA,			SNAP RING KIT, A/C Clutch
. •	0_0	·				EGH			J. H.
16	6101 623	1				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M10x1.5x105
17	6102 172AA	3				EGA,			SCREW AND WASHER, Hex Head,
						EGH			M10x1.5x50
	RYSLER MINIVA	N (RS) —						TD 411	O.W.O.C.O.V.
SERIES I = Sport	LINE C = Chrys	ler (AWD		DDY : 113 WB	ENGI EDZ. ED	INE 0 = 2.4L 4 C	cyl. D		SMISSION pd. Auto. (41TE)
= LX, SE	D = Dodge	e (AWD)	53 =	: 119 WB	EGA = 3	.3L 6 Cyl.	Ď		Automatic Transm
P = LXI, ES S = Limited	Y = Chrysl K = Dodge)			30 = 3.8L 6 C 3.3L 6 Cyl. Ff			
1 = EL	9	, -,							
X = EX									

Compressor and Mounting Brackets, All Engines Figure 024-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6101 448	2				EGA,			NUT AND WASHER, Hex Nut-Coned
						EGH			Washer, M10 x 1.5
-19									LUBRICANT, Oil, 75w90
	8230 0102	1				EGA,			
						EGH			
		1	K, Y		12, 52	EDZ			
-20	6506 151AA-	1				EGA,			STUD, Double Ended
						EGH			

(10) (16)

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Ducts and Outlets, Front Figure 024-610

ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1 1 1	ument Pa	inel					DUCT, Instrument Panel Demister, Serviced in Instrument Panel, (NO SERVICED) (Not Serviced) DUCT, Defroster, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	·r,
XDVAA ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1	ument Pa	nel					Serviced in Instrument Panel, (NO SERVICED) (Not Serviced) DUCT, Defroster, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	·r,
XDVAA ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1	ument Pa	inel					Serviced in Instrument Panel, (NO SERVICED) (Not Serviced) DUCT, Defroster, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	·r,
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1							Serviced in Instrument Panel, (NO SERVICED) (Not Serviced) DUCT, Defroster, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	·r,
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1						,	SERVICED) (Not Serviced) DUCT, Defroster, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	·r,
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1						,	DUCT, Defroster, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1						,	Instrument Panel, (NOT SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1						.,	SERVICED) (Not Serviced) GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1						.,	GRILLE, Demister, Left [D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1						.,	[D5] [J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	1 1 1 1 1 1							[J3] [P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
XDVAA ZJ8AA ZP7AA	1 1 1 1							[P7] OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
XDVAA ZJ8AA ZP7AA 24AA	1 1 1							OUTLET, Air Conditioning & Heate Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA	1							Left [D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	
ZJ8AA : ZP7AA : 24AA : 382AA : 382AA	1						ı	[D5] [J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	t
ZJ8AA : ZP7AA : 24AA : 382AA : 382AA	1							[J3] [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	t
24AA :	1						ļ	[P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	t
24AA :							l	DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	t
382AA	1							Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not	t
382AA	1							Panel, (NOT SERVICED) (Not	t
382AA	1								
382AA	1								
382AA	1							Serviced)	
								OUTLET, Air Conditioning & Heate	
							(OUTLET, A/C & Heater w/IR Senso	ıc
								and Harness	
	1	D, K		53					_
•	1	C, Y		53					
							(GRILLE, Demister, Right	
	1							[D5]	
	1								_
ZP7AA	1								
							(OUTLET, Air Conditioning & Heate	r
	1							[D5]	
	1							[J3]	_
ZP7AA	1							[P7]	
							1	·	
									1
								Panel, (NOT SERVICED) (Not	
								Serviced)	
324 (6						;	SCREW AND WASHER, Hex Head	,k
								Air Distribution Duct to Cowl top	
	ZJ8AA ZP7AA XDVAA ZJ8AA ZP7AA	ZP7AA 1 XDVAA 1 ZJ8AA 1 ZP7AA 1	ZP7AA 1 [P7] OUTLET, Air Conditioning & Heate XDVAA 1 [D5] ZJ8AA 1 [P7] DUCT, Instrument Panel Door Extension, Serviced in Instrument Panel, (NOT SERVICED) (Not Serviced) SCREW AND WASHER, Hex Head						



Ducts and Outlets, Front

	Figure 0	24-610	TOTIL								
		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-12									OUTLET, Air Conditioning & Heater, Serviced in Door Trin Panel, (NOT SERVICED) (Not Serviced)
3	8										
5											

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Ducts and Outlets, Rear Figure 024-620



		PART								
IT	ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-							_
	1	5005 197AB	1			52, 53				DUCT, Floor Distribution, Right
	2	5005 196AB	1			52, 53				DUCT, Floor Distribution, Left
	3	5005 190AC	1			52, 53				DUCT, Floor Distribution, Center
	4	5005 192AA	1			13, 53				DUCT, Aux A/C And Heater
	5	5005 193AB	1			13, 53				DUCT, Heater Distribution
	6	0153 856	2							SCREW, Tapping, .19-16x.625
	-7	SU73 BD1AA	- 1			13, 53				BEZEL, Heater and A/C Control
	-8	YW26 BD1AA	\- 4			13, 53				OUTLET, Air Conditioning & Heater,
										Overhead
	9	4885 625AA	1							COVER, Center Distribution, Lower
	10	5005 072AA-	1	K		12, 13				CAP, Floor Distribution
	11									VENT, Rear A/C Duct
		WR30 BD1AA	A- 2			13, 53				Right
		WR31 BD1AA	A- 2			13, 53				Left
	12	UN04 1D1AA	- 1			13, 53				VENT, A/C Duct Right
	13	UN05 1D1AA	- 1			13, 53				VENT, A/C Duct Left


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) BODY 52 = 113 WB 53 = 119 WB C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX

Group – 025 Emission Systems





GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
EGR System	
EGR and Related	Fig. 025-210
Vacuum Canister	
Vapor Canister	Fig. 025-310
Emission Harness	
Emission Harness	Fig. 025-410
Leak Detection Pump	Fig. 025-490

6	8 0 0000
5	4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	\searrow

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;Sale	es Codes								
[EGA] =	3.3L V6 SMPI	Engine							
[EGH] =	3.8L V6 SMPI	Engine							
1	4861 636AB	1				EGA			VALVE, EGR, Linear Solenoid
2	6504 793AA	2				EGA			SCREW, Hex Flange Head, M8x1.
'									25x28.00
3	4891 068AB	1				EGA			GASKET, EGR Valve
4	4861 611AA	1				EGA			TUBE, EGR
5									SCREW, Hex Flange Head, M8x1.
									25x25.00
	6501 648	2				EGA			
		4				EGH			
6									GASKET, EGR Valve Flange
	5277 723	1				EGA			
		2				EGH			
7									COVER, EGR Port
	4591 227	1				EGA			
		2				EGH			
8	5277 928	1				EGA			GASKET, EGR Tube Flange
9	6504 829AA	2				EGA			SCREW, Hex Flange Head

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

	NOTE; Sales Codes	
	[EDZ] = 2.4L 4 Cylinder DOHC 16V SMPI Engine	
	[EGA] = 3.3L V6 SMPI Engine	
	[EGH] = 3.8L V6 SMPI Engine	
	1 4891 624AA 1	CANISTER, Vapor
\bigcirc	2 4809 511AB 1	BRACKET, Vapor Canister
\forall	3 6506 548AA 1	SCREW AND WASHER, Hex Head,
		M6x1x35
	4 4669 177 2	GROMMET, Air Cleaner Bracket
A 7 ⁻¹	5 4809 592AA 1	HOSE, Vapor Canister
		CLAMP, Hose, Snap Type
	4885 705AA 1	[#19]
	7 (S) 4885 706AA 1	[#12]
	-7 6101 452 1	SCREW AND WASHER, Hex Head,
		M8x1.25x20
	2 9 -8 6101 467 1	NUT, Hex Flange, M8x1.25
	9 4809 591AC 1	HOSE, Vapor Canister Purge
	10 6503 543 3	BOLT AND CONED WASHER, Hex Head, M8x1.25x25
	11 4809 584AB 1 EDZ,	TUBE, Fuel Vapor, Fuel Tank to
	(3) EGA,	Vapor Canister
(2)	EGH	
(5)		
(10)		
4		
(11)		
\smile		

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD) $L = L\dot{X}, SE$

P = LXI, ES S = Limited

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

TRIM

TRANS

DESCRIPTION

M = ELX = EX

BODY 52 = 113 WB

53 = 119 WB

3	
3	
3	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes	DOLLO	40) / 0145	· - ·					
	.4L 4 Cylinder .3L V6 SMPI I		16V SMP	Engine					
	3.8L V6 SMPI 3.8L V6 SMPI								
1	OL VO OWN I	Liigiiic							HARNESS, Proportional Purge
									Solenoid
	5018 852AD	1				EDZ			
	5018 853AC	1				EGA,			
						EGH			
2	4000 555								SOLENOID, Proportional Purge
	4669 569	1				EDZ			
		1				EGA, EGH			
3						LGII			BRACKET, Proportional Purge
									Solenoid
	4861 539AA	1				EDZ			
		1				EGA,			
						EGH			
-4	1000 001								TEE, Hose, .25x.25x.25
	4306 994	1 1				EDZ EGA,			
		ı				EGA, EGH			
-5	4364 375	3				EDZ			TUBE, Convoluted

 DODGE - CHRYSLER MINIVAN (RS)

 SERIES
 LINE

 H = Sport
 C = Chrysler (AWD)

 L = LX, SE
 D = Dodge (AWD)

 P = LXI, ES
 Y = Chrysler (FWD)


 S = Limited
 K = Dodge (FWD)
 P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Leak Detection Pump Figure 025-490




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4							
	ales Codes								
_	2.4L 4 Cylinder		16V SMP	I Engine					
	3.3L V6 SMPI 3.8L V6 SMPI	_							
_	3.3L V6 SMPI	-	el Engine						
1	4809 569AB	1	ogo			EDZ,			HARNESS, NVLD to Filter
						EGA,			
						EGH			
2	4809 567AA	1				EDZ,			HARNESS, NVLD to Canister
						EGA, EGH			
3	4891 427AB	1				EDZ,			DETECTOR, Natural Vacuum Leak
Ü	1001 127713	•				EGA,			Detection
						EGH			
4	4809 566AA	1				EDZ,			BRACKET, Natural Vacuum Leak
						EGA,			Detection
						EGH			
5	4861 425AB	1				ED7			BRACKET & FILTER, LDP Base
6	6101 718	2				EDZ, EGA,			SCREW AND WASHER, Oval Hea M6x1x25
						EGA, EGH			IVIOX TX25
7	4861 553AC	1				2011			PIN, Push
8	5020 392AB	1							SLEEVE, Vacuum Pump Hose
ODGE - CH SERIES = Sport = LX, SE = LXI, ES = Limited I = EL = EX	HRYSLER MINIVAL LINE C = Chrysl D = Dodge Y = Chrysl K = Dodge	ler (AWD e (AWD) er (FWD) 52 = 53 =	DDY : 113 WB : 119 WB	EGA = 3 EGH, EG	NE 0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. Ff	D Cyl.	GL = 4 sp	SMISSION od. Auto. (41TE) Automatic Transm

Group – DRS

Doors and Related Parts






GROUP DRS - Doors and Related Parts

Illustration Title	Group-Fig. No
Front Door	
Door, Front Shell, Hinges and Handles	Fig. DRS-180
Door, Front Glass, Regulators and Speakers	Fig. DRS-190
Door, Sliding Cargo	= =====================================
Door, Glass and Hardware	Fig. DRS-310
Exterior Mirror	
Mirrors, Exterior	Fig. DRS-510
Weatherstrips and Seals	
Weatherstrips	Fig. DRS-610

Door, Front Shell, Hinges and Handles Figure DRS-180



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4717 716AE	1			52, 53				Right
	4717 717AE	1			52, 53				Left
-2									WATERSHIELD, Front Door
	4717 924AD-	1							Right
	4717 925AD-	1							Left
3									PANEL, Front Door Outer Repair
	4717 804AB	1							Right
	4717 805AB	1							Left
4									HANDLE, Door Interior
	4894 118AA	1							[CBL,CBZ], Right
	4894 119AA	1							[CBL,CBZ], Left
	RT76 BD5AA	1							[D5], Right
	RT77 BD5AA	1							[D5], Left
	RT76 ZJ3AA	1							[J3], Right
	RT77 ZJ3AA	1							[J3], Left
5									BEZEL, Front Door Trim Panel,
									Serviced With Door Trim Panel,
									(NOT SERVICED) (Not Serviced)
-6									BEZEL, Power Window Switch
	SA76 BD5AB-	1		H, P, X	52, 53				[JPD][D5], Right
	SA75 BD5AB-	1		H, P, X	52, 53				[JPD][D5], Left
	SA76 ZJ3AB-	1		H, P, X	52, 53				[JPD][J3], Right
	SA75 ZJ3AB-	1		H, P, X	52, 53				[JPD][J3], Left
	TQ11 AAAAB-	· 1	C, Y	S	53				[JPD][D5], Right
	SA80 AAAAB-	1	C, Y	S	53				[JPD][D5], Left
	TQ70 BD5AA-	1							[JPA,JPB][D5], Right
	TQ71 BD5AA-	1							[JPA,JPB][D5], Left
	TQ70 ZJ3AA-	1							[JPA,JPB][J3], Right
	TQ71 ZJ3AA-	1							[JPA,JPB][J3], Left
7									HANDLE, Front Door Exterior
	4717 512AC	1							[MNA] Black Textured without
									Keyless Entry, Right
	4894 514AA	1							[MNA] Black Textured with Keyless
									Entry, Right
	4717 513AC	1							[MNA] Black Textured, Left
	RP70 ABEAC	1							[BE], Right
	RP71 ABEAC	1							[BE], Left
	RP70 AP4AC	1							[P4], Right
	RP71 AP4AC	1							[P4], Left
	RP70 AXRAC	1							[XR], Right

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = FI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Door, Front Shell, Hinges and Handles Figure DRS-180



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
	RP71 AXRAC	1							[XR], Left
	RP70 BB8AC	1							[B8], Right
	RP71 BB8AC	1							[B8], Left
	RP70 BR8AC	1							[R8], Right
	RP71 BR8AC	1							[R8], Left
	RP70 SW1AC								[W1], Right
	RP71 SW1AC								[W1], Kight [W1], Left
	RP70 WELAC								[EL], Right
	RP70 WELAC								
	RP70 WS2AC								[EL], Left
									[S2], Right
	RP71 WS2AC								[S2], Left
	RP70 YJRAC	1							[JR], Right
	RP71 YJRAC	1							[JR], Left
	RP70 ZKJAC	1							[KJ], Right
	RP71 ZKJAC	1							[KJ], Left
	WZ28 ABEAA								[BE], Keyless Entry, Right
	WZ28 AP4AA								[P4], Keyless Entry, Right
	WZ28 AXRAA								[XR], Keyless Entry, Right
	WZ28 BB8AA	1							[B8], Keyless Entry, Right
	WZ28 BR8AA								[R8], Keyless Entry, Right
	WZ28 SW1AA								[W1], Keyless Entry, Right
	WZ28 WELAA								[EL], Keyless Entry, Right
	WZ28 WS2AA								[S2], Keyless Entry, Right
	WZ28 YJRAA								[JR], Keyless Entry, Right
	WZ28 ZDRAA								[DR], Keyless Entry, Right
	WZ28 ZKJAA	1							[KJ], Keyless Entry, Right
8									LINK, Exterior Door Handle
	4717 796AA	1							Right
	4717 797AA	1							Left
-9	SE87 XXXAA-	· 1							BEZEL, Lock Knob
-10									CLIP, Outside Door Handle
	4717 164	1							Right
	4717 165	1							Left
11									LINK, Key Cylinder To Latch
	4717 798AA	1							Right
	4717 799AA	1							Left
12									KNOB, Door Lock
	4894 120AB	1							Right
	4894 121AB	1							Left
13									LINK, Remote Handle to Latch
	4717 790AB	1							Right

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



Door, Front Shell, Hinges and Handles Figure DRS-180



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4717 791AB	1							Left
14									HINGE, Front Door, Upper
	5069 062AA	1							Right
	5069 063AA	1							Left
-15	6503 991	8							SCREW AND WASHER, Hex Head
16	4717 388	AR							PIN, Door Hinge, Not Re-useable
17									HINGE, Front Door, Lower
	4717 210	1							Right
	4717 211	1							Left
-18									BRACKET, Body Side Aperture
	4868 256AE-	1							Door Hinge Connector, Right
	4868 257AE-	1							Door Hinge Connector, Left
-19	4717 331	AR							SHIM, Door Hinge, Door Half, Lower
20									LATCH, Front Door
	4717 800AC	1							without Power Locks, Right
	4717 801AC	1							without Power Locks, Left
	4717 802AC	1							Right,Power Door Locks
	4717 803AC	1							Left,Power Door Locks
	4894 516AA	1							Keyless Entry, Right
21									CLIP, Latch Link
	4658 674	1							Red, Right
	4658 675	1							Green, Left
	4658 676	1							Power Door Locks, Right
	4658 677	1							Power Door Locks, Left
22	6507 121AA	6							SCREW, Latch, Latch
23	4717 779AB	2							STRIKER AND BUMPER, Door
									Latch
24	4520 289	AR							SPACER, Door Latch Striker
-25	4674 669	AR							PLATE, Striker
26	6507 633AA	4							SCREW, Oval Head, M8x1.25x39.5
27	6100 048	4							NUT, Hex, M6x1.00
28	6504 041	4							SCREW AND WASHER, Hex Head,
									M6x1x30
29									CHECK, Front Door
	4717 228AB	1							Right
	4717 229AB	1							Left
-30									CLIP
	6506 804AA-	1							Latch to Lock Rod, Right
	6506 807AA-	1							Latch to Lock Rod, Left
31	6035 926AA	4							NUT, .312 Diameter

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Door, Front Glass, Regulators and Speakers Figure DRS-190



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
	4 Speaker								
_	6 Speaker								
	Infinity Speake	r,							
	onents Availat		Regulator .	Assembly's	;				
1									GLASS, Front Door
	4894 586AA	1							Tinted, Right
	4894 587AA	1							Tinted, Left
	4894 658AA	1							Sunscreen, Right
	4894 659AA	1							Sunscreen, Left
2									REGULATOR, Front Door Window
	4894 526AA	1							With [JPA,JPD], Right
	4894 527AA	1							With [JPA,JPD], Left
	4894 528AA	1							Without [JPA,JPD], Right
	4894 529AA	1							Without [JPA,JPD], Left
-3	4725 647AA-	1							STABILIZER, Door Glass
4	4796 314	3							NUT, Well, Power Regulator
5	4796 315AB	3							SCREW, Power Regulator
6	4685 855AF	2							SPEAKER, Front Door, [RCE]
7	5082 450AB	2							SPEAKER, 6"X9"
8									SCREW, .164-18x.75, (NOT
0									SERVICED) (Not Serviced)
9	GY80 BD5	2							SPACER, Window Regulator
	GY80 ZJ3	2							[D5] [J3]
10	G 180 233								HANDLE, Window Regulator
10	FW80 BD5	2							[D5]
	FW80 ZJ3	2							[J3]
11	6503 526	2							SCREW, Truss Head, M6x1x15
	0000 020								CONEW, Trass Fload, MOXTXTO


DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'			•				•	
1									DOOR, Sliding
	4717 632AL	1							Right
	4717 633AL	1							Left
2									PANEL, Sliding Door
	4717 642AC	1							Right
	4717 643AC	1							Left
3									LATCH, Sliding Door Hold Open
	4894 026AA	1							Power Doors, Right
	4894 027AA	1							Power Doors, Left
	4675 846AC	1							Right
	4675 847AC	1							Left
4									HINGE, Sliding Door Body Side,
									Lower
	4717 578AE	1							Power Doors, Right
	4717 579AE	1							Power Doors, Left
	4717 752AB	1							Right
	4717 753AB	1							Left
5	6500 274	2							LOCK NUT, M6x1.0x6
6									CABLE, Sliding Door Release, Hol
									Open
	4717 944AB	1							
	4717 956AA	1							Power
7									CABLE, Sliding Door Latch, Outsic
									Handle
	4717 666AD	1							Right
	4717 667AD	1							Left
8									CABLE, Inside Handle
	4894 148AC	1		L					Right
	4894 149AB	1		L					Left
-9	4894 509AA-	3							CLIP, Cable Routing
10									BRACKET, Door Pull Handle
	4894 136AA	1							Right
	4894 137AA	1							Left
11									NUT, (NOT SERVICED) (Not
									Serviced)
12	6035 401	2							NUT, Snap In, .164-18
13	6102 179AA	2							SCREW
14									COVER, Sliding Door Hinge
	4894 090AA	1							Right
	4894 091AA	1							Left


DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



	PART	071		050150	DODY.				DEGODINE IOU
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4717 974AH	1							MOTOR, Sliding Door, Right And
									Left
16	4894 146AA	1							CABLE, Drive, Right And Left
-17	6101 682	1							BOLT AND CONED WASHER, Hex
									Head, M6x1.0x20, Motor attaching
-18	4796 314	3							NUT, Well, Motor attaching
19									LATCH, Sliding Door
	5019 050AC	1		E, L	52, 53				Manual Doors - Manual Locks,
									Right
	5019 051AC	1		E, L	52, 53				Manual Doors - Manual Locks, Let
	5019 050AC	1		L					Manual Doors - Manual Locks,
									Right
	5019 051AC	1		L					Manual Doors - Manual Locks, Lef
	5019 052AC	1							Manual Doors - Power Locks, Righ
	5019 053AC	1							Manual Doors - Power Locks, Left
	5093 404AA	1							Power Doors - Power Locks, Right
	5093 405AA	1							Power Doors - Power Locks, Left
-20									ACTUATOR, Power Door Lock
	4717 960AA-	1							Right
	4717 961AA-	1							Left
-21	4717 962AC-	1							ACTUATOR, Power Cinch
22	6504 212	3							SCREW, Large Round Washer Head
									Lock, M6x1.00x20.00
23									HANDLE, Sliding Door Assist
	RT36 1D5AE	1							[D5], Right
	RT37 1D5AE	1							[D5], Left
	RT36 1J3AE	1							[J3], Right
	RT37 1J3AE	1							[J3], Left
	RT36 1P7AE	1							[P7], Right
	RT37 1P7AE	1							[P7], Left
24									SCREW, [.164-18X.750], (NOT
									SERVICED) (Not Serviced)
25	6505 480AA	2							SCREW, round head, m6x1x23.30
26	4717 871AB	1							HINGE, Sliding Door
27	4675 654	1							BUMPER, Sliding Door Hinge
28	6503 526	2							SCREW, Truss Head, M6x1x15
29	5020 410AA	1							BUMPER, Sliding Door
-30	4894 098AB-	1							BUMPER, Sliding Door, Overslam
31	4675 516	2							STABILIZER, Sliding Door
-32	5017 430AA-	2							TAPE, Anti-Rattle

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



	PART	ľ							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
33									SCREW AND WASHER, M6X1.
									0X23.3, (NOT SERVICED) (Not
									Serviced)
34	6503 448	2							SCREW, Round Head, M8x1.25x
35									LEVER, Sliding Door
	4717 942AC	1							Right
	4717 943AC	1							Left
36	6505 480AA	2							SCREW, round head, m6x1x23.3
37									STRIKER, Sliding Door
	4894 506AA	1							Right
	4894 507AA	1							Left
38	5020 464AA	2			13, 53				BRACKET, Grab Handle
39									HINGE, Sliding Door Body Side
	4894 036AC	1							Right
	4894 037AC	1							Left
40									GLASS, Sliding Door
	5018 146AA	1							Tinted, up to 12/03/2003, Right
	5018 147AA	1							Tinted, up to 12/03/2003, Left
	5018 148AA	1							Sunscreen, up to 12/03/2003, R
	5018 149AA	1							Sunscreen, up to 12/03/2003, L
	4717 532AB	1							Tinted, after 12/03/2003, Right
	4717 533AB	1							Tinted, after 12/03/2003, Left
	4894 590AB	1							Sunscreen, after 12/03/2003, R
	4894 591AB	1							Sunscreen, after 12/03/2003, Le
-41	6506 601AA-	20							NUT AND WASHER, Glass
-42									PANEL, Sliding Door Window Plu
•	XU86 1B8AB-	1							[B8], Right
	XU87 1B8AB-								[B8], Left
	XU86 1ELAB-								[EL], Right
	XU87 1ELAB-								[EL], Night
	XU86 1S2AB-								[S2], Right
	XU87 1S2AB-								[S2], Kight
	XU86 1W1AB-								[W1], Right
	XU87 1W1AB-								
40									[W1], Left
-43	4717 376	1							SEAL, Catch
44									HANDLE, Sliding Door Exterior, V
	4004 5404 D								Gasket
	4894 510AB	1	D, K	L					Right
	4894 511AB	1	D, K	L 					Left
	4894 510AB	1	D, K	Н					Right

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4894 511AB	1	D, K	Н					Left
	RP90 ABEAE		,	Р	52, 53				[BE], Right
		1		S	52, 53				[BE], Right
		1	Υ	L	52				[BE], Right
		1	C, Y	Н	52, 53				[BE], Right
	RP90 AP4AE	1		Р	52, 53				[P4], Right
		1		S	52, 53				[P4], Right
		1	Υ	L	52				[P4], Right
		1	C, Y	Н	52, 53				[P4], Right
	RP90 AXRAE	1		Р	52, 53				[XR], Right
		1		S	52, 53				[XR], Right
		1		Χ	52, 53				[XR], Right
		1		М	52, 53				[XR], Right
		1	C, Y	Н	52, 53				[XR], Right
	RP90 BB8AE	1		Р	52, 53				[B8], Right
		1		S	52, 53				[B8], Right
		1		X	52, 53				[B8], Right
		1		M	52, 53				[B8], Right
		1	Υ	L	52				[B8], Right
		1	C, Y	Н	52, 53				[B8], Right
	RP90 BR8AE	1		Р	52, 53				[R8], Right
		1		S	52, 53				[R8], Right
		1	Υ	L	52				[R8], Right
		1	C, Y	H	52, 53				[R8], Right
	RP90 SW1AE			P	52, 53				[W1], Right
		1		S	52, 53				[W1], Right
		1		Х	52, 53				[W1], Right
		1		M	52, 53				[W1], Right
		1	Y	L	52				[W1], Right
		1	C, Y	H	52, 53				[W1], Right
	RP90 WELAE			Р	52, 53				[EL], Right
		1 1		S X	52, 53				[EL], Right
		1		M	52, 53 52, 53				[EL], Right
		1	C, Y	H	52, 53 52, 53				[EL], Right [EL], Right
	RP90 WS2AE		O, 1	п Р	52, 53 52, 53				[S2], Right
	IN 30 WOZAE	1		S	52, 53 52, 53				[S2], Right
		1		X	52, 53				[S2], Right
		1		M	52, 53 52, 53				[S2], Right
		1	Υ	L	52				[S2], Right
		ı	•	_	02				[52], (18)

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
		1	C, Y	Н	52, 53				[S2], Right
	RP90 YJRAE		<u> </u>	P	52, 53				[JR], Right
	00 .0	1		S	52, 53				[JR], Right
		1		X	52, 53				[JR], Right
		1		M	52, 53				[JR], Right
		1	Υ	L	52				[JR], Right
		1	C, Y	Н	52, 53				[JR], Right
	RP90 ZKJAE	1	,	Р	52, 53				[KJ], Right
	RP90 ZDRAE				,				[DR], Right
	RP90 ZKJAE	1	C, Y	Н	52, 53				[KJ], Right
		1		Χ	52, 53				[KJ], Right
	RP91 ABEAE	1		Р	52, 53				[BE], Left
		1		S	52, 53				[BE], Left
		1	Υ	L	52				[BE], Left
		1	C, Y	Н	52, 53				[BE], Left
	RP91 AP4AE	1		Р	52, 53				[P4], Left
		1		S	52, 53				[P4], Left
		1	Υ	L	52				[P4], Left
		1	C, Y	Н	52, 53				[P4], Left
	RP91 AXRAE	1		Р	52, 53				[XR], Left
		1		S	52, 53				[XR], Left
		1		Χ	52, 53				[XR], Left
		1		M	52, 53				[XR], Left
		1	C, Y	Н	52, 53				[XR], Left
	RP91 BB8AE	1		P	52, 53				[B8], Left
		1		S	52, 53				[B8], Left
		1		X	52, 53				[B8], Left
		1		М	52, 53				[B8], Left
		1	Y	<u>L</u>	52				[B8], Left
	DD04 BD04 =	1	C, Y	Н	52, 53				[B8], Left
	RP91 BR8AE			P	52, 53				[R8], Left
		1		S	52, 53				[R8], Left
		1	Y	L	52				[R8], Left
	DD04 C\44 4 5	1	C, Y	H	52, 53				[R8], Left
	RP91 SW1AE	1		P	52, 53				[W1], Left
		1		S	52, 53				[W1], Left
		<u>1</u> 1		X M	52, 53 52, 53				[W1], Left [W1], Left
		1	Y	L IVI	52, 53 52				[W1], Left
		1	C, Y	Н	52, 53				[W1], Left
		'	O, 1	11	JZ, JJ				[v v i], LGit

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$


P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RP91 WELAE	1		Р	52, 53				[EL], Left
		1		S	52, 53				[EL], Left
		1		X	52, 53				[EL], Left
		1		М	52, 53				[EL], Left
		1	C, Y	Н	52, 53				[EL], Left
	RP91 WS2AE	1		Р	52, 53				[S2], Left
		1		S	52, 53				[S2], Left
		1		X	52, 53				[S2], Left
		1		М	52, 53				[S2], Left
		1	Υ	L	52				[S2], Left
		1	C, Y	Н	52, 53				[S2], Left
	RP91 YJRAE	1		Р	52, 53				[JR], Left
		1		S	52, 53				[JR], Left
		1		X	52, 53				[JR], Left
		1		M	52, 53				[JR], Left
		1	Υ	L	52				[JR], Left
		1	C, Y	Н	52, 53				[JR], Left
	RP91 ZKJAE	1		Р	52, 53				[KJ], Left
		1	C, Y	Н	52, 53				[KJ], Left
		1		Χ	52, 53				[KJ], Left
	RP91 ZDRAE	1							[DR], Left
45	4717 799AA	1							LINK, Key Cylinder To Latch, Left
46	4894 122AB	2							KNOB AND LINK, Door Lock
47									LINK, Door Latch Bellcrank To Latch,
									With Sleeve
	4894 478AB	1							Right
	4894 479AB	1							Left
48									NUT AND WASHER, M6X1.00,
									(NOT SERVICED) (Not Serviced)
49	4675 987AB	1							STRIKER, Sliding Door Stop
-50		_							LINK, Fuel Door to Sliding Door
	4717 672AD-	1			13, 53				
	4717 982AD-	1	K, Y		12, 52				
-51	4894 097AB-	1							LABEL, Child Protection Lock
-52	4894 524AA-	1							STOP, Fuel Filler Door To Sliding
50									Door Lockout
-53									WATERDAM, Sliding Door
	4717 700AE-	1							Right
	4717 701AE-	1							Left

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited


M = ELX = EX BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	les Codes:								
[GTL] = F	POWER HEAT	ED W/N	MEMORY						
	POWER HEAT								
	PWR,HTD,FOL	_DING,[DRVR MEN	MORY					
	FOLD-AWAY								
1									MIRROR, Outside, Rearview,
	4004 40440	4							Electric, Heated
	4894 404AC 4894 403AB	1							[GTS,GUA], Right
	4894 405AC	1 1							[GTS] with auto-dim, Left [GTS] without auto-dim, Left
	4894 401AB	1							[GUA], Left
-2	4094 401AD	'							GLASS, Mirror Replacement
-2	4798 904AB-	1							[GTS,GUA], Right
	5011 060AA-	1							[GUA],[GTS] With auto-dim, Left
	4798 905AB-	1							[GTS] without auto-dim, Left
3	., 00 000, 15	•							MIRROR, Outside Rearview
· ·	4894 410AC	1							[GUM], Right
	4894 411AC	1							[GUM], Left
-4									GLASS, Mirror Replacement
	4798 902AB-	1							[GUM], Right
	4798 903AB-	1							[GUM], Left
5									MIRROR, Outside, Rearview,
									Electric, Foldaway
	4857 876AC	1							[GTN], Right
	4857 877AC	1							[GTN], Left
-6									GLASS, Mirror Replacement
	4798 902AB-	1							[GTN], Right
	4798 903AB-	1							[GTN], Left
7									COVER, Mirror
	4717 556AA	1							Right
	4717 557AA	1							Left
8	6507 316AA	6							SCREW AND WASHER
OODGE - CH SERIES	IRYSLER MINIVA LINE	N (RS) —	R	DDY	ENG	INF		TRAN	SMISSION
H = Sport $L = LX, SE$ $P = LXI, ES$ $S = Limited$ $M = EL$	C = Chrys D = Dodge Y = Chrys K = Dodge	e (AWD) ler (FWD	52 = 53 =	: 113 WB : 119 WB	EDZ, ED EGA = 3 EGH, EG	0 = 2.4L 4 C .3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	Di Cyl.	GL = 4 si	pd. Auto. (41TE) Automatic Transm
X = EX									

Weatherstrips Figure DRS-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Sliding Doo
									Secondary
	4894 574AA	1		H, M, P,					Right
				S, X					
	4894 573AA	1		H, M, P,					Left
•	4747 75040	•		S, X					WEATHEROTOIR E R
2	4717 750AC	2							WEATHERSTRIP, Front Door
2									Inner
3									WEATHERSTRIP, Front Door Outer
	4717 832AE	1							Right
	4717 833AE	1							Left
4	4717 000AL	'							WEATHERSTRIP, Front Door,
									Mounted
	4717 720AA	1							Right
	4717 721AA	1							Left
5	4717 728AC	2							WEATHERSTRIP, Front Door,
									Mounted
6	4894 641AA	2			52, 53				WEATHERSTRIP, Sliding Doo
									Pillar
7									WEATHERSTRIP, Sliding Doo
	5020 550AD	1							Right
	5020 551AD	1							Left
8									WEATHERSTRIP, Sliding Doo
									Secondary, Upper
	4717 630AG	1							Right
	4717 631AG	1							Left
9									RUN, Front Door Glass
	4894 124AE	1							Right
	4894 125AE	1							Left
10	6503 526	AR							SCREW, Truss Head, M6x1x1


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Group – ERS

Exterior Ornamentation







GROUP ERS - Exterior Ornamentation

Illustration Title	Group-Fig. No
Nameplates	F:~ FDC 440
Nameplates Moldings and Ornamentation	Fig. ERS-110
Molanigs and Ornanientation	
Moldings, Dodge	Fig. ERS-210
Moldings, Chrysler	Fig. ERS-220

Nameplates Figure ERS-110





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Nomber	α	LINE	OLIVIES	1 5051	LIVOINE	IIIAIIO	1111111	DEGGKII NON
1									PLINTH, Winged Medallion
	4857 406AA	1	Υ	Н	52				1 Liverit, winged wedamen
		1	Υ	L	52				
		1	C, Y	S	53				
		1	C, Y	Н	53				
		1	C, Y	P, X	53				
2	4857 589AB	1							NAMEPLATE, Liftgate, Town and
									Country
3	4857 872AB	1							NAMEPLATE, Ex
-4	4857 874AB-	1							NAMEPLATE, EL
5	4805 553AC	1							NAMEPLATE, LX
6	4805 554AB	1							NAMEPLATE, LXI
7	4857 563AB	1							NAMEPLATE, LIMITED
8	4857 723AA	1							NAMEPLATE, All Wheel Drive
9	4857 561AB	1							NAMEPLATE, Voyager
10									MEDALLION, Grille
	4725 546AA	1	K	L	12, 52				
		1	K	Χ	53				
		1	D, K	Н	52, 53				
		1	K	L	13, 52,				
	4057.5044.5				53				NAMEDI ATE OTTO
11	4857 564AB	1							NAMEPLATE, Caravan
12 13	4805 292AC 4805 648AB	1 1							NAMEPLATE, Dodge NAMEPLATE, SE
14	4805 183AB	1							NAMEPLATE, SE
15	4857 565AB	<u>'</u> 1							NAMEPLATE, Grand Caravan
16	5303 638AA	1							NAMEPLATE, Deck Lid, Chrysler
-17	5113 086AA-	1							NAMEPLATE, Liftgate, Dodge SX
• •	0110 000, 11	•							Package
-18	4857 932AA-	1							NAMEPLATE, C/V, Liftgate
-19	HJ92 MGY	2							DECAL, Flex Fuel
-20									NAMEPLATE
	5113 020AA-	2							Anniversary Edition, Fender
	5113 096AA-	1							CHRYSLER TOWN & COUNTR
									TOURING PACKAGE
	5113 021AA-	2							Platinum Series
	4857 566AA-	1							NAMEPLATE, Sport, [MVJ]

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

C = Chrysler (AWD) H = Sport $L = L\dot{X}, SE$ D = Dodge (AWD)P = LXI, ES

Y = Chrysler (FWD) K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

M = ELX = EX

S = Limited

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
-	rder Code Col								
-	rder Code Col								
	rder Code Col	or Indica	ators						
1	DO 44 ABY/AA								MOLDING, Front Door
	RQ44 ABVAA								[K2H], Right
	RQ45 ABVAA								[K2H], Left
	RQ44 AJ6AA	1							[K2L], Right
	RQ45 AJ6AA	1							[K2L], Left
	RQ44 ARXAA								[K2X], Right
	RQ45 ARXAA RQ44 ZSPAA								[K2X], Left [K2A,K2P], Right
	RQ45 ZSPAA								[K2A,K2P], Kigitt [K2A,K2P], Left
	WV92 ABEAE								[K4G], Right
	WV92 ABEAE								[K4G], Kight [K4G], Left
	WV92 AP4AB								[K4J], Right
	WV93 AP4AB								[K4J], Left
	WV92 AXRAE								[K4X], Right
	WV93 AXRAE								[K4X], Left
	WV92 BB8AB								[K4C], Right
	WV93 BB8AB								[K4C], Left
	WV92 BR8AE	3 1							[K4E], Right
	WV93 BR8AE	3 1							[K4E], Left
	WV92 SW1AE	3 1							[K4W], Right
	WV93 SW1AE	3 1							[K4W], Left
	WV92 WELAE	3 1							[K4M], Right
	WV93 WELAE	3 1							[K4M], Left
	WV92 WS2AE	3 1							[K4S], Right
	WV93 WS2AE								[K4S], Left
	WV92 YJRAB								[K4K], Right
	WV93 YJRAB								[K4K], Left
	WV92 ZKJAB								[K4P], Right
	WV93 ZKJAB								[K4P], Left
	WV96 ABEAE								[K5G], Right
	WV97 ABEAE								[K5G], Left
	WV96 AP4AB								[K5J], Right
	WV97 AP4AB WV96 AXRAE								[K5J], Left
	WV96 AXRAE								[K5X], Right [K5X], Left
	WV97 AARAE								[K5C], Right
	WV97 BB8AB								[K5C], Kight [K5C], Left
									[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,



H = Sport L = LX, SE P = LXI, ES S = Limited M = EL C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV 52 = 113 WB 53 = 119 WB DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WV96 BR8AE	3 1							[K5E], Right
	WV97 BR8AE								[K5E], Left
	WV96 SW1AE								[K5W], Right
	WV97 SW1AE								[K5W], Left
	WV96 WELA								[K5M], Right
	WV97 WELAE								[K5M], Left
	WV96 WS2AE								[K5S], Right
	WV97 WS2AE								[K5S], Left
	WV96 YJRAB								[K5K], Right
	WV97 YJRAB	3 1							[K5K], Left
	WV96 ZKJAB	1							[K5P], Right
	WV97 ZKJAB	1							[K5P], Left
2									MOLDING, Sliding Door
	SU98 ABVAA	. 1							[K2H], Right
	SU99 ABVAA	. 1							[K2H], Left
	SU98 AJ6AA	1							[K2L], Right
	SU99 AJ6AA	1							[K2L], Left
	SU98 ARXAA	. 1							[K2X], Right
	SU99 ARXAA	. 1							[K2X], Left
	SU98 ZSPAA	. 1							[K2A,K2P], Right
	SU99 ZSPAA	. 1							[K2A,K2P], Left
	WV98 ABEAA	1							[K5G], Right
	WV99 ABEAA	1							[K5G], Left
	WV98 AP4AA								[K5J], Right
	WV99 AP4AA								[K5J], Left
	WV98 AXRAA								[K5X], Right
	WV99 AXRAA								[K5X], Left
	WV98 BB8AA								[K5C], Right
	WV99 BB8AA								[K5C], Left
	WV98 BR8AA								[K5E], Right
	WV99 BR8AA								[K5E], Left
	WV98 SW1A								[K5W], Right
	WV99 SW1AA								[K5W], Left
	WV98 WELAA								[K5M], Right
	WV99 WELAA								[K5M], Left
	WV98 WS2A								[K5S], Right
	WV99 WS2AA WV98 YJRAA								[K5S], Left
	WV98 YJRAA WV99 YJRAA								[K5K], Right
	WV99 YJRAA WV98 ZKJAA								[K5K], Left [K5P], Right
	WV99 ZKJAA								
	VV V 33 ZNJAA	. 1							[K5P], Left


X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm






	PART		1						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	140.40.4 ADEAA								11(4O1 D: 14
	WV94 ABEAA								[K4G], Right
	WV95 ABEAA								[K4G], Left
	WV94 AP4AA								[K4J], Right
	WV95 AP4AA								[K4J], Left
	WV94 AXRAA								[K4X], Right
	WV95 AXRAA								[K4X], Left
	WV94 BB8AA								[K4C], Right
	WV95 BB8AA								[K4C], Left
	WV94 BR8AA	1							[K4E], Right
	WV95 BR8AA	1							[K4E], Left
	WV94 SW1AA	1							[K4W], Right
	WV95 SW1AA	1							[K4W], Left
	WV94 WELAA	1							[K4M], Right
	WV95 WELAA	١ 1							[K4M], Left
	WV94 WS2AA	١ 1							[K4S], Right
	WV95 WS2AA	1							[K4S], Left
	WV94 YJRAA	1							[K4K], Right
	WV95 YJRAA	1							[K4K], Left
	WV94 ZKJAA	1							[K4P], Right
	WV95 ZKJAA	1							[K4P], Left
-3	6503 174	2							CLIP, Molding, M8.3x15.20x0.50
4		-							MOLDING, Roof
	4860 672AC	1			13, 53				Right
	4860 673AC	1			13, 53				Left
	4860 838AC	1	K, Y		12, 52				Right
	4860 839AC	1	, К, Y		12, 52				Left
5	4716 936	1	,		,				MOLDING, Windshield
6									MOLDING, Sliding Door, Upper
Ü	RT30 BD5AB	1							[D5], Right
	RT31 BD5AB	1							[D5], Left
	RT30 ZJ3AB	1							[J3], Right
	RT31 ZJ3AB	1							[J3], Left
7	KTOT ZOOAD	'							MOLDING, Door Window Openin
<u> </u>									Pillar
	4717 770AB	1							Right
	4717 770AB 4717 771AB	1							Left
0	4717 771AB 4717 129	1							
-8		6							CLIP, B-Pillar Applique, .53 Diam
9	4857 777AA	2							TAPE, C Pillar
10	5000 45545								SPAT, Front Fender
	RQ66 ABEAD								[BE,MRH], Right
	RQ67 ABEAD	1							[BE,MRH], Left

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	RQ66 AP4AD) 1							[P4,MRH], Right
-	RQ67 AP4AD								[P4,MRH], Left
	RQ66 AXRAE								[XR,MRH], Right
	RQ67 AXRAD								[XR,MRH], Left
	RQ66 BB8AD								[B8,MRH], Right
	RQ67 BB8AD								[B8,MRH], Left
	RQ66 BR8AD								[R8,MRH], Right
	RQ67 BR8AD								[R8,MRH], Left
	RQ66 SW1AD	O 1							[W1,MRH], Right
	RQ67 SW1AD	D 1							[W1,MRH], Left
	RQ66 WELAD	0 1							[EL,MRH], Right
	RQ67 WELAD	O 1							[EL,MRH], Left
	RQ66 WS2A) 1							[S2,MRH], Right
	RQ67 WS2AI) 1							[S2,MRH], Left
	RQ66 YJRAD	1							[JR,MRH], Right
	RQ67 YJRAD	1							[JR,MRH], Left
	RQ66 ZKJAD	1							[KJ,MRH], Right
	RQ67 ZKJAD	1							[KJ,MRH], Left
	RQ70 RXFAA	1							[K7D], Right
	RQ71 RXFAA	1							[K7D], Left
	RQ72 ABEAA	1							[K8G], Right
	RQ73 ABEAA	1							[K8G], Left
	RQ72 AP4AA	. 1							[K8J], Right
	RQ73 AP4AA	. 1							[K8J], Left
	RQ72 AXRAA	1							[K8X], Right
	RQ73 AXRAA								[K8X], Left
	RQ72 BB8AA								[K8C], Right
	RQ73 BB8AA								[K8C], Left
	RQ72 BR8AA								[K8E], Right
	RQ73 BR8AA								[K8E], Left
	RQ72 SW1AA								[K8W], Right
	RQ73 SW1AA								[K8W], Left
	RQ72 WELAA								[K8M], Right
	RQ73 WELAA								[K8M], Left
	RQ72 WS2A								[K8S], Right
	RQ73 WS2A								[K8S], Left
	RQ72 YJRAA								[K8K], Right
	RQ73 YJRAA								[K8K], Left
	RQ72 ZKJAA								[K8P], Right
	RQ73 ZKJAA	. 1							[K8P], Left
-11	6500 859	4							RIVET

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year


BODY 52 = 113 WB 53 = 119 WB

September 19, 2005



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6504 611	2							NUT, Hex Flange, M6x1 SCREW, [.190-16X.750], (NOT SERVICED) (Not Serviced)
4										
5										
9 6										
(2)										
	DODGE - CH SERIES H = Sport	RYSLER MINIVA LINE	IN (RS) —	B(DDY : 113 WB : 119 WB	ENGI EDZ ED	 NE 0 = 241.4.0	ayl D	TRANS	SMISSION od. Auto. (41TE) Automatic Transm
	L = LX, SE P = LXI, ES S = Limited M = EL X = EX	RYSLER MINIVA LINE C = Chrys D = Dodg Y = Chrys K = Dodg	e (AWD) sler (FWD) e (FWD)	53 = 53 =	: 119 WB	EGA = 3. EGH, EG EGM = 3	NE 0 = 2.4L 4 Cy 3L 6 Cyl. 60 = 3.8L 6 C .3L 6 Cyl. FF	Cyl. Cyl. V	30 = 4 SF 30 = All A	Automatic Transm

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:									
_	Order Code Colo								
_	Order Code Colo			NE DODY(01.00				
	CLADDING - LO	JWER	BODYSIL	DE, BODYC	OLOR				MOLDING Deef
1	4000 07040				40.50				MOLDING, Roof
	4860 672AC	1			13, 53				Right
	4860 673AC	1	IZ . V		13, 53				Left
	4860 838AC	1	K, Y		12, 52				Right
2	4860 839AC	1	K, Y		12, 52				Left SPAT, Front Fender
2	RQ66 ABEAD	1							[BE,MRH], Right
	RQ67 ABEAD	1							[BE,MRH], Left
	RQ66 AP4AD	1							[P4,MRH], Right
	RQ67 AP4AD	<u>'</u>							[P4,MRH], Left
	RQ66 AXRAD								[XR,MRH], Right
	RQ67 AXRAD	1							[XR,MRH], Left
	RQ66 BB8AD	1							[B8,MRH], Right
	RQ67 BB8AD	1							[B8,MRH], Left
	RQ66 BR8AD	1							[R8,MRH], Right
	RQ67 BR8AD	1							[R8,MRH], Left
	RQ66 SW1AD								[W1,MRH], Right
	RQ67 SW1AD								[W1,MRH], Left
	RQ66 WELAD								[EL,MRH], Right
	RQ67 WELAD								[EL,MRH], Left
	RQ66 WS2AD								[S2,MRH], Right
	RQ67 WS2AD								[S2,MRH], Left
	RQ66 YJRAD	1							[JR,MRH], Right
	RQ67 YJRAD	1							[JR,MRH], Left
	RQ66 ZKJAD	1							[KJ,MRH], Right
	RQ67 ZKJAD	1							[KJ,MRH], Left
	RQ66 ZDRAD	1							[DR,MRH], Right
	RQ67 ZDRAD	1							[DR,MRH], Left
	RQ70 RXFAA	1							[K7D], Right
	RQ71 RXFAA	1							[K7D], Left
	RQ72 ABEAA	1							[K8G], Right
	D0-0 4 DE 4 4								[[(0,0] -4)



DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited

M = ELX = EX

RQ73 ABEAA 1

RQ72 AP4AA 1

RQ72 AXRAA 1

RQ73 AXRAA 1

RQ72 BB8AA 1

RQ73 AP4AA

AR = Use as required -= Non illustrated part # = New this model year

[K8G], Left

[K8J], Right

[K8X], Right [K8X], Left

[K8C], Right

[K8J], Left

PART

	ITEM	NUMBER	QTY	LINE SERIES	BODY	ENGINE	TRANS TRIM	DESCRIPTION
		Q73 BB8AA						[K8C], Left
		Q72 BR8AA						[K8E], Right
		Q73 BR8AA						[K8E], Left
		RQ72 SW1AA RQ73 SW1AA						[K8W], Right [K8W], Left
		Q73 SWTAA						[K8M], Right
		RQ72 WELAA RQ73 WELAA						[K8M], Left
		Q73 WEL/W Q72 WS2AA						[K8S], Right
		Q73 WS2AA						[K8S], Left
		Q72 YJRAA						[K8K], Right
		Q73 YJRAA						[K8K], Left
		Q72 ZKJAA						[K8P], Right
(1)	R	Q73 ZKJAA	1					[K8P], Left
	-3 6	500 859	4					RIVET
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4							APPLIQUE, Front Door
$\begin{array}{c} \\ \\ \\ \\ \end{array}$		Q38 ABEAB						[BE,MRH], Right
		Q39 ABEAB						[BE,MRH], Left
		Q38 AP4AB						[P4,MRH], Right
		Q39 AP4AB						[P4,MRH], Left
		Q38 AXRAB						[XR,MRH], Right
		Q39 AXRAB						[XR,MRH], Left
16		Q38 BB8AB Q39 BB8AB						[B8,MRH], Right [B8,MRH], Left
		Q39 BB6AB						[R8,MRH], Right
(12)		Q39 BR8AB						[R8,MRH], Left
(18)		Q38 SW1AB						[W1,MRH], Right
		Q39 SW1AB						[W1,MRH], Left
		Q38 WELAB						[EL,MRH], Right
	R	Q39 WELAB	3 1					[EL,MRH], Left
		Q38 WS2AB						[S2,MRH], Right
	R	Q39 WS2AB	3 1					[S2,MRH], Left
		Q38 YJRAB						[JR,MRH], Right
		Q39 YJRAB						[JR,MRH], Left
		Q38 ZKJAB						[KJ,MRH], Right
		Q39 ZKJAB Q38 ZDRAB						[KJ,MRH], Left
		Q36 ZDRAB Q39 ZDRAB						[DR,MRH], Right [DR,MRH], Left
(13) (4) (10)		161 632AA-	1					INSERT PACKAGE, Cladding,
	0 0	101 002/01	•					Chrome, Right & Left
(1)	6							APPLIQUE, Sliding Door Outside
		Q50 ABEAB	1					[BE,MRH], Right
	DODGE - CHRY SERIES	YSLER MINIVAN LINE	N (RS)	BODY	ENG	INF	TDAN	SMISSION
	H = Sport L = LX, SE P = LXI, ES	C = Chrysle D = Dodge Y = Chrysle	(AWD)	52 = 113 WB 53 = 119 WB	EDZ, ED EGA = 3	0 = 2.4L 4 Cyl	DGL = 4 s DG0 = All	pd. Auto. (41TE) Automatic Transm
	S = Limited M = EL X = EX	K = Dodge	(FWD)		EGM = 3	3.3L 6 Cyl. FFV		

	RQUU DDOAD I
	RQ51 BB8AB 1
	RQ50 BR8AB 1
	RQ51 BR8AB 1
	RQ50 SW1AB 1
	RQ51 SW1AB 1
(1)	RQ50 WELAB 1
	RQ51 WELAB 1
	RQ50 WS2AB 1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	RQ51 WS2AB 1
$\begin{array}{c} (13) \\ \end{array}$	RQ50 YJRAB 1
	RQ51 YJRAB 1
	RQ50 ZKJAB 1
	RQ51 ZKJAB 1
	RQ50 ZDRAB 1
	RQ51 ZDRAB 1
	-7
16	F4C4 C24AA 4
$\begin{array}{c c} \hline \\ \hline \end{array}$	5161 634AA- 1
	5161 635AA- 1
(18)	8
	RQ18 ABEAC 1
	RQ19 ABEAC 1
	RQ18 AP4AC 1
	RQ19 AP4AC 1
	RQ18 AXRAC 1
	RQ19 AXRAC 1
	RQ18 BB8AC 1
	RQ19 BB8AC 1
	RQ18 BR8AC 1
	RQ19 BR8AC 1
	RQ18 SW1AC 1
(8) (11)	RQ19 SW1AC 1
	RQ18 WELAC 1

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RQ51 ABEAB	1							[BE,MRH], Left
	RQ50 AP4AB	1							[P4,MRH], Right
	RQ51 AP4AB	1							[P4,MRH], Left
	RQ50 AXRAB	1							[XR,MRH], Right
	RQ51 AXRAB	1							[XR,MRH], Left
	RQ50 BB8AB	1							[B8,MRH], Right
	RQ51 BB8AB	1							[B8,MRH], Left
	RQ50 BR8AB	1							[R8,MRH], Right
	RQ51 BR8AB	1							[R8,MRH], Left
	RQ50 SW1AB	1							[W1,MRH], Right
	RQ51 SW1AB	1							[W1,MRH], Left
	RQ50 WELAB	1							[EL,MRH], Right
	RQ51 WELAB	1							[EL,MRH], Left
	RQ50 WS2AB	1							[S2,MRH], Right
	RQ51 WS2AB	1							[S2,MRH], Left
	RQ50 YJRAB	1							[JR,MRH], Right
	RQ51 YJRAB	1							[JR,MRH], Left
	RQ50 ZKJAB	1							[KJ,MRH], Right
	RQ51 ZKJAB	1							[KJ,MRH], Left
	RQ50 ZDRAB	1							[DR,MRH], Right
	RQ51 ZDRAB	1							[DR,MRH], Left
-7									INSERT PACKAGE, Cladding,
									Chrome
	5161 634AA-	1							Right
	5161 635AA-	1							Left
8									APPLIQUE, Quarter Lower, (Chron
									insert serviced with Applique only
	RQ18 ABEAC	1			13, 53				[BE,MRH], Right
	RQ19 ABEAC	1			13, 53				[BE,MRH], Left
	RQ18 AP4AC	1			13, 53				[P4,MRH], Right
	RQ19 AP4AC	1			13, 53				[P4,MRH], Left
	RQ18 AXRAC	1			13, 53				[XR,MRH], Right
	RQ19 AXRAC	1			13, 53				[XR,MRH], Left
	RQ18 BB8AC	1			13, 53				[B8,MRH], Right
	RQ19 BB8AC	1			13, 53				[B8,MRH], Left
	RQ18 BR8AC	1			13, 53				[R8,MRH], Right
	RQ19 BR8AC	1			13, 53				[R8,MRH], Left
	RQ18 SW1AC	1			13, 53		<u>-</u>		[W1,MRH], Right
	RQ19 SW1AC	; 1			13, 53				[W1,MRH], Left
	RQ18 WELAC	; 1			13, 53				[EL,MRH], Right

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



18	14)	2 15
13	8 6	4 10

		PART										
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
		RQ19 WELAC	1			13, 53				[EL,MRH], Left		
_		RQ18 WS2AC				13, 53				[S2,MRH], Right		
		RQ19 WS2AC	1			13, 53				[S2,MRH], Left		
		RQ18 YJRAC	1			13, 53				[JR,MRH], Right		
		RQ19 YJRAC	1			13, 53				[JR,MRH], Left		
		RQ18 ZKJAC	1			13, 53				[KJ,MRH], Right		
		RQ19 ZKJAC	1			13, 53				[KJ,MRH], Left		
		RQ18 ZDRAC	1			13, 53				[DR,MRH], Right		
_		RQ19 ZDRAC	1			13, 53				[DR,MRH], Left		
	-9	6500 859	7							RIVET		
	10									MOLDING, Front Door		
		RQ44 ABVAA	1							[K2H], Right		
_		RQ45 ABVAA	1							[K2H], Left		
		RQ44 AJ6AA	1							[K2L], Right		
		RQ45 AJ6AA	1							[K2L], Left		
		RQ44 ARXAA								[K2X], Right		
_		RQ45 ARXAA								[K2X], Left		
		RQ44 ZSPAA								[K2A], Right		
		RQ45 ZSPAA	1							[K2A], Left		
		WV92 ABEAB								[K4G], Right		
_		WV93 ABEAB								[K4G], Left		
		WV92 AP4AB								[K4J], Right		
		WV93 AP4AB								[K4J], Left		
		WV92 AXRAB								[K4X], Right		
_		WV93 AXRAB								[K4X], Left		
		WV92 BB8AB								[K4C], Right		
		WV93 BB8AB								[K4C], Left		
		WV92 BR8AB								[K4E], Right		
_		WV93 BR8AB								[K4E], Left		
		WV92 SW1AE								[K4W], Right		
		WV93 SW1AE								[K4W], Left		
		WV92 WELAE								[K4M], Right		
_		WV93 WELAE								[K4M], Left		
		WV92 WS2AE								[K4S]		
		WV93 WS2AE								[K4S], Left		
		WV92 YJRAB								[K4K]		
_		WV93 YJRAB								[K4K], Left		
		WV92 ZKJAB								[K4P]		
		WV93 ZKJAB								[K4P], Left		
		WV96 ABEAB								[K5G]		
_		WV97 ABEAB	1							[K5G], Left		

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

(18)	14)	2 15
13	8 6	4 10

	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
	'										
	WV96 AP4AB	1				[K5J]					
	WV97 AP4AB								[K5J], Left		
	WV96 AXRAE								[K5X]		
	WV97 AXRAE								[K5X], Left		
WV96 BB8AB 1 [K5C]											
									[K5C], Left		
	WV97 BB5AB 1 [K5E]										
	WV97 BR8AB	3 1							[K5E], Left		
	WV96 SW1AE	3 1							[K5W]		
	WV97 SW1AE	3 1							[K5W], Left		
	WV96 WELAE	3 1							[K5M]		
	WV97 WELAE	3 1							[K5M], Left		
	WV96 WS2AE	3 1							[K5S]		
	WV97 WS2AE	3 1							[K5S], Left		
	WV96 YJRAB	1							[K5K]		
	WV97 YJRAB 1 [K5K], Left							[K5K], Left			
	WV96 ZKJAB	1							[K5P]		
	WV97 ZKJAB	1							[K5P], Left		
11									MOLDING, Sliding Door		
	SU98 ABVAA	. 1							[K2H], Right		
	SU99 ABVAA	. 1							[K2H], Left		
	SU98 AJ6AA	1							[K2L], Right		
	SU99 AJ6AA	1							[K2L], Left		
	SU98 ARXAA								[K2X], Right		
	SU99 ARXAA								[K2X], Left		
	SU98 ZSPAA								[K2A], Right		
	SU99 ZSPAA								[K2A], Left		
	WV98 ABEAA								[K5G], Right		
	WV99 ABEAA								[K5G], Left		
	WV98 AP4AA								[K5J], Right		
	WV99 AP4AA								[K5J], Left		
	WV98 AXRAA								[K5X], Right		
	WV99 AXRAA								[K5X], Left		
	WV98 BB8AA								[K5C], Right		
	WV99 BB8AA								[K5C], Left		
	WV98 BR8AA								[K5E], Right		
	WV99 BR8AA								[K5E], Left		
	WV98 SW1AA								[K5W], Right		
	WV99 SW1AA								[K5W], Left		
	WV98 WELAA								[K5M], Right		
	WV99 WELAA	1 1							[K5M], Left		

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

ITEM

PART

NUMBER

WV98 WS2AA 1

WV99 WS2AA 1

WV98 YJRAA 1

WV99 YJRAA 1

QTY

LINE

SERIES

BODY

TRANS

ENGINE

TRIM

DESCRIPTION

[K5S], Right

[K5S], Left

[K5K], Right

[K5K], Left

	WV98 ZKJAA 1	[K5P], Right
	WV99 ZKJAA 1	[K5P], Left
	WV94 ABEAA 1	[K4G], Right
	WV95 ABEAA 1	[K4G], Left
	WV94 AP4AA 1	[K4J], Right
	WV95 AP4AA 1	[K4J], Left
	WV94 AXRAA 1	[K4X], Right
	WV95 AXRAA 1	[K4X], Left
(1)	WV94 BB8AA 1	[K4C], Right
	WV95 BB8AA 1	[K4C], Left
	WV94 BR8AA 1	[K4E], Right
$\begin{array}{c} \\ \\ \end{array}$	WV95 BR8AA 1	[K4E], Left
	WV94 SW1AA 1	[K4W], Right
	WV95 SW1AA 1	[K4W], Left
	WV94 WELAA 1	[K4M], Right
	WV95 WELAA 1	[K4M], Left
	WV94 WS2AA 1	[K4S], Right
	WV95 WS2AA 1	[K4S], Left
16	WV94 YJRAA 1	[K4K], Right
	WV95 YJRAA 1	[K4K], Left
	WV94 ZKJAA 1	[K4P], Right
(18)	WV95 ZKJAA 1	[K4P], Left
	12	MOLDING, Sliding Door, Upper
	RT30 BD5AB 1	[D5], Right
	RT31 BD5AB 1	[D5], Left
	RT30 ZJ3AB 1	[J3], Right
	RT31 ZJ3AB 1	[J3], Left
	RT30 ZP7AB 1	[P7], Right
	RT31 ZP7AB 1	[P7], Left
	13	SCREW, [.190-16X.750], (NOT
		SERVICED) (Not Serviced)
	14 4716 936 1	MOLDING, Windshield
	15	RIVET, Blind, 3 Leg, Open End,
		(NOT SERVICED) (Not Serviced)
8 6 (1)	16	MOLDING, Door Window Opening
\odot	4717 770AB 1	Right
	4717 771AB 1	Left

BODY

52 = 113 WB

53 = 119 WB

ENGINE

EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION

DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

DODGE - CHRYSLER MINIVAN (RS) -

LINE

C = Chrysler (AWD)

D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD)


SERIES

 $L = L\dot{X}, SE$

P = LXI, ES S = Limited M = EL X = EX

H = Sport

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	-17	4717 129	6							CLIP, B-Pillar Applique, .53 Diameter
_	18	4857 777AA	2							TAPE, C Pillar



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


X = EX

«

Group – IRS


Interior Trim





Group – IRS

Interior Trim



GROUP IRS - Interior Trim	
Illustration Title	Group-Fig. No.
Headliner and Visor	
Headliner and Visor	Fig. IRS-110
Panel-Mouldings, Scuff Plates	
Cowl Panel and Silencer	Fig. IRS-210
Molding A Pillar and Scuff Plates	Fig. IRS-215
B Pillar Trim	Fig. IRS-220
C Pillar	Fig. IRS-225
D Pillar	Fig. IRS-230
Quarter Panel - Right	Fig. IRS-235 Fig. IRS-240
Cargo Organizer	Fig. IRS-240
	Fig. 1K3-245
Carpet and Tonneau Cover	
Carpet	Fig. IRS-310
Door Trim Panels, Front and Sliding	
Door Panel - Front	Fig. IRS-410
Door Panel - Rear Sliding	Fig. IRS-420
Front Seats and Attaching Parts	
Front, Cloth Low Back, Trim Code [B7]	Fig. IRS-510
Front, Cloth Low Back, Trim Code [A7]	Fig. IRS-515
Front, Cloth High Back, Trim Code [A5]	Fig. IRS-520
Front, Cloth High Back, Trim Code [B5]	Fig. IRS-525
Front, Leather , Trim Code [SL]	Fig. IRS-530
Front, Leather, Trim Code [TL]	Fig. IRS-535
Front, Leather, Trim Code [RL]	Fig. IRS-540
Front Seat - Attaching Parts	Fig. IRS-545
Front Seat - Attaching Parts	Fig. IRS-550
Rear Seats-Folding and Quads	
Rear Seat, 2-Passenger Trim Code [A5, A7, B5, B7]	Fig. IRS-610
Quad Seats, Trim Code [B5]	Fig. IRS-615
Quad Seats, Trim Code [B7]	Fig. IRS-620
Quad Seats, Trim Codes, [SL]	Fig. IRS-630
Quad Seats, Trim Codes, [TL]	Fig. IRS-640
Quad Seats, Trim Code, [RL]	Fig. IRS-645
Third Seat - 3 Passenger	Fig. IRS-655
Seat Belts-Front and Rear	
Seat Belts, Front Seat	Fig. IRS-710
Seat Belt, Quad Seats	Fig. IRS-720

Seat Belts, Rear Inner, 2 And 3 Passengers Fig. IRS-730


GROUP IRS - Interior Trim

Seat Belts-Front and Rear (Continued)	
Seat Belts, Rear Second Seat, Outer	Fig. IRS-740
Seat Belts, Rear Third Seat, Outer	Fig. IRS-750
Adjusters, Covers, Shields and Risers	
Seat - Rear Attachments Floor Pan	Fig. IRS-810
Rear Seat - 2 Passenger Adjusters - Covers/Shields and Attaching Parts	Fig. IRS-815
Quad Seats - Attaching Parts (Adjusters, Covers and Shields)	Fig. IRS-820
Rear Seat - 3 Passenger Attaching Parts, Straight Bench	Fig. IRS-825
Rear Seat, 3 Passenger, 50/50 Seat, Attaching Parts	Fig. IRS-830
Lift Gate Trim	
Devel Liferate	F:- IDC 4040


Illustration Title

Group-Fig. No.

Headliner and Visor Figure IRS-110




Headliner and Visor Figure IRS-110







Headliner and Visor Figure IRS-110




Headliner and Visor Figure IRS-110




Headliner and Visor Figure IRS-110



Headliner and Visor Figure IRS-110



Cowl Panel and Silencer Figure IRS-210



	PART								
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Cowl Trim
	RS20 BD5AE	1			52, 53			O0	[D5], Right
	RS20 ZJ3AE	1			52, 53			00	[J3], Right
	RS20 ZP7AE	1			52, 53			00	[P7], Right
	RS21 BD5AE	1			52, 53			O0	[D5], Left
	RS21 ZJ3AE	1			52, 53			00	[J3], Left
	RS21 ZP7AE	1			52, 53			O0	[P7], Left
2									MOLDING, Extension
	UY60 DX9AA	1			52, 53			O0	[D5] [J3] [P7], Right
	UY61 DX9AA	1			52, 53			O0	[D5] [J3] [P7], Left
3	5028 269AA	2							RETAINER, Molding
4	6506 490AA	2							CLIP, Molding
-5	6505 537AA-	5						00	CLIP, Side Molding
-6	6505 675AA-	1			52, 53			O0	CLIP, Molding, Cowl Molding
-7	5028 369AB-	1							SILENCER, Dash Panel


X = EX

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Molding A Pillar and Scuff Plates Figure IRS-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
1									MOLDING, Windshield Garnish
	RS16 XDVAG	1			52, 53			O0	[D5], Right
	RS16 ZJ8AG	1			52, 53			00	[J3], Right
	RS17 XDVAG	1			52, 53			00	[D5], Left
	RS17 ZJ8AG	1			52, 53			00	[J3], Left
	RT50 XDVAE	1						O0	[D5], Right,Grab Handle
	RT50 ZJ8AE	1						00	[J3], Right,Grab Handle
2	6504 990AA	2							NUT, Rivet
3									HANDLE, Grab
	RS24 XDVAA	. 1						O0	[D5]
	RS24 ZJ8AA	1						00	[J3]
	RS24 ZP7AA	1						00	[P7]
4									CAP, Assist Handle Screw Cover
	SZ82 XDVAA	1						O0	[D5], Upper
	SZ82 ZJ8AA	1						00	[J3], Upper
	SZ82 ZP7AA	1						00	[P7], Upper
	SZ83 XDVAA	1			52, 53			00	[D5], Lower
	SZ83 ZJ8AA	1			52, 53			O0	[J3], Lower
	SZ83 ZP7AA	1			52, 53			00	[P7]
5	6505 480AA	2							SCREW, round head, m6x1x23.30
6	6506 490AA	8							CLIP, Molding, Scuff Plates
7									PANEL, Scuff
	RS46 BD5AC	1						00	[D5], Right
	RS46 ZJ3AC	1						O0	[J3], Right
	RS46 ZP7AC	1						00	[P7], Right
	RS47 BD5AC	1						00	[D5], Left
	RS47 ZJ3AC	1						00	[J3], Left
	RS47 ZP7AC	1						O0	[P7], Left
8									PLATE, Scuff
	RS36 BD5AD	1						O0	[D5], Right
	RS36 ZJ3AD	1						00	[J3], Right
	RS36 ZP7AD	1						00	[P7], Right
	RS37 BD5AC	1						O0	[D5], Left
	RS37 ZJ3AC	1						O0	[J3], Left
	RS37 ZP7AC	1						O0	[P7], Left
9									SCREW, (.190-16x1.00), (NOT
									SERVICED) (Not Serviced)
10	5028 155AC	1						_	BRACKET, Scuff Plate

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

B Pillar Trim Figure IRS-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, B-Pillar
	RS26 BD5AE	1						00	[D5], Right,Upper
	RS26 ZJ3AE	1						00	[J3], Right,Upper
	RS26 ZP7AE	1						00	[P7], Right,Upper
	RS27 BD5AE	1						00	[D5], Left,Upper
	RS27 ZJ3AE	1						O0	[J3], Left,Upper
2									MOLDING, B-Pillar
	SR24 BD5AD	1						00	[D5] With Power Sliding Door,
									Right,Lower
	SR24 ZJ3AD	1						O0	[J3] With Power Sliding Door,
									Right,Lower
	SR25 BD5AD	1						00	[D5] With Power Sliding Door, Left,
									Lower
	SR25 ZJ3AD	1						O0	[J3] With Power Sliding Door, Left,
									Lower
	RS28 BD5AC	1						00	[D5] Without Power Sliding Door,
									Right,Lower
	RS28 ZJ3AC	1						O0	[J3] Without Power Sliding Door,
									Right,Lower
	RS29 BD5AC	1						00	[D5] Without Power Sliding Door,
									Left,Lower
	RS29 ZJ3AC	1						O0	[J3] Without Power Sliding Door,
									Left,Lower
3	6031 869	2							NUT, Push, .19, B Pillar
4	6505 976AA	4							CLIP, Molding, Lower
5	0153 856	2							SCREW, Tapping, .19-16x.625, B
									Pillar Trim Upper
6									PLUG, B Pillar
	RS32 BD5AA	2						O0	[D5]
	RS32 ZJ3AA	2						00	[J3]
7									FASTENER, Trim Panel Attaching
	6505 340AA	3			53			O0	
		3	K, Y		12, 52			O0	
8	6505 928AA	1			52, 53			O0	FASTENER, Push Pin
9									CLIP, Quarter Panel, (NOT
									REQUIRED)
10									CLIP, Molding
	6505 548AA	1	K, Y		12, 52			O0	
	6505 675AA	1			52, 53			00	
11									FASTENER, Trim Panel Attaching

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

B Pillar Trim Figure IRS-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
II LIM	NOMBER	<u> </u>	LINE	OLKILO	ВОВТ	LNOINE	INAIO	TIXIIVI	DESCRIPTION
	6505 340AA	3	V V		53			00	
		3	K, Y		12, 52			O0	
DDGE - CH	RYSLER MINIVA	N (RS) —							
SERIES = Sport	LINE C = Chrys	ler (AWD) 52 =	ODY = 113 WB	ENG EDZ, ED	0 = 2.4L 4 C	yl. DO	$3L = 4 s_1$	SMISSION pd. Auto. (41TE)
= LX, SE = LXI, ES	D = Dodge Y = Chrys	e (AWD) ler (FWD)	53 =	: 119 WB	EGA = 3 EGH, EG	.3L 6 Cyl. 30 = 3.8L 6 C	yl.	30 = All 1	Automatic Transm
= Limited = EL = EX	K = Dodge	e (FWD)			EGM = 3	3.3L 6 Cyl. FF	V		

C Pillar Figure IRS-225




1 RT RT RT RT RT RT 2 01	F58 BD5AE F58 ZJ3AE F58 ZP7AE F67 ZJ3AE F67 ZP7AE F67	1 1 1 1 1 2 2 2	LINE	SERIES	BODY	ENGINE	TRANS	00 00 00 00 00 00	MOLDING, C-Pillar [D5], Right,Upper [J3], Right,Upper [P7], Right,Upper [D5], Left,Upper [J3], Left,Upper [P7], Left,Upper SCREW, Tapping, .19-16x.625, C-Pillar Attaching NUT, Push, .19, Snap-In
RT RT RT RT RT 2 01	758 ZJ3AE 758 ZP7AE 767 BD5AE 767 ZJ3AE 767 ZP7AE 53 856	1 1 1 1 1 2						O0 O0 O0	[D5], Right,Upper [J3], Right,Upper [P7], Right,Upper [D5], Left,Upper [J3], Left,Upper [P7], Left,Upper SCREW, Tapping, .19-16x.625, C Pillar Attaching
RT RT RT RT RT 2 01	758 ZJ3AE 758 ZP7AE 767 BD5AE 767 ZJ3AE 767 ZP7AE 53 856	1 1 1 1 1 2						O0 O0 O0	[J3], Right,Upper [P7], Right,Upper [D5], Left,Upper [J3], Left,Upper [P7], Left,Upper SCREW, Tapping, .19-16x.625, C Pillar Attaching
RT RT RT RT 2 01	F58 ZP7AE F67 BD5AE F67 ZJ3AE F67 ZP7AE 53 856	1 1 1 1 2						O0 O0	[P7], Right,Upper [D5], Left,Upper [J3], Left,Upper [P7], Left,Upper SCREW, Tapping, .19-16x.625, C Pillar Attaching
RT RT RT 2 01	F67 BD5AE F67 ZJ3AE F67 ZP7AE 53 856	1 1 1 2						O0 O0	[D5], Left,Upper [J3], Left,Upper [P7], Left,Upper SCREW, Tapping, .19-16x.625, C- Pillar Attaching
RT RT 2 01	Г67 ZJ3AE Г67 ZP7AE 53 856	1 1 2						O0	[J3], Left,Upper [P7], Left,Upper SCREW, Tapping, .19-16x.625, C- Pillar Attaching
RT 2 01	T67 ZP7AE 53 856	1 2							[P7], Left,Upper SCREW, Tapping, .19-16x.625, C Pillar Attaching
2 01	53 856	2							SCREW, Tapping, .19-16x.625, C Pillar Attaching
									Pillar Attaching
3 60	31 869	2							NUT, Push, .19, Snap-In
DGE - CHRYS	SLER MINIVAN	N (RS)							
ERIES	LINE			ODY	ENG!				SMISSION
= Sport : LX, SE = LXI, ES = Limited = EL	C = Chrysle D = Dodge Y = Chrysle K = Dodge	(AWD) er (FWD)		= 113 WB = 119 WB	EGA = 3 EGH, EG	00 = 2.4L 4 Cy .3L 6 Cyl. 60 = 3.8L 6 Cy 3.3L 6 Cyl. FF	Dı yl.	GL = 4 s G0 = All	pd. Auto. (41TE) Automatic Transm

D Pillar Figure IRS-230



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•	Sales Cod	les:								
_		ear Cargo Org	ganizer							
	[HBB] = R	ear Air								
	[JRC] = Pc	ower Liftgate								
_	[RCE] = Ir	nfinity								
	1									MOLDING, D-Pillar, Right
		RS40 BD5AE	1			13, 53			00	[D5] Without Rear Air, [HBB]
		RS40 ZJ3AE	1			13, 53			00	[J3] Without Rear Air, [HBB]
_		RS40 ZP7AE	1			13, 53			O0	[P7] Without Rear Air, [HBB]
		RT60 BD5AD	1			53			00	[D5], With Rear Air [HBB] Without
										Rear Cargo Organizer
		RT60 ZJ3AD	1			53			00	[J3], With Rear Air [HBB] Without
_										Rear Cargo Organizer
		RT60 ZP7AD	1			53			00	[P7], With Rear Air [HBB] Without
										Rear Cargo Organizer
		SJ14 BD5AC	1	K, Y		12, 52			00	[D5], With Infinity [RCE]
_		SJ14 ZJ3AC	1	K, Y		12, 52			00	[J3], With Infinity [RCE]
		SJ14 ZP7AC	1	K, Y		12, 52			00	[P7], With Infinity [RCE]
		SJ16 BD5AC	1	K, Y		12, 52			00	[D5], Without Infinity [RCE]
		SJ16 ZJ3AC	1	K, Y		12, 52			00	[J3], Without Infinity [RCE]
_		SJ16 ZP7AC	1	K, Y		12, 52			00	[P7], Without Infinity [RCE]
		TP44 BD5AC	1			53			00	[D5], With Rear Air [HBB] With
		TD44 7 1040	4			50			00	Rear Cargo Organizer
		TP44 ZJ3AC	1			53			O0	[J3], With Rear Air [HBB] With
-		TD44 ZDZ40								Rear Cargo Organizer
		TP44 ZP7AC	1			53			O0	[P7], With Rear Air [HBB] With
	0									Rear Cargo Organizer
	2	DTG1 DDEAF	4			12 52			00	MOLDING, D-Pillar, Left
-		RT61 BD5AE	1			13, 53			O0	[D5] Without Power Liftgate, [JRC] Without Rear Cargo Organizer
		RT61 ZJ3AE	1			12 52			00	[J3], Without Power Liftgate, [JRC]
		KIOI ZJSAE	'			13, 53			O0	Without Rear Cargo Organizer
		RT61 ZP7AE	1			13, 53			00	[P7], Without Power Liftgate, [JRC]
-		KIOI ZFIAL	'			13, 33				Without Rear Cargo Organizer
		RV07 BD5AD	1			53			00	[D5] With Power Liftgate, [JRC]
		ICVOT BD3AD	'			33			00	Without Rear Cargo Organizer
			1			53			00	[J3], With Power Liftgate, [JRC]
-			'							Without Rear Cargo Organizer
		RV07 ZJ3AD	1			53			00	[P7], With Power Liftgate, [JRC]
		11101 2001	•			00			00	Without Rear Cargo Organizer
										Thireat Hoar Gargo Grganizor
-										
		RYSLER MINIVAL	N (RS) —							
	SERIES I = Sport	LINE C = Chrysl	er (AWD		ODY = 113 WB	ENGI FDZ. FD	INE 0 = 2.4L 4 C	tvl. Γ		SMISSION pd. Auto. (41TE)
L	. = LX, SE	D = Dodge	(AWD)	´ 53 =	= 119 WB	EGA = 3	.3L 6 Cyl.	. c		Automatic Transm
	P = LXI, ES S = Limited	Y = Chrysl K = Dodge)			30 = 3.8L 6 C 3.3L 6 Cyl. Fl			
Ν	1 = EL	i – Douge	(1 VVD)				0 Oyı. 1 1	•		
Х	C = EX									

D Pillar Figure IRS-230



	PART							
TEM	NUMBER	QTY	LINE	SERIES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	C IAE DDEAC	4	K V	12 52			00	IDEL With Infinity IDCEL
	SJ15 BD5AC SJ15 ZJ3AC	<u>1</u> 1	K, Y K, Y	12, 52 12, 52			O0 O0	[D5], With Infinity [RCE]
	SJ15 ZJ3AC SJ15 ZP7AC	1	K, 1 K, Y	12, 52 12, 52			00	[J3], With Infinity [RCE] [P7], With Infinity [RCE]
	SJ17 BD5AC	1	K, T K, Y	12, 52 12, 52			00	[D5], Without Infinity [RCE]
	SJ17 BD3AC SJ17 ZJ3AC	1	K, Y	12, 52 12, 52			00	[J3], Without Infinity [RCE]
	SJ17 ZP7AC	<u>'</u> 1	K, Y	12, 52			00	[P7], Without Infinity [RCE]
	TP45 BD5AC	1	17, 1	53			00	[D5] With Rear Cargo Organizer
	11 40 000/10	'		55			00	[CK6] Without Power Liftgate
								[JRC]
	TP45 ZJ3AC	1		53			00	[J3], With Rear Cargo Organizer
		·						[CK6] Without Power Liftgate
								[JRC]
	TP45 ZP7AC	1		53			00	[P7], With Rear Cargo Organize
								[CK6] Without Power Liftgate
								[JRC]
	TP47 1D5AC	1		53			00	[D5] With Rear Cargo Organizer
								[CK6] With Power Liftgate [JR0
	TP47 1J3AC	1		53			O0	[J3], With Rear Cargo Organizer
								[CK6] With Power Liftgate [JR0
	TP47 1P7AC	1		53			00	[P7], With Rear Cargo Organizer
								[CK6] With Power Liftgate [JR0
3								NUT, Spring, (NOT REQUIRED)
4								SCREW, Tapping Hex Flange Hea
								M6.3x1.81x20.00, (NOT
								REQUIRED)
5								BRACKET, Molding, (NOT
								REQUIRED)
6								FASTENER, Trim Panel Attaching
	6505 340AA	3		53			00	
_		3	K, Y	12, 52			00	
7	6505 928AA	3		52, 53			O0	FASTENER, Push Pin
8								CLIP, Quarter Panel, (NOT
								REQUIRED)
9	6505 675AA	1		52, 53			00	CLIP, Molding
10	0505 0404 4	^		50			00	FASTENER, Trim Panel Attaching
	6505 340AA	3	IZ XZ	53			00	
11		3	K, Y	12, 52			00	DECEDIACIE Organizar
-11	UA94 XDHAA	1					00	RECEPTACLE, Organizer
	UA94 ZJ8AA-						O0 O0	[D5], Right
	UAS4 ZJOAA-	1					OU	[J3], Right

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

D Pillar **Figure**



	PART	'				· ·	1		
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UA94 ZP7AA-							00	[P7], Right
	UA95 XDHAA							00	[D5], Left
	UA95 ZJ8AA-							00	[J3], Left
12	UA95 ZP7AA- 5028 506AA-		K		12			00	[P7], Left COVER, Seat Belt Opening
14	0020 0007				12				COVER, Ocal Don Oponing

H = Sport L = LX, SE P = LXI, ES S = Limited M = EL C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

52 = 113 WB 53 = 119 WB


EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year

Quarter Panel - Right Figure IRS-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-						-		
1									PANEL, Quarter Trim
	RS58 BD5AC	1			13, 53			O0	[D5] Without Rear Air Conditioning Right
	RS58 ZJ3AC	1			13, 53			O0	[J3] Without Rear Air Conditioning Right
	RS58 ZP7AC	1			13, 53			O0	[P7] Without Rear Air Conditioning
									Right
	SW20 BD5AD	1	K, Y		12, 52			00	[D5], Right
	SW20 ZJ3AD	1	K, Y		12, 52			00	[J3], Right
	SW20 ZP7AD	1	K, Y		12, 52			O0	[P7], Right
	XF60 BD5AA	1		Н	53			00	[D5] With Rear Air Conditioning , Without Lid, Right
	XF60 ZJ3AA	1		L	53			00	[J3] With Rear Air Conditioning,
	7.1. 00007.11.	<u> </u>							Without Lid, Right
	RT62 BD5AE	1		Р	53			00	[D5] With Rear Air Conditioning,
									With Lid, Right
	RT62 ZJ3AE	1		Р	53			00	[J3] With Rear Air Conditioning ,
									With Lid, Right
2	0153 856	2							SCREW, Tapping, .19-16x.625
3									BOLSTER, Quarter Trim Panel
Ū	SK72 BD5AA	1	K, Y		12, 52			00	[D5], Right
	SK72 ZJ3AA	1	K, Y		12, 52			00	[J3], Right
	SK72 ZP7AA	1	K, Y		12, 52			00	[P7], Right
	WY32 BD5AA	1	,		13, 53			00	[D5] Without Rear Alr Conditionin
		-			,				Right
	WY32 ZJ3AA	1			13, 53			O0	[J3] Without Rear Alr Conditioning
	WY32 ZP7AA	1			13, 53			00	[P7] Without Rear Alr Conditionin Right
	WY34 BD5AA	1			53			00	[D5] With Rear Alr Conditioning,
									Right
	WY34 ZJ3AA	1			53			00	[J3] With Rear Alr Conditioning,
									Right
	WY34 ZP7AA	1			53			O0	[P7] With Rear Alr Conditioning,
									Right
4	5028 152AB	1			53				BRACKET, Quarter Trim, Right, Wi
									Air Conditioning
5	6036 353AA	2			13, 53				SCREW, Tapping
6	6031 869	2							NUT, Push, .19
7	4754 886AC	1			13, 53				BRACKET

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Quarter Panel - Right Figure IRS-235



	PART	1				1		'	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
0	2020 050 / /	2			10 F2				CORTM Tamaina
8 9	6036 353AA 5028 266AA	2 1	K, Y		13, 53				SCREW, Tapping BRACKET, Quarter Trim
9 10	5028 266AA 4706 606		М, т		12, 52 13, 53			00	LATCH, Storage Bin Lid
ใบ	4/00 000	1			13, 53			O0	LATOH, Storage bill Liu
RIES	HRYSLER MINIVAI		E	BODY	ENGI				ISMISSION
Sport	C = Chrysl	Jar (AWD	1) 52	= 113 WB	FD7 FC	00 = 2.4L 4 C	:vl D		spd. Auto. (41TE)

Quarter Panel - Left Figure IRS-240



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4793 554AB	1						00	POWER OUTLET
 2	4754 885AC	1			13, 53				BRACKET
3	6031 869	2							NUT, Push, .19, Snap-In
4									SCREW, Tapping, .19-16x.625
	0153 856	10			13, 53				Attaching, Quarter Panel, Left
		9	K, Y		12, 52				Attaching, Quarter Panel, Left
5									PANEL, Quarter Trim
	SW19 BD5AD	1	K, Y		12, 52			00	[D5], Left
	SW19 ZJ3AD	1	K, Y		12, 52			O0	[J3], Left
	SW19 ZP7AD	1	K, Y		12, 52			00	[P7], Left
	RT59 BD5AD	1			13, 53			00	[D5], Left
	RT59 ZJ3AD	1			13, 53			O0	[J3], Left
	RT59 ZP7AD	1			13, 53			O0	[P7], Left
6									BOLSTER, Quarter Trim Panel
	SK71 BD5AA	1	K, Y		12, 52			00	[D5], Left
	SK71 ZJ3AA	1	K, Y		12, 52			00	[J3], Left
	SK71 ZP7AA	1	K, Y		12, 52			O0	[P7], Left
	WY31 BD5AA	. 1			13, 53			00	[D5], Left
	WY31 ZJ3AA	1			13, 53			00	[J3], Left
	WY31 ZP7AA	1			13, 53			00	[P7], Left
 7									COVER, Quarter Trim Opening
	RS59 BD5AB	1			13, 53			00	[D5]
	RS59 ZJ3AB	1			13, 53			00	[J3]
	RS59 ZP7AB	1			13, 53			00	[P7]
 8									COVER, Jack
	SK73 BD5AA	1	K, Y		12, 52			O0	[D5]
	SK73 ZJ3AA	1	K, Y		12, 52			O0	[J3]
	SK73 ZP7AA	1	K, Y		12, 52			O0	[P7]
 -9	5028 267AA-	1	K, Y		12, 52				BRACKET, Quarter Trim, Left

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

ITEM

PART

NUMBER

RR27 XDHAA 4

QTY

LINE

SERIES

BODY

52, 53

ENGINE

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANS

TRIM

00

DESCRIPTION

ESCUTCHEON, Seat Anchor

[D5] Double Rear, Inboard

	RR27 ZJ8AA 4		52, 53	00	[J3] Double Rear, Inboard
	RR27 ZP7AA 4		52, 53	00	[P7] Double Rear, Inboard
	RR28 XDHAA 4		52, 53	00	[D5] Double Rear, Outboard
	RR28 ZJ8AA 4		52, 53	O0	[J3] Double Rear, Outboard
	RR28 ZP7AA 4		52, 53	00	[P7] Double Rear, Outboard
	2				SCREW, (.164-18x1.250), (NOT
					SERVICED) (Not Serviced)
-	3				RECEPTACLE, Organizer
	UA94 XDHAA 1			00	[D5], Floor Mounted, Right
	UA94 ZJ8AA 1			00	[J3], Floor Mounted, Right
	UA94 ZP7AA 1			00	[P7], Floor Mounted, Right
	UA95 XDHAA 1			00	[D5], Floor Mounted, Left
	UA95 ZJ8AA 1			00	[J3], Floor Mounted, Left
	UA95 ZP7AA 1			00	[P7], Floor Mounted, Left
8	4				RECEPTACLE, Organizer
	TM43 BD5AA 1			O0	[D5], Left,D Pillar
	TM43 ZJ3AA 1			00	[J3], Left,D Pillar
	TM43 ZP7AA 1			00	[P7], Left,D Pillar
	TM44 BD5AA 1			00	[D5], Right,D Pillar
	TM44 ZJ3AA 1			O0	[J3], Right,D Pillar
	TM44 ZP7AA 1			00	[P7], Right,D Pillar
	5				MOLDING, Liftgate, With Attaching
					Clips
	RS34 BD5AB 1		13, 53	O0	[D5]
	RS34 ZJ3AB 1		13, 53	00	[J3]
	RS34 ZP7AB 1		13, 53	00	[P7]
	SR62 BD5AC 1	K, Y	12, 52	O0	[D5]
	SR62 ZJ3AC 1	K, Y	12, 52	O0	[J3]
	SR62 ZP7AC 1	K, Y	12, 52	00	[P7]
	-6				PLATE, Scuff
	TM46 BD5AA- 1		52, 53	O0	[D5]
	TM46 ZJ3AA- 1		52, 53	00	[J3]
	7				NUT, U Multi Thread, M6 x 1.00,
					(NOT SERVICED) (Not Serviced)
_	8				ORGANIZER, CARGO
	TM39 1D5AD 1		52, 53	O0	[D5]
	TM39 1J3AC 1		52, 53	00	[J3]
	TM39 1P7AC 1		52, 53	00	[P7]
_	9				BRACKET, D Pillar


BODY 52 = 113 WB 53 = 119 WB

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)

P = LXI, ES S = Limited M = ELX = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5028 308AA	1							Right
	5028 308AA 5028 309AA	<u>'</u> 1							Left
4.0	3020 303AA	'							
10									RIVET, (.190x920), (NOT
									SERVICED) (Not Serviced)
-11									SILL, Rear
	WA27 1D5AA-	1			52, 53			O0	[D5]
	WA27 1J3AA-	1			52, 53			00	[J3]
	WA27 1P7AA-	1			52, 53			00	[P7]
-12	5072 275AA-	1			52, 53			O0	NET, Cargo



DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Carpet Figure IRS-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Floor
	RR20 XDHAF	1			13, 53			O0	[D5] With Rear Air Conditioning
									Without Console
	RR20 ZJ8AF	1			13, 53			00	[J3] With Rear Air Conditioning
									Without Console
	RR22 XDHAF	1			13, 53			00	[D5] Without Rear Air Conditioning
									Without Rear Console
	RR22 ZJ8AF	1			13, 53			00	[J3] Without Rear Air Conditioning
									Without Rear Console
	RR24 XDHAF	1			13, 53			O0	[D5] With Rear Air Conditioning
									With Rear Console
	RR24 ZJ8AF	1			13, 53			00	[J3] With Rear Air Conditioning
									With Rear Console
	SK50 XDHAD	1	K, Y	Н	12, 52			00	[D5]
	SK50 ZJ8AD	1	K, Y	H	12, 52			00	[J3]
	XA43 XDHAC	1	K, Y	L	12, 52			00	[D5]
	XA43 ZJ8AC	1	K, Y	L	12, 52			00	[J3]
	RR21 XDHAE	1			13, 53			O0	[D5] Without Rear Air Conditioning
									Without Rear Console , Limited
0	5000 400 AD								Model
2	5028 492AB	1							MAT, Floor, Cargo Van Front Mat
2									Vinyl
3	5028 493AC	1			12 52				MAT, Cargo
	5028 493AC 5028 494AD	1	K V		13, 53				Rubber Mat, Rear
4	6506 788AA	1 	K, Y		12, 52 52, 53				Rubber Mat, Rear PIN, Push, Carpet Retainer
4 5	5028 025AE	2			52, 53 52, 53				LOCATOR, Floor Carpet
6	4754 324	2			52, 53 52, 53				GROMMET, Floor Carpet
-7	7707 027	۷			32, 33				PROTECTOR, Heel
	UC47 XDHAA	<u> </u>						00	[D5], Heel Blocker (Plastic)
	UC47 ZJ8AA-							00	[J3], Heel Blocker (Plastic)
	UC47 ZP7AA-							00	[P7], Heel Blocker (Plastic)
-8	0011 21 1701	•						00	RECEPTACLE, Organizer
	UA94 XDHAA	- 1						00	[D5], Right
	UA94 ZJ8AA-							00	[J3], Right
	UA94 ZP7AA-							00	[P7], Right
	UA95 XDHAA							00	[D5], Left
	UA95 ZJ8AA-							00	[J3], Left
	UA95 ZP7AA-							00	[P7], Left
-9									ORGANIZER, CARGO
-									,

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Carpet Figure IRS-310



TEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION	
TM39 1J3AD- 1 52, 53 O0 [J3] TM39 1P7AD- 1 52, 53 O0 [P7] -10 TRAY, Molded Car WA29 1D5AA- 1 52, 53 O0 [D5] WA29 1J3AA- 1 52, 53 O0 [J3] WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	RIPTION
TM39 1J3AD- 1 52, 53 O0 [J3] TM39 1P7AD- 1 52, 53 O0 [P7] -10 TRAY, Molded Car WA29 1D5AA- 1 52, 53 O0 [D5] WA29 1J3AA- 1 52, 53 O0 [J3] WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	
TM39 1P7AD- 1 52, 53 O0 [P7] TRAY, Molded Car WA29 1D5AA- 1 52, 53 O0 [D5] WA29 1J3AA- 1 52, 53 O0 [J3] WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	
-10 WA29 1D5AA- 1 52, 53 O0 [D5] WA29 1J3AA- 1 52, 53 O0 [J3] WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	
WA29 1D5AA- 1 52, 53 O0 [D5] WA29 1J3AA- 1 52, 53 O0 [J3] WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	
WA29 1J3AA- 1 52, 53 O0 [J3] WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	rgo
WA29 1P7AA- 1 52, 53 O0 [P7] -11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	
-11 ZM63 1DHAA- 1 O0 MAT KIT, Floor, Ar	
, , , ,	
[D5] Anniversary	nniversary Edition,
	Edition
-12 ZM60 1DHAA- 1 O0 MAT, Platinum Edi	tion
13 COVER, Adjustable	e Pedal
UT93 XDHAA 1 O0 [D5]	
UT93 ZJ8AA 1 O0 [J3]	

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Door Panel - Front Figure IRS-410

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE;									
		Vith Map Pock	et - Pre	mium Mo	del					
	1	•								PANEL, Front Door Trim
		RS22 1D5AJ	1						00	[D5] Suede With Map Pocket, Right
		RS22 1P7AJ							00	[P7] Suede With Map Pocket, Right
		RS23 1D5AJ							O0	[D5] Suede With Map Pocket, Left
		RS23 1P7AJ	1						00	[P7] Suede With Map Pocket, Left
		SJ36 1D5AF	1						00	[D5] Base Panel With [JPA] &
										[JPB], Right
		SJ36 1J3AF	1						O0	[J3] Base Panel With [JPA] &
										[JPB], Right
		SJ37 1D5AF	1						O0	[D5] Base Panel With [JPA] &
										[JPB], Left
		SJ37 1J3AF	1						O0	[J3] Base Panel With [JPA] &
										[JPB], Left
		SK34 1D5AG	i 1						O0	[D5] Base Pane With [JPB] Without
										[JPA], Right
/ / / / (3)		SK34 1J3AG	1						O0	[J3] Base Pane With [JPB] Without
										[JPA], Right
		SK35 1D5AG	1						O0	[D5] Base Pane With [JPB] Without
										[JPA], Left
		SK35 1J3AG	1						O0	[J3] Base Pane With [JPB] Without
										[JPA], Left
		SL32 1D5AG	1						00	[D5], Base Panel, Right
		SL32 1J3AG	1						O0	[J3], Base Panel, Right
		SL33 1D5AG	1						00	[D5], Base Panel, Left
		SL33 1J3AG	1						00	[J3], Base Panel, Left
		TM80 1D5AI	1						00	[D5], Vinyl With Map Pocket, Right
		TM80 1J3AI	1						00	[J3], Vinyl With Map Pocket, Right
		TM80 1P7AI	1						00	[P7], Vinyl With Map Pocket, Right
		TM81 1D5AI	1						00	[D5], Vinyl With Map Pocket, Left
		TM81 1J3AI	1						00	[J3], Vinyl With Map Pocket, Left
		TM81 1P7AI	1						O0	[P7], Vinyl With Map Pocket, Left
		ZN82 1D5AA							00	[D5] With [CBZ], Right
		ZN83 1D5AA							00	[D5] With [CBZ], Left
		ZN84 1D5AA							00	[D5], Right
		ZN85 1D5AA							O0	[D5], Left
Me de la company	2	6035 401	4							NUT, Snap In, .164-18, Armrest
9 (10)		4754 00045								Bracket Attaching
(8) (10)	3	4754 998AB	2							BRACKET, Pull Handle
	DODGE - CH	RYSLER MINIVA	N (RS) -							
	SERIES	LINE		В	SODY	ENG				BMISSION
	H = Sport L = LX, SE	C = Chrys D = Dodg	ler (AWD)		= 113 WB = 119 WB	EDZ, ED	00 = 2.4L 4 C 3.3L 6 Cyl.			od. Auto. (41TE) Automatic Transm
ادر	P = LXI, ES	Y = Chrys	ler (FWD)		- 110 000	EGH, EC	30 = 3.8 L 6 C	Syl.	50 – All F	Monado Handin
	S = Limited M = EL	K = Dodg	e (FWD)			EGM = 3	3.3L 6 Cyl. FF	=V		
	X = EX									
		_								

Door Panel - Front Figure IRS-410

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4									SCREW, [.164-18x.625], (NOT SERVICED) (Not Serviced)
	-5	4685 791AA-	1						00	REFLECTOR, Door Trim Panel, Left
	6									MOLDING, Front Door Closeout
		5020 498AA 5020 499AA	<u>1</u> 1							Right Left
	7	3020 433AA	ı							MOLDING, Front Door Closeout
		4717 878AB	1							Door Frame Close-Out B-Pillar, Right
		4717 879AB	1							Door Frame Close-Out B-Pillar, Left
	8	6503 204	1						00	FASTENER, Door Trim Panel, Door Trim Panel,Bezel
	9	6505 292AA	5						00	FASTENER, Door Trim Panel
	10	6505 759AA	3						O0	FASTENER, Door Trim Panel, Pin Push In
8 9 10	DODGE - CH SERIES H = Sport L = LX, SE P = LXI, ES S = Limited M = EL X = EX	HRYSLER MINIVAI LINE C = Chrysl D = Dodge Y = Chrysl K = Dodge	N (RS)— er (AWD) er (FWD) er (FWD)	B(52 = 53 =	ODY = 113 WB = 119 WB	ENG EDZ, ED EGA = 3 EGH, EG EGM = 3	GINE 20 = 2.4L 4 C 3.3L 6 Cyl. G0 = 3.8L 6 (3.3L 6 Cyl. Fl	Cyl. D D Cyl. FV	TRAN GL = 4 s G0 = All	ISMISSION apd. Auto. (41TE) Automatic Transm

Door Panel - Rear Sliding Figure IRS-420



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									PANEL, Sliding Door Trim
	<u> </u>	SK22 1D5AD	1						00	[D5] Base Panel, Right
		SK22 1J3AD	1						00	[J3] Base Panel, Right
		SK23 1D5AD	1						00	[D5] Base Panel, Left
		SK23 1J3AD	1						00	[J3] Base Panel, Left
		WL90 1D5AD	1						00	[D5] Vinyl With Map Pocket, Right
		WL90 1J3AD	1						00	[J3] Vinyl With Map Pocket, Right
		WL90 1P7AD	1						00	[P7] Vinyl With Map Pocket, Right
		WL91 1D5AD	1						00	[D5] Vinyl With Map Pocket, Left
_		WL91 1J3AD	1						00	[J3] Vinyl With Map Pocket, Left
		WL91 1P7AD	1						00	[P7] Vinyl With Map Pocket, Left
		RV20 1D5AD	1						00	[D5] , With [CBL], Right
		RV20 1P7AD	1						00	[P7] , With [CBL], Right
		RV21 1D5AD	1						00	[D5] , With [CBL], Left
	2									BRACKET, Sliding Door Track
		5028 048AB	1							Right
		5028 049AB	1							Left
	3	6035 401	2							NUT, Snap In, .164-18
	4									MOLDING, Sliding Door
		RT30 BD5AB	1						00	[D5], Right
		RT30 ZJ3AB	1						00	[J3], Right
		RT30 ZP7AB	1						O0	[P7], Right
		RT31 BD5AB	1						00	[D5], Left
		RT31 ZJ3AB	1						00	[J3], Left
		RT31 ZP7AB	1						00	[P7], Left
	5									PLUG, Bezel Trim, (NOT
										REQUIRED)
	6									SCREW, [.164-18x.750], (NOT
										SERVICED) (Not Serviced)
	7	6035 401	2							NUT, Snap In, .164-18
	-8	6505 918AA-	8						O0	FASTENER, Door Trim Panel
	9									BEZEL, Sliding Door Bumper
		RT32 BD5AA	1						O0	[D5], Right
		RT32 ZJ3AA	1						O0	[J3], Right
		RT32 ZP7AA	1						O0	[P7], Right
		RT33 BD5AA	1						00	[D5], Left
		RT33 ZJ3AA	1						O0	[J3], Left
		RT33 ZP7AA	1						O0	[P7], Left
	10									BUMPER, Sliding Door
		4717 756AB	1							Right
		4717 757AB	1							Left

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year

Door Panel - Rear Sliding Figure IRS-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q(11	LINE	OLIVILO		LINGINE	INANO	TIXIIVI	DEGOKII TION
11	6507 473AA	3							SCREW, M6x1.00x20.00
12									PLUG, Sliding Door/Liftgate, Hinge
									Access
	KK36 BD5	1						00	[D5]
	KK36 ZJ3	1						O0	[J3]
	KK36 ZP7	1						00	[P7]
-13	6504 301	3						00	CLIP, Moulding
14									CUP, Door Pull
	SH47 BD5AA	1						00	[D5]
	SH47 ZJ3AA	1						00	[J3]
-15									WEATHERSTRIP, Door Panel
	4754 944AB-	1						00	Noise Vibration Harness Seal,
									Right
	4754 945AB-	1						00	Noise Vibration Harness Seal, Lef

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Front, Cloth Low Back, Trim Code [B7] Figure IRS-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co									
[CMN] =	Heated Seats								
[CGS] =	Side Air Bags								
1									CUSHION, Front Seat
	ZA38 1D5AA	1						B7	[D5], Left
	ZA38 1J3AA	1						B7	[J3], Left
	ZA38 1P7AA	1						B7	[P7], Left
	ZQ57 1D5AA	1						B7	[D5], Right
	ZQ57 1J3AA	1						B7	[J3], Right
	ZQ57 1P7AA	1						B7	[P7], Right
2									COVER, Seat, Cushion (Serviced
									With Cushion Only), (NOT
									SERVICED) (Not Serviced)
3									SEAT BACK, Front
	ZA32 1D5AA	1						B7	[D5] With Air Bag, Right
	ZA32 1J3AA	1						B7	[J3] With Air Bag, Right
	ZA32 1P7AA	11						B7	[P7] With Air Bag, Right
	ZA33 1D5AA	1						B7	[D5] With Air Bag, Left
	ZA33 1J3AA	1						B7	[J3] With Air Bag, Left
	ZA33 1P7AA	1						B7	[P7] With Air Bag, Left
	ZA34 1D5AA	1						B7	[D5], Right
	ZA34 1J3AA	1						B7	[J3], Right
	ZA34 1P7AA	1						B7	[P7], Right
	ZA35 1D5AA	1						B7	[D5], Left
	ZA35 1J3AA	1						B7	[J3], Left
	ZA35 1P7AA	1						B7	[P7], Left
4									COVER, Seat Back, Serviced With
									Seat Back Only, (NOT SERVICED
									(Not Serviced)
5	11074 4054 4	4						D.7	ARMREST, Seat
	UD74 1D5AA							B7	[D5], Right
	UD74 1J3AA	1						B7	[J3], Right
	UD74 1P7AA	1						B7	[P7], Right
	UD75 1D5AA	1						B7	[D5], Left
	UD75 1J3AA	1						B7	[J3], Left
_	UD75 1P7AA	1						B7	[P7], Left
6									HEADREST, Front
	ZA59 1D5AA	1						B7	[D5]
	ZA59 1J3AA	1						B7	[J3]
_	ZA59 1P7AA	1						B7	[P7]
7									SLEEVE, Headrest

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year

Front, Cloth Low Back, Trim Code [B7] Figure IRS-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QT98 1D5AA	2						B7	[D5], Locking
	QT98 1J3AA	2						B7	[J3], Locking
	QT98 1P7AA	2						B7	[P7], Locking
	QT99 1D5AA	2						B7	[D5], Slave Cylinder
	QT99 1J3AA	2						B7	[J3], Slave Cylinder
	QT99 1P7AA	2						B7	[P7], Slave Cylinder
8									SEAT COMPLETE, Front
	WE57 1D5AA	1						B7	[D5] With Airbag, Left, Manual
	WE57 1J3AA	1						B7	[J3] With Airbag, Left, Manual
	WE57 1P7AA	1						B7	[P7] With Airbag, Left,Manual
	WE61 1D5AA	1						B7	[D5] With Airbag, Left,Power
	WE61 1J3AA	1						B7	[J3] With Airbag, Left,Power
	WE61 1P7AA	1						B7	[P7] With Airbag, Left,Power
	WE79 1D5AA	1						B7	[D5] Without Airbag, Left, Manual
	WE79 1J3AA	1						B7	[J3] Without Airbag, Left, Manual
	WE79 1P7AA	1						В7	[P7] Without Airbag, Left, Manual
	WE81 1D5AA	1						В7	[D5] Without Airbag, Left,Power
	WE81 1J3AA	1						B7	[J3] Without Airbag, Left,Power
	WE81 1P7AA	1						В7	[P7] Without Airbag, Left,Power
	YV32 1D5AA	1						В7	[D5] Without Airbag, Right,Manu
	YV32 1J3AA	1						В7	[J3] Without Airbag, Right,Manua
	YV32 1P7AA	1						B7	[P7] Without Airbag, Right, Manua
	YV34 1D5AA	1						В7	[D5] Without Airbag With Storage
									Drawer, Right, Manual
	YV34 1J3AA	1						В7	[J3] Without Airbag With Storage
		•							Drawer, Right, Manual
	YV34 1P7AA	1						В7	[P7] Without Airbag With Storage
		•							Drawer, Right, Manual
	YV36 1D5AA	1						В7	[D5] With Airbag, Right,Manual
	YV36 1J3AA	1						B7	[J3] With Airbag, Right, Manual
	YV36 1P7AA	1						B7	[P7] With Airbag, Right, Manual
	YV38 1D5AA	1						B7	[D5] With Airbag and Under Sea
	1700 120781	•						٥.	Storage Drawer, Right, Manual
	YV38 1J3AA	1						B7	[J3] With Airbag and Under Seat
	. 700 100/1/1	•						٥,	Storage Drawer, Right, Manual
	YV38 1P7AA	1						В7	[P7] With Airbag and Under Sea
	1 700 11 7701	•						υ,	Storage Drawer, Right, Manual
9									PANEL, Front Seat Back
9	UE43 1D5AA	1						В7	[D5], Left
	UE43 1J3AA	1						B7	[J3], Left
	UL40 IJOAA	1						וט	[JO], Leit

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm




Front, Cloth Low Back, Trim Code [B7] Figure IRS-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								!	
	UE46 1D5AA	1						В7	[D5], Right
4.0	UE46 1J3AA	1						B7	[J3], Right
-10 -11	5016 506AA- 4798 847	4 1						B7 B7	BOLT REINFORCEMENT, Seat Cushio
• • •	4730 047	'						D,	Frame
				-					
DGE - CI	HRYSLER MINIVAI	۱ (RS) —							
ERIES	LINE			ODY = 113 WB	ENG EDZ, ED	INE 0 = 2.4L 4 Cy	I. DO	GL = 4 s	SMISSION pd. Auto. (41TE)
DGE - CI ERIES : Sport LX, SE : LXI, ES	LINE C = Chrysl D = Dodge	ler (AWD) e (AWD)	52 = 53 =	ODY = 113 WB = 119 WB	EDZ, ED EGA = 3	SINE 20 = 2.4L 4 Cy 3.3L 6 Cyl. 30 = 3.8L 6 Cy	DO	GL = 4 s	SMISSION pd. Auto. (41TE) Automatic Transm

Front, Cloth Low Back, Trim Code [A7] Figure IRS-515



	PART		l <u>-</u>						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
'	ZA38 1D5AA	1						A7	[D5], Left
	ZA38 1J3AA	1						A7	[J3], Left
	ZQ57 1D5AA	1						A7	[D5], Right
	ZQ57 1J3AA	1						A7	[J3], Right
2		<u> </u>							COVER, Seat, Cushion (Serviced
									With Cushion Only), (NOT
									SERVICED) (Not Serviced)
3									SEAT BACK, Front
	ZA32 1D5AA	1						A7	[D5] With Air Bag, Right
	ZA32 1J3AA	1						A7	[J3] With Air Bag, Right
	ZA33 1D5AA	1						A7	[D5] With Air Bag, Left
	ZA33 1J3AA	1						A7	[J3] With Air Bag, Left
	ZA34 1D5AA	1						A7	[D5], Right
	ZA34 1J3AA	1						A7	[J3], Right
	ZA35 1D5AA	1						A7	[D5], Left
	ZA35 1J3AA	1						A7	[J3], Left
4									COVER, Seat Back, Serviced Wi
									Seat Back Only, (NOT SERVIC
									(Not Serviced)
5									ARMREST, Seat
	UD74 1D5AA	1						A7	[D5], Right
	UD74 1J3AA	1						A7	[J3], Right
	UD75 1D5AA	1						A7	[D5], Left
	UD75 1J3AA	1						A7	[J3], Left
6									HEADREST, Front
	ZU93 1D5AA	1						A7	[D5]
	ZU93 1J3AA	1						A7	[J3]
7									SLEEVE, Headrest
	QT98 1D5AA	1						A7	[D5], Locking
	QT98 1J3AA	1						A7	[J3], Locking
	QT99 1D5AA	1						A7	[D5], Slave Cylinder
	QT99 1J3AA	1						A7	[J3], Slave Cylinder
8									SEAT COMPLETE, Front
	ZH41 1D5AA	1						A7	[D5] Without Air Bag, Left,Powe
	ZH41 1J3AA	1						A7	[J3] Without Air Bag, Left,Powe
	ZH42 1D5AA	1						A7	[D5], Right,Manual
	ZH42 1J3AA	1						A7	[J3], Right,Manual
	ZH45 1D5AA	1						A7	[D5] With Air Bag, Left,Manual
	ZH45 1J3AA	1						A7	[J3] With Air Bag, Left, Manual

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

 $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year

Front, Cloth Low Back, Trim Code [A7] Figure IRS-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			.1			1
	ZH46 1D5AA	1						A7	[D5] With Air Bag, Right, Manual
	ZH46 1J3AA	1						A7	[J3] With Air Bag, Right, Manual
	ZH47 1D5AA	1						A7	[D5] With Air Bag, Left,Power
	ZH47 1J3AA	1						A7	[J3] With Air Bag, Left,Power
9									PANEL, Front Seat Back
	UE43 1D5AA	1						A7	[D5]
	UE43 1J3AA	1						A7	[J3]
-10	5016 506AA-	1						A7	BOLT
-11	4798 847	1						A7	REINFORCEMENT, Seat Cushion
									Frame

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

Front, Cloth High Back, Trim Code [A5] Figure IRS-520

3
(5)
6

Sales C	ode:			 		
CMN] =	: Cargo Net					
1						CUSHION, Front Seat
	ZQ43 1D5AA	1			A5	[D5], Right
	ZQ43 1J3AA	1			A5	[J3], Right
	ZA37 1D5AA	1			A5	[D5], Left
	ZA37 1J3AA	1			A5	[J3], Left
2						COVER, Seat Cushion, Serviced
						With Cushion Only, (NOT
						SERVICED) (Not Serviced)
3						SEAT BACK, Front
	ZA30 1D5AA	1			A5	[D5], Right
	ZA30 1J3AA	1			A5	[J3], Right
	ZA31 1D5AA	1			A5	[D5], Left
	ZA31 1J3AA	1			A5	[J3], Left
4						COVER, Seat Back, Serviced With
						Seat Back Only, (NOT SERVICE
						(Not Serviced)
5						ARMREST, Seat
	MW08 1D5	1			A5	[D5], Right
	MW08 1J3	1			A5	[J3], Right
	MW09 1D5	1			A5	[D5], Left
	MW09 1J3	1			A5	[J3], Left
6						SEAT COMPLETE, Front
	YV28 1D5AA	1			A5	[D5], Right
	YV28 1J3AA	1			A5	[J3], Right
	WU93 1D5AA	1			A5	[D5], Left
	WU93 1J3AA	1			A5	[J3], Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

BODY 52 = 113 WB 53 = 119 WB

Front, Cloth High Back, Trim Code [B5] Figure IRS-525

3
Con 30°

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11210	NOMBLIX	Q(11	LINE	OLIVIEO	ВОВТ	LIVOIVE	IIIAIIO	1111111	DEGGKII NON
1									CUSHION, Front Seat
<u> </u>	ZQ43 1D5AA	1						B5	[D5], Right
	ZQ43 1J3AA	1						B5	[J3], Right
	ZQ43 1P7AA	1						B5	[P7], Right
	ZA37 1D5AA	1						B5	[D5], Left
	ZA37 1J3AA	1						B5	[J3], Left
	ZA37 1P7AA	1						B5	[P7], Left
2									COVER, Seat Cushion, Serviced
									With Cushion Only, (NOT
									SERVICED) (Not Serviced)
3									SEAT BACK, Front
	ZA30 1D5AA	1						B5	[D5], Right
	ZA30 1J3AA	1						B5	[J3], Right
	ZA30 1P7AA	1						B5	[P7], Right
	ZA31 1D5AA	1						B5	[D5], Left
	ZA31 1J3AA	1						B5	[J3], Left
	ZA31 1P7AA	1						B5	[P7], Left
4									COVER, Seat Back, Serviced With
									Seat Back Only, (NOT SERVICE
									(Not Serviced)
5									ARMREST, Seat
	MW08 1D5	1						B5	[D5], Right
	MW08 1J3	1						B5	[J3], Right
	MW08 1P7	1						B5	[P7], Right
	MW09 1D5	1						B5	[D5], Left
	MW09 1J3	1						B5	[J3], Left
	MW09 1P7	1						B5	[P7], Left
6									SEAT COMPLETE, Front
	WU93 1D5AA	. 1						B5	[D5], Left
	WU93 1J3AA	1						B5	[J3], Left
	WU93 1P7AA	1						B5	[P7], Left
	YV28 1D5AA	1						B5	[D5], With Storage Drawer
									Underseat and Cargo Net, Righ
	YV28 1J3AA	1						B5	[J3], With Storage Drawer
									Underseat and Cargo Net, Righ
	YV28 1P7AA	1						B5	[P7], With Storage Drawer
									Underseat and Cargo Net, Righ
	YV30 1D5AA	1						B5	[D5], With Storage Drawer
									Underseat, Right
	YV30 1J3AA	1						B5	[J3], With Storage Drawer
									Underseat, Right

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

X = EX


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Front, Cloth High Back, Trim Code [B5] Figure IRS-525

YV30 1P7AA 1 B5 [P7] With Storage Drawer Underseat, Right CAP, Handle Screw Cover GN53 1D5 2 B5 [D5] GN53 1J3 2 B5 [J3]		PART								
Underseat, Right -7	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Underseat, Right -7										
-7 CAP, Handle Screw Cover GN53 1D5 2 B5 [D5] GN53 1J3 2 B5 [J3]		YV30 1P7AA	1						B5	[P7] With Storage Drawer
GN53 1D5 2 B5 [D5] GN53 1J3 2 B5 [J3]										Underseat, Right
GN53 1J3 2 B5 [J3]	-7									CAP, Handle Screw Cover
		GN53 1D5	2						B5	[D5]
GN53 1P7 2 B5 [P7]		GN53 1J3	2						B5	[J3]
		GN53 1P7	2						B5	[P7]



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE


M = ELX = EX


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport $L = L\dot{X}, SE$ P = LXI, ES S = Limited

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Front, Leather, Trim Code [SL] Figure IRS-530





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 1	Γο Order Seat C	omplet	es Order It	tem #10					
Sales C	odes:								
CGS] =	Side Air Bag								
CMA] =	Heated Seats								
1									CUSHION, Front Seat
	ZE38 1D5AA	1						SL	[D5], Left
	ZE38 1J3AA	1						SL	[J3], Left
	ZE38 1P7AA	1						SL	[P7], Left
	ZE39 1D5AA	1						SL	[D5], Right
	ZE39 1J3AA	1						SL	[J3], Right
	ZE39 1P7AA	1						SL	[P7], Right
	ZE40 1D5AA	1						SL	[D5] Heated, Left
	ZE40 1J3AA	1						SL	[J3] Heated, Left
	ZE40 1P7AA	1						SL	[P7] Heated, Left
2									COVER, Front Seat Cushion
	ZE42 1D5AA	1						SL	[D5], Right & Left
	ZE42 1J3AA	1						SL	[J3], Right & Left
	ZE42 1P7AA	1						SL	[P7], Right & Left
3									SEAT BACK, Front
	ZD83 1D5AA	1						SL	[D5] With [CJ1] [CMN], Right,
									Bag
	ZD83 1J3AA	1						SL	[J3] With [CJ1] [CMN], Right,
									Bag
	ZD83 1P7AA	1						SL	[P7] With [CJ1] [CMN], Right,
									Bag
	ZE05 1D5AA	1						SL	[D5] With [CJ1], Left
	ZE05 1J3AA	1						SL	[J3] With [CJ1], Left
	ZE05 1P7AA	1						SL	[P7] With [CJ1], Left
	ZE07 1D5AA	11						SL	[D5] Without [CJ1], Left
	ZE07 1J3AA	1						SL	[J3] Without [CJ1], Left
4									COVER, Front Seat Back
	ZE56 1D5AA	1						SL	[D5] Without Airbag, Right
	ZE56 1J3AA	1						SL	[J3] Without Airbag, Right
	ZE56 1P7AA	1						SL	[P7] Without Airbag, Right
	ZE57 1D5AA	1						SL	[D5] Without Airbag, Left
	ZE57 1J3AA	1						SL	[J3] Without Airbag, Left
	ZE57 1P7AA	1						SL	[P7] Without Airbag, Left
5								_	HEADREST
	UE77 1D5AA	1						SL	[D5]
	UE77 1J3AA	1						SL	[J3]

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year

Front, Leather , Trim Code [SL] Figure IRS-530





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
		UE77 1P7AA	1						SL	[P7]
_	6	OLIT II TTOX	'							ARMREST, Seat
	Ū	UD74 1D5AA	1						SL	[D5], Right
		UD74 1J3AA	1						SL	[J3], Right
		UD74 1P7AA	1						SL	[P7], Right
_		UD75 1D5AA	1						SL	[D5], Left
		UD75 1J3AA	1						SL	[J3], Left
		UD75 1P7AA	1						SL	[P7], Left
	7									SLEEVE, Headrest
_		QT98 1D5AA	1						SL	[D5], Locking
		QT98 1J3AA	1						SL	[J3], Locking
		QT98 1P7AA	1						SL	[P7], Locking
	8									HANDLE, Seat Back, Serviced With
										Seat Back Panle Only Item 10,
										(NOT SERVICED) (Not Serviced)
	9									SEAT COMPLETE, Front
		WE69 1D5AA	. 1						SL	[D5] Heated, Left,Power
		WE69 1J3AA	1						SL	[J3] Heated, Left,Power
		WE69 1P7AA	. 1						SL	[P7] Heated, Left,Power
		WE85 1D5AA	. 1						SL	[D5] Heated, Without Airbag, Left,
_										Power
		WE85 1J3AA	1						SL	[J3] Heated, Without Airbag, Left,
										Power
		WE85 1P7AA	. 1						SL	[P7] Heated, Without Airbag, Left,
_										Power
		YV24 1D5AA	1						SL	[D5], Right
		YV24 1J3AA	1						SL	[J3], Right
		YV24 1P7AA	1						SL	[P7], Right
_		YV26 1D5AA	1						SL	[D5] With Airbag, Right
		YV26 1J3AA	1						SL	[J3] With Airbag, Right
		YV26 1P7AA	1						SL	[P7] With Airbag, Right
		YV90 1D5AA	1						SL	[D5] With Airbag and Cargo Net,
_		\(\alpha\) (0.0 \(\alpha\) (0.1 \(\alpha\)							01	Right, Power
		YV90 1J3AA	1						SL	[J3] With Airbag and Cargo Net,
		\(\(\)\(\)\(\)\(\)							01	Right, Power
		YV90 1P7AA	1						SL	[P7] With Airbag and Cargo Net,
_		V/M/00 4 D E A A							01	Right, Power
		YW02 1D5AA	. 1						SL	[D5] With Cargo Net Without
		V\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4						CI.	Airbag, Right, Power
		YW02 1J3AA	1						SL	[J3] With Cargo Net Without Airbag, Right,Power
_										Allbay, Right, Fower

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


September 19, 2005



Front, Leather, Trim Code [SL] Figure IRS-530



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	YW02 1P7AA	. 1						SL	[P7] With Cargo Net Without
									Airbag, Right,Power
10									PANEL, Front Seat Back
	UE43 1D5AA	1						SL	[D5], Without Map Pocket
	UE43 1J3AA	1						SL	[J3], Without Map Pocket
	UE43 1P7AA	1						SL	[P7], Without Map Pocket
	UE46 1D5AA	1						SL	[D5], With Map Pocket
	UE46 1J3AA	1						SL	[J3], With Map Pocket
	UE46 1P7AA	1						SL	[P7], With Map Pocket
-11	5016 506AA-	1						SL	BOLT
-12	5080 876AA-	1						SL	PAD, Heater, Cushion, Cushion
-13	5080 877AA-	1						SL	PAD, Heater, Seat Back, Seat Back
-14	5016 884AA-	1						SL	MODULE, Heated Seat



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI

C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

Front, Leather, Trim Code [TL] Figure IRS-535





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	HOMBER	~,,,		1 02.1120				1] Decomine
NOTF: T	o Order Seat C	Complet	es Order It	tem #10					
1	<u> </u>	ompiot	oo Ordor II	10111 // 10					CUSHION, Front Seat
	ZD35 1D5AA	1			52, 53			TL	[D5] Heated, Right
	ZD35 1P7AA	1			52, 53			TL	[P7] Heated, Right
	ZE36 2D5AA	1			52, 53			TL	[D5] Heated, Left
	ZE36 2P7AA	1			52, 53			TL	[P7] Heated, Left
2									COVER, Front Seat Cushion
	ZE41 1D5AA	1			52, 53			TL	[D5], Right & Left
	ZE41 1P7AA	1			52, 53			TL	[P7], Right & Left
3									SEAT BACK, Front
	ZD96 1D5AA	1			52, 53			TL	[D5] Heated and Airbag, Right
	ZD96 1P7AA	1			52, 53			TL	[P7] Heated and Airbag, Right
	ZD97 2D5AA	1			52, 53			TL	[D5] Heated and Airbag, Left
	ZD97 2P7AA	1			52, 53			TL	[P7] Heated and Airbag, Left
4									COVER, Front Seat Back, (NOT
									SERVICED) (Not Serviced)
5									HEADREST
	ZE53 1D5AA	1			52, 53			TL	[D5]
	ZE53 1P7AA	1			52, 53			TL	[P7]
6									ARMREST, Seat
	UD74 1D5AA	1						TL	[D5], Right
	UD74 1P7AA	1						TL	[P7], Right
	UD75 1D5AA	1						TL	[D5], Left
	UD75 1P7AA	1						TL	[P7], Left
7									SLEEVE, Headrest
	QT98 1D5AA	1						TL	[D5], Locking
	QT98 1P7AA	1			52, 53			TL	[P7], Locking
	QT99 1D5AA	1						TL	[D5], Slave Cylinder
	QT99 1P7AA	1			52, 53			TL	[P7], Slave Cylinder
8									HANDLE, Seat Back, Serviced V
									Seat Back Panel Only Item 10,
									(NOT SERVICED) (Not Service
9									SEAT COMPLETE, Front
	YV56 1D5AA	1			52, 53			TL	[D5], Right
	YV56 1P7AA	1			52, 53			TL	[P7], Right
	WE67 2D5AA	. 1			52, 53			TL	[D5], Left
	WE67 2P7AA	. 1			52, 53			TL	[P7], Left
10									PANEL, Front Seat Back
	UE46 1D5AA	1			52, 53			TL	[D5]
	UE46 1P7AA	1			52, 53			TL	[P7]

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL

X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Front, Leather, Trim Code [TL] Figure IRS-535



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Nomber	Q	LINE	DEIXIEG	5051	LIVOINE	TRANG	1111111	
-11	5016 506AA-	1			52, 53			TL	BOLT
-12	5080 875AA-	1			52, 53			TL	PAD, Heater, Cushion, Cushion



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI

C = Chrysler (AWD) $L = L\dot{X}, SE$

D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

Front, Leather, Trim Code [RL] Figure IRS-540

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	To Order Seat C	omplete	es Order It	tem #10					
1									CUSHION, Front Seat
	ZX74 1D5AA	1						RL	[D5], Right
	ZX75 1D5AA	1						RL	[D5], Left
2	ZX76 1D5AA	1						RL	COVER, Front Seat Cushion, [D5]
									Right & Left
3									SEAT BACK, Front
	ZX70 1D5AA	1						RL	[D5], Right
	ZX71 1D5AA	1						RL	[D5], Left
4									COVER, Front Seat Back
	ZX72 1D5AA	1						RL	[D5], Right
	ZX73 1D5AA	1						RL	[D5], Left
5	ZX69 1D5AA	1						RL	HEADREST, [D5]
6									ARMREST, Seat
	UD74 1D5AA	1						RL	[D5], Right
	UD75 1D5AA	1						RL	[D5], Left
7									SLEEVE, Headrest
	QT98 1D5AA	1						RL	[D5], Locking
	QT99 1D5AA	1						RL	[D5], Slave Cylinder
8									HANDLE, Seat Back, Serviced Wit
									Seat Back Panel Only Item 10,
									(NOT SERVICED) (Not Serviced
9									SEAT COMPLETE, Front
	ZN09 1D5AA	1						RL	[D5], Left,Power
	ZN22 1D5AA	1						RL	[D5], Right
10									PANEL, Front Seat Back
	UE46 1D5AA	1						RL	[D5] With Map Pocket
	UE43 1D5AA	1						RL	[D5] Without Map Pocket
-11	5016 506AA-	1			52, 53			TL	BOLT

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


X = EX


PART







PART








PART











ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Tress Head, #8x.5
	4856 025	1						A5	
		1						A7	
		1						B5	
		6 1						B7 TL	
-2		ı						IL	HANDLE, Lumbar
	5003 208AA-	1						SL	TANDEE, Edition
	3000 2007 V C	1			52, 53			TL	
		1			02, 00			RL	
3									KNOB, Power Seat Switch
	4685 381AB	1						A7	Left
		1						В7	Left
		1						SL	Left
	4685 382AB	1						SL	Right
		1			52, 53			TL	Right
4									KNOB
	4685 379	1						RL	
	4685 997AA	1						SL	
		1			52, 53			TL	
5									SWITCH, Seat, Power Seat, For
									Parts See Electrical Group 8, (NOT
•									REQUIRED)
6	LID70 4D54A	4						O.	SHIELD SIDE, Seat
	UD79 1D5AA	1			F0 F0			SL	[D5], Right,Inboard,Power
	UD79 1J3AA	1 1			52, 53			TL SL	[D5], Right,Inboard,Power [J3], Right,Inboard,Power
	UD80 1D5AA	1			52, 53			R7	[D5], Right,Inboard,Power
	XY07 1D5AA	1			52, 55			SL	[D5], Right, Missard, Power
	XIOI IDSAA	'			52, 53			TL	[D5], Right,Outboard,Power
	XY07 1J3AA	1			02, 00			SL	[J3], Right,Outboard,Power
7	71.07 100751							0_	SHIELD SIDE, Seat
	UE23 1D5AA	1						SL	[D5], Left,Power,Outboard
		1			52, 53			DL	[D5], Left,Power,Outboard
		1			,			B7	[D5], Left,Power,Outboard
		1						A7	[D5], Left,Power,Outboard
	UE23 1J3AA	1						SL	[J3], Left,Power,Outboard
		1						B7	[J3], Left,Power,Outboard
		1						A7	[J3], Left,Power,Outboard
	UE23 2D5AA	1			52, 53			TL	[P7], Left,Power,Outboard

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UE24 1D5AA	1						SL	[D5], Left,Inboard,Power
		1			52, 53			DL	[D5], Left,Inboard,Power
		1						B7	[D5], Left,Inboard,Power
		1						A7	[D5], Left,Inboard,Power
	UE24 2D5AA	1			52, 53			TL	[D5], Left,Inboard,Power
	UE24 1J3AA	1						SL	[J3], Left,Inboard,Power
		1						B7	[J3], Left,Inboard,Power
		1						A7	[J3], Left,Inboard,Power
	UE24 2P7AA	1			52, 53			TL	[P7], Left,Inboard,Power
	UE23 1D5AA	1						RL	[D5], Left,Power,Outboard
_	UE24 1D5AA	1						RL	[D5], Left,Inboard,Power
8									COVER, Front Power Seat Adjuster
	WA83 2D5AA	1			52, 53			TL	[D5]
	WA83 2P7AA	1			52, 53			TL	[P7]
	ZS76 1D5AA	1						RL	[D5]
		1						B7	[D5]
		<u>1</u>						A7 SL	[D5] [D5]
		1			52, 53			CL	[D5]
	ZS76 1J3AA	1			32, 33			B7	[J3]
	2010 100AA	1						A7	[J3]
		1						SL	[J3]
		1			52, 53			CL	[J3]
9					,				BOLT
-	5016 506AA	1						A5	
		1						B5	
		1						B7	
	5018 961AA	2						RL	
	5016 506AA	1						SL	
		1			52, 53			TL	
10	6501 269	8							NUT, Hex Flange, M12x1.75
11									ADJUSTER, Power Seat
	5018 883AA	1						A7	Left
		1						SL	Left
		1						B7	Left
	5114 367AA	1						SL	4-Way, Right
		1			52, 53			TL	4-Way, Right
	5114 368AA	1			52, 53			TL	4-Way w/Memory, Left
12									COVER, Front Power Seat Adjuster
	UD84 1D5AA	1						A7	[D5], Right,Lower

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UD84 1J3AA	1						A7	[J3], Right,Lower
	UD85 1J3AA	1						A7	[J3], Left,Lower
	UD85 1D5AA	1						A7	[D5], Left,Lower
		1						B7	[D5], Left,Lower
	UD84 1D5AA	1						B7	[D5], Right,Lower
	UD85 1J3AA	1						B7	[J3], Left,Lower
	UD84 1J3AA	1						B7	[J3], Right,Lower
	UD84 1D5AA	1						SL	[D5], Right,Lower
	UD85 1D5AA	1						SL	[D5], Left,Lower
	UD84 1J3AA	1						SL	[J3], Right,Lower
	UD85 1J3AA	1						SL	[J3], Left,Lower
	UD84 1D5AA	1			52, 53			TL	[D5], Right,Lower
	UD85 1D5AA	1			52, 53			TL	[D5], Left,Lower
-13									RECLINER, Seat Back
	5073 214AA-	1						A5	Right
	5073 215AA-	1						A5	Left
	5073 212AA-	1						A7	Dual Recliner, Right
	5073 213AA-	1						A7	Dual Recliner, Left
	5073 215AA-	1						B5	Left
	5073 214AA-	1						B5	Right
	5073 213AA-	1						B7	Dual Recliner, Left
	5073 212AA-	1						B7	Dual Recliner, Right
	5069 206AA-	1						RL	Left
	5073 212AA-	1						RL	Duel Recliner, Right

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

PART





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•			•		
	ZA45 1D5AA	1						B5	[D5]
	ZA45 1J3AA	1						B5	[J3]
	2,110 100,01	1						B7	[J3]
	ZA45 1P7AA	1						B7	[P7]
	ZA45 1D5AA	1						B7	[D5]
4									ARMREST, Seat, Right
	MW09 1J3	1						A5	[J3]
	MW09 1D5	1						A5	[D5]
		1						A7	[D5]
	MW09 1J3	1						A7	[J3]
		1						B5	[J3]
	MW09 1P7	1						B5	[P7]
	MW09 1D5	1						B5	[D5]
		1						B7	[D5]
	MW09 1P7	1						B7	[P7]
	MW09 1J3	1						B7	[J3]
5									HEADREST, Rear
	ZU94 1J3AA	2						A5	[J3]
	ZU94 1D5AA	2						A5	[D5]
	ZU94 1J3AA	2						A7	[J3]
	ZU94 1D5AA	2						A7	[D5]
	ZA53 1D5AA	2						B5	[D5]
	ZA53 1P7AA	2						B5	[P7]
	ZA53 1J3AA	2						B5	[J3]
	ZA58 1J3AA	2						B5	[J3], With Child Seat
	ZA58 1D5AA	2						B5	[D5], With Child Seat
	ZA58 1P7AA	2						B5	[P7], With Child Seat
	ZA58 1D5AA	2						B7	[D5], With Child Seat
	ZA58 1J3AA	2						B7	[J3], With Child Seat
	ZA58 1P7AA	2						B7	[P7], With Child Seat
	ZA53 1P7AA	2						B7	[P7]
	ZA53 1J3AA	2						B7	[J3]
	ZA53 1D5AA	2						B7	[D5]
6			· · · · · ·	· · · · · · · · · · · · · · · · · · ·					SLEEVE, Headrest
	QT99 1D5AA	2						A5	[D5], Slave Cylinder
	QT99 1J3AA	2						A5	[J3], Slave Cylinder
	QT98 1D5AA	2						A5	[D5], Locking
	QT98 1J3AA	2						A5	[J3], Locking
		2						A7	[J3], Locking
	QT98 1D5AA	2						A7	[D5], Locking

DODGE - CHRYSLER MINIVAN (RS) SERIES LINE
H = Sport C = Chrysler (AW)


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QT99 1J3AA	2						A7	[J3], Slave Cylinder
	QT99 1D5AA	2						A7	[D5], Slave Cylinder
		2						B5	[D5], Slave Cylinder
	QT99 1J3AA	2						B5	[J3], Slave Cylinder
	QT98 1D5AA	2						B5	[D5], Locking
	QT98 1J3AA	2						B5	[J3], Locking
	QT98 1P7AA	2						B5	[P7], Locking
	QT99 1P7AA	2						B5	[P7], Slave Cylinder
	QT98 1D5AA	2						B7	[D5], Locking
	QT98 1J3AA	2						B7	[J3], Locking
	QT99 1D5AA	2						B7	[D5], Slave Cylinder
	QT99 1J3AA	2						B7	[J3], Slave Cylinder
	QT98 1P7AA	2						B7	[P7], Locking
	QT99 1P7AA	2						B7	[P7], Slave Cylinder
7									PLUG, Armrest
	WU50 1J3	1						A5	[J3]
	WU50 1D5	1						A5	[D5]
	WU50 1J3	1						A7	[J3]
	WU50 1D5	1						A7	[D5]
		1						B5	[D5]
	WU50 1J3	1						B5	[J3]
	WU50 1P7	1						B5	[P7]
	WU50 1D5	1						B7	[D5]
	WU50 1J3	1						B7	[J3]
	WU50 1P7	1						B7	[P7]
8									SCREW, Pan Head, M8x1.25x41.5
	6503 287	1						A5	
		1						A7	
		1						B5	
		1						B7	
9									WASHER, Wave, .520x.745, Armres
	4882 234	1						A5	
		1						A7	
		1						B5	
		1						B7	
10									SCREW, Special Head, M8x1.
									25x32.5, Serviced In Seat Back
									Only, (NOT SERVICED) (Not
									Serviced)

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M - FI P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


X = EXAR = Use as required -= Non illustrated part # = New this model year



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED
40									(Not Serviced)
12									SEAT COMPLETE, Rear, Two
	ZH50 1J3AA	1						A5	Passenger, Without Child Seat [J3]
	ZH50 105AA	1						A5	[05] [D5]
	ZH50 1J3AA	1						A7	[J3]
	ZH50 1D5AA	1						A7	[D5]
	WV40 1P7AA							B5	[P7]
	WV40 1D5AA							B5	[D5]
	WV40 1J3AA	1						B5	[J3]
		1						B7	[J3]
	WV40 1P7AA							B7	[P7]
	WV40 1D5AA							B7	[D5]
13		•							SEAT COMPLETE, Rear, Two
. •									Passenger Child Seat
	ZH51 1J3AA	1						A5	[J3]
	ZH51 1D5AA	1						A5	[D5]
	ZH51 1J3AA	1						A7	[J3]
	ZH51 1D5AA	1						A7	[D5]
	WV41 1D5AA	1						B5	[D5]
	WV41 1P7AA							B5	[P7]
	WV41 1J3AA	1						B5	[J3]
	WV41 1P7AA	1						В7	[P7]
	WV41 1J3AA	1						В7	[J3]
	WV41 1D5AA	1						B7	[D5]
-14									MODULE, Child Seat Complete
	ZA48 1J3AA-	1						A5	[J3]
	ZA48 1D5AA-	1						A5	[D5]
	ZA48 1J3AA-	1						A7	[J3]
	ZA48 1D5AA-	1						A7	[D5]
	ZA48 1P7AA-	1						B5	[P7]
	ZA48 1J3AA-	1						B5	[J3]
	ZA48 1D5AA-	1						B5	[D5]
		1						B7	[D5]
	ZA48 1J3AA-	1						В7	[J3]
	ZA48 1P7AA-	1						B7	[P7]
-15									PAD, Child Seat
	SL75 1J3AA-	2						A5	[J3]
-15	ZA48 1P7AA- SL75 1J3AA-							B7 A5	
DGE - CHI ERIES	RYSLER MINIVAN LINE	N (RS) —		DDY	ENGI	NE		TRAN	SMISSION
= Sport	C = Chrysle) 52 =	: 113 WB	EDZ, ED	0 = 2.4L 4 C		OGL = 4 s	pd. Auto. (41TE)
= LX, SE = LXI, ES	D = Dodge Y = Chrysle			: 119 WB		.3L 6 Cyl. 30 = 3.8L 6 C		JGU = All	Automatic Transm
Limited	K = Dodge		•			.3L 6 Cyl. FF			
= EL = EX									







	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SL75 1D5AA-	2						A5	[D5]
		2						A7	[D5]
	SL75 1J3AA-	2						A7	[J3]
	SL75 1D5AA-	2						B5	[D5]
	SL75 1J3AA-	2						B5	[J3]
	SL75 1P7AA-							B5	[P7]
		2						B7	[P7]
	SL75 1J3AA-	2						B7	[J3]
	SL75 1D5AA-	2						B7	[D5]
16									CUP HOLDER, Rear Seat
	5102 309AA	1						A5	
		1						A7	
		1						B5	
47		1						В7	DEZEL Over Helden
17	5400 004AA	4						DZ	BEZEL, Cup Holder
	5103 324AA	1						B7 B5	
 18		11						БЭ	CUPHOLDER
	5103 325AA	1						B7	COFFICEDER
	3103 323AA	1						B5	
19		'						Б	LINER, Cup Holder
	5103 326AA	1						B7	Zirtzirt, Gup Holadi
		1						B5	
-20								-	BRACKET, Cup Holder
	5135 795AA-	1						B7	· ·
		1						B5	

DODGE - CHRYSLER MINIVAN (RS) SERIES LINE
H = Sport C = Chrysler (AW)

C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX

Quad Seats, Trim Code [B5] Figure IRS-615



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									CUSHION, Quad Seat
	ZA40 1P7AA	1						B5	[P7], Right
	ZA40 1D5AA	1						B5	[D5], Right
	ZA40 1J3AA	1						B5	[J3], Right
	ZA41 1D5AA	1						B5	[D5], Left
	ZA41 1J3AA	1						B5	[J3], Left
	ZA41 1P7AA	1						B5	[P7], Left
2									SEAT BACK, Rear Quad
	ZA42 1P7AA	1						B5	[P7], With Child Seat, Right
-	ZA42 1J3AA	1						B5	[J3], With Child Seat, Right
	ZA42 1D5AA	1						B5	[D5], With Child Seat, Right
	ZA39 1D5AA	1						B5	[D5], Right & Left
	ZA39 1P7AA	1						B5	[P7], Right & Left
	ZA39 1J3AA	1						B5	[J3], Right & Left
3									ARMREST, Seat
	UD75 1P7AA	1						B5	[P7], Left Outer, Right Inner
	UD75 1J3AA	1						B5	[J3], Left Outer, Right Inner
	UD75 1D5AA	1						B5	[D5], Left Outer, Right Inner
	UD74 1P7AA	1						B5	[P7], Right Outer, Left Inner
	UD74 1J3AA	1						B5	[J3], Right Outer, Left Inner
	UD74 1D5AA	1						B5	[D5], Right Outer, Left Inner
4									HEADREST, Rear
	ZJ17 1P7AA	1						B5	[P7]
	ZJ17 1J3AA	1						B5	[J3]
	ZJ17 1D5AA	1						B5	[D5]
5									SLEEVE, Headrest
	QT99 1P7AA	1						B5	[P7], Slave Cylinder
	QT99 1J3AA	1						B5	[J3], Slave Cylinder
	QT99 1D5AA	1						B5	[D5], Slave Cylinder
	QT98 1J3AA	1						B5	[J3], Locking
	QT98 1D5AA	1						B5	[D5], Locking
	QT98 1P7AA	1						B5	[P7], Locking
6									PLUG, Armrest
	WU50 1P7	1						B5	[P7]
	WU50 1D5	1						B5	[D5]
	WU50 1J3	1						B5	[J3]
7	6503 287	1						B5	SCREW, Pan Head, M8x1.25x41.5
8	4882 234	1						B5	WASHER, Wave, .520x.745
9									SCREW, Special Head, M8x1.
									25x32.5, Serviced With The Frame,
									(NOT SERVICED) (Not Serviced)
									, , , , , , , , , , , , , , , , , , ,

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = FI P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Quad Seats, Trim Code [B5] Figure IRS-615



	PART	O.T.Y		05050	DODY	- NOINE			DECODINE ION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED)
									(Not Serviced)
11									SEAT COMPLETE, Rear Quad
	WV42 1D5AA	1						B5	[D5], With Child Seat, Right
	WV42 1J3AA	1						B5	[J3], With Child Seat, Right
	WV42 1P7AA	1						B5	[P7], With Child Seat, Right
	WV44 1D5AA	1						B5	[D5], Right
	WV44 1J3AA	1						B5	[J3], Right
	WV44 1P7AA	1						B5	[P7], Right
	WV45 1D5AA	1						B5	[D5], Left
	WV45 1J3AA	1						B5	[J3], Left
	WV45 1P7AA	1						B5	[P7], Left
-12									MODULE, Child Seat Complete
	ZA43 1D5AA-	1						B5	[D5]
	ZA43 1J3AA-	1						B5	[J3]
	ZA43 1P7AA-	1						B5	[P7]
-13									PAD, Child Seat
	UX73 1D5AA-	1						B5	[D5]
	UX73 1J3AA-	1						B5	[J3]
	UX73 1P7AA-	1						B5	[P7]

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EXAR = Use as required -= Non illustrated part # = New this model year

«

Quad Seats, Trim Code [B7] Figure IRS-620



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									CUSHION, Quad Seat
<u> </u>	ZA40 1D5AA	1						B7	[D5], Right
	ZA40 1J3AA	1						B7	[J3], Right
	ZA40 1P7AA	1						В7	[P7], Right
	ZA41 1D5AA	1						В7	[D5], Left
	ZA41 1J3AA	1						B7	[J3], Left
	ZA41 1P7AA	1						В7	[P7], Left
2									SEAT BACK, Rear Quad
	ZA39 1D5AA	1						B7	[D5], Right & Left
	ZA39 1J3AA	1						B7	[J3], Right & Left
	ZA39 1P7AA	1						B7	[P7], Right & Left
	ZA42 1D5AA	1						B7	[D5], With Child Seat, Right
	ZA42 1J3AA	1						B7	[J3], With Child Seat, Right
	ZA42 1P7AA	1						B7	[P7], With Child Seat, Right
3									ARMREST, Seat
	UD74 1D5AA	1						B7	[D5], Left Outer, Right Inner
	UD74 1J3AA	1						B7	[J3], Left Outer, Right Inner
	UD74 1P7AA	1						B7	[P7], Left Outer, Right Inner
	UD75 1D5AA	1						B7	[D5], Right Outer, Left Inner
	UD75 1J3AA	1						B7	[J3], Right Outer, Left Inner
	UD75 1P7AA	1						B7	[P7], Right Outer, Left Inner
4									HEADREST, Rear
	ZJ17 1D5AA	1						B7	[D5]
	ZJ17 1J3AA	1						B7	[J3]
	ZJ17 1P7AA	1						B7	[P7]
5	OT00 (D54)							5-	SLEEVE, Headrest
	QT98 1D5AA	1						B7	[D5], Locking
	QT98 1J3AA	1						B7	[J3], Locking
	QT98 1P7AA	1						B7	[P7], Locking
	QT99 1D5AA	1						B7	[D5], Slave Cylinder
	QT99 1J3AA	1						B7	[J3], Slave Cylinder
6	QT99 1P7AA	1						B7	[P7], Slave Cylinder PLUG, Armrest
6	WU50 1D5	1						B7	
	WU50 1J3	1						Б7 В7	[D5] [J3]
	WU50 133	1						В7 В7	[93] [P7]
7	6503 287	1						B7	SCREW, Pan Head, M8x1.25x41.5
8	4882 234	'						B7	WASHER, Wave, .520x.745
9	400Z Z04	•						D,	SCREW, Special Head, M8x1.
Ü									25x32.5, Serviced With The Frame,
									(NOT SERVICED) (Not Serviced)
									, (1111 2 1111 200)

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = FI P = LXI, ES S = Limited M = EL

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Quad Seats, Trim Code [B7] Figure IRS-620




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED)
									(Not Serviced)
11									SEAT COMPLETE, Rear Quad
	WV42 1D5AA	. 1						B7	[D5], With Child Seat, Right
	WV42 1J3AA	1						B7	[J3], With Child Seat, Right
	WV42 1P7AA	1						B7	[P7], With Child Seat, Right
	WV44 1D5AA	. 1						B7	[D5], Right
	WV44 1J3AA	1						B7	[J3], Right
	WV44 1P7AA	1						B7	[P7], Right
	WV45 1D5AA	. 1						B7	[D5], Left
	WV45 1J3AA	1						B7	[J3], Left
	WV45 1P7AA	1						B7	[P7], Left
-12									MODULE, Child Seat Complete
	ZA43 1D5AA-	1						B7	[D5]
	ZA43 1J3AA-	1						B7	[J3]
	ZA43 1P7AA-	1						B7	[P7]
-13									PAD, Child Seat
	UX73 1D5AA-	· 1						B7	[D5]
	UX73 1J3AA-	1						B7	[J3]
	UX73 1P7AA-	1						B7	[P7]

X = EX

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

Quad Seats, Trim Codes, [SL] Figure IRS-630



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Quad Seat
	ZE58 1D5AA	1						SL	[D5], Right
	ZE58 1J3AA	1						SL	[J3], Right
	ZE58 1P7AA	1						SL	[P7], Right
	ZE59 1D5AA	1						SL	[D5], Left
	ZE59 1J3AA	1						SL	[J3], Left
	ZE59 1P7AA	1						SL	[P7], Left
2									COVER, Rear Seat Cushion
	ZE60 1D5AA	1						SL	[D5], Right
	ZE60 1J3AA	1						SL	[J3], Right
	ZE60 1P7AA	1						SL	[P7], Right
	ZE61 1D5AA	1						SL	[D5], Left
	ZE61 1J3AA	1						SL	[J3], Left
	ZE61 1P7AA	1						SL	[P7], Left
3									SEAT BACK, Rear Quad
	ZE62 1D5AA	1						SL	[D5], Right & Left
	ZE62 1J3AA	1						SL	[J3], Right & Left
	ZE62 1P7AA	1						SL	[P7], Right & Left
4									COVER, Seat Back
	ZE63 1D5AA	1						SL	[D5], Right & Left
	ZE63 1J3AA	1						SL	[J3], Right & Left
	ZE63 1P7AA	1						SL	[P7], Right & Left
5									ARMREST, Seat
	UD74 1D5AA	1						SL	[D5], Right Outer, Left Inner
	UD74 1J3AA	1						SL	[J3], Right Outer, Left Inner
	UD74 1P7AA	1						SL	[P7], Right Outer, Left Inner
	UD75 1D5AA	1						SL	[D5], Left Outer, Right Inner
	UD75 1J3AA	1						SL	[J3], Left Outer, Right Inner
	UD75 1P7AA	1						SL	[P7], Left Outer, Right Inner
6									HEADREST, Rear
	UF29 1D5AA	1						SL	[D5]
	UF29 1P7AA	1						SL	[P7]
	UF29 1J3AA	1						SL	[J3]
7									SLEEVE, Headrest
	QT98 1D5AA	1						SL	[D5], Locking
	QT98 1J3AA	1						SL	[J3], Locking
	QT98 1P7AA	1						SL	[P7], Locking
	QT99 1D5AA	1						SL	[D5], Slave Cylinder
	QT99 1J3AA	1						SL	[J3], Slave Cylinder
	QT99 1P7AA	1						SL	[P7], Slave Cylinder
8									PLUG, Armrest

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI P = LXI, ES S = Limited M = EL

X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Quad Seats, Trim Codes, [SL] Figure IRS-630



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WU50 1D5	1						SL	[D5]
	WU50 1J3	1						SL	[J3]
	WU50 1P7	1						SL	[P7]
9	6503 287	1						SL	SCREW, Pan Head, M8x1.25x4
10	4882 234	1						SL	WASHER, Wave, .520x.745
11									SCREW, Special Head, M8x1.
									25x32.5, Serviced In Seat Bac
									Only, (NOT SERVICED) (Not
									Serviced)
12									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVI
									(Not Serviced)
13									SEAT COMPLETE, Rear Quad
	ZB34 1D5AA	1						SL	[D5], Right
	ZB34 1J3AA	1						SL	[J3], Right
	ZB34 1P7AA	1						SL	[P7], Right
	ZB35 1D5AA	2						SL	[D5], Left
	ZB35 1J3AA	2						SL	[J3], Left
	ZB35 1P7AA	2						SL	[P7], Left


X = EX

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Quad Seats, Trim Codes, [TL] Figure IRS-640



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Quad Seat
	ZE43 1D5AA	1						TL	[D5], Left
	ZE43 1P7AA	1						TL	[P7], Left
	ZE44 1D5AA	1						TL	[D5], Right
	ZE44 1P7AA	1						TL	[P7], Right
2									COVER, Rear Seat Cushion
	ZE45 1D5AA	1						TL	[D5], Right
	ZE45 1P7AA	1						TL	[P7], Right
	ZE46 1D5AA	1						TL	[D5], Left
	ZE46 1P7AA	1						TL	[P7], Left
3									SEAT BACK, Rear Quad
	ZE47 1P7AA	1						TL	[P7], Right & Left
	ZE47 1D5AA	1						TL	[D5], Right & Left
4									COVER, Seat Back
	ZE48 1D5AA	1						TL	[D5], Right & Left
	ZE48 1P7AA	1						TL	[P7], Right & Left
5									ARMREST, Seat
	UD74 1P7AA	1						TL	[P7], Right Outer, Left Inner
	UD74 1D5AA	1						TL	[D5], Right Outer, Left Inner
	UD75 1D5AA	1						TL	[D5], Left Outer, Right Inner
	UD75 1P7AA	1						TL	[P7], Left Outer, Right Inner
6									HEADREST, Rear
	UF29 1D5AA	1						TL	[D5]
	UF29 1P7AA	1						TL	[P7]
7									SLEEVE, Headrest
	QT98 1D5AA	1						TL	[D5], Locking
	QT98 1P7AA	1						TL	[P7], Locking
	QT99 1D5AA	1						TL	[D5], Slave Cylinder
	QT99 1P7AA	1						TL	[P7], Slave Cylinder
8									PLUG, Armrest
	WU50 1D5	2						TL	[D5]
	WU50 1P7	2						TL	[P7]
9	6503 287	1			52, 53			TL	SCREW, Pan Head, M8x1.25x41.5
10	4882 234	1			52, 53			TL	WASHER, Wave, .520x.745
11									SCREW, Special Head, M8x1.
									25x32.5, Serviced In Seat Back
									Only, (NOT SERVICED) (Not
									Serviced)
12									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED
									(Not Serviced)

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

Quad Seats, Trim Codes, [TL] Figure IRS-640



Quad Seats, Trim Code, [RL] Figure IRS-645



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Quad Seat
	ZX57 1D5AA	1						RL	[D5], Left
	ZX58 1D5AA	1						RL	[D5], Right
2									COVER, Rear Seat Cushion
	ZX59 1D5AA	1						RL	[D5], Left
	ZX60 1D5AA	1						RL	[D5], Right
3	ZX55 1D5AA	1						RL	SEAT BACK, Rear Quad, [D5], Rigl
									& Left
4	ZX56 1D5AA	1						RL	COVER, Seat Back, [D5], Right &
									Left
5									ARMREST, Seat
	UD74 1D5AA	1						RL	[D5], Right
	UD75 1D5AA	1						RL	[D5], Left
6	ZX54 1D5AA	1						RL	HEADREST, Rear, [D5]
7									SLEEVE, Headrest
	QT98 1D5AA	1						RL	[D5], Locking
	QT99 1D5AA	1						RL	[D5], Slave Cylinder
8	WU50 1D5	1						RL	PLUG, Armrest, [D5]
9	6503 287	1			52, 53			TL	SCREW, Pan Head, M8x1.25x41.5
10	4882 234	1			52, 53			TL	WASHER, Wave, .520x.745
11									SCREW, Special Head, M8x1.
									25x32.5, Serviced In Seat Back
									Only, (NOT SERVICED) (Not
									Serviced)
12									SUPPORT, Armrest, Serviced In
									Seat Back Only, (NOT SERVICED
									(Not Serviced)
13									SEAT COMPLETE, Rear Quad
	ZN20 1D5AA	1						RL	[D5], Right
	ZN21 1D5AA	1						RL	[D5], Left

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = FI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEADREST, Rear
	ZU94 1D5AA	1						A5	[D5]
	ZU94 1J3AA	1						A5	[J3]
	ZU94 1D5AA	1						A7	[D5]
	ZU94 1J3AA	1						A7	[J3]
	UF29 1D5AA	1						SL	[D5]
	UF29 1J3AA	1						SL	[J3]
	UF29 1P7AA	1						SL	[P7]
	UF29 1D5AA	1						TL	[D5]
	UF29 1P7AA	1						TL	[P7]
	ZJ17 1D5AA	1						B7	[D5]
		1						B5	[D5]
	ZJ17 1J3AA	1						B5	[J3]
		1						B7	[J3]
	ZJ17 1P7AA	1						B7	[P7]
		1						B5	[P7]
2									SLEEVE, Headrest, Locking
	QT98 1D5AA	2						A5	[D5]
	QT98 1J3AA	2						A5	[J3]
		2						A7	[J3]
	QT98 1D5AA	2						A7	[D5]
		2						B5	[D5]
	QT98 1J3AA	2						B5	[J3]
	QT98 1P7AA	2						B5	[P7]
	QT98 1D5AA	2						B7	[D5]
	QT98 1P7AA	2						B7	[P7]
	QT98 1J3AA	2						B7	[J3]
	QT98 1D5AA	1						RL	[D5]
		1						SL	[D5]
	QT98 1P7AA	1						SL	[P7]
	QT98 1J3AA	1						SL	[J3]
	QT98 1P7AA	1			52, 53			TL	[P7]
	QT98 1D5AA	1			52, 53			TL	[D5]
3									SLEEVE, Headrest, Slave
	QT99 1J3AA	2						A5	[J3]
	QT99 1D5AA	2						A5	[D5]
	QT99 1J3AA	2						A7	[J3]
	QT99 1D5AA	2						A7	[D5]
	QT99 1P7AA	2						B5	[P7]
	QT99 1J3AA	2						B5	[J3]


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL


X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1								
	QT99 1D5AA	2						B5	[D5]
	QT99 1P7AA	2						B7	[P7]
	QT99 1J3AA	2						В7	[J3]
	QT99 1D5AA	2						В7	[D5]
		1						RL	[D5]
	QT99 1J3AA	1						SL	[J3]
	QT99 1D5AA	1						SL	[D5]
	QT99 1P7AA	1						SL	[P7]
		1						TL	[P7]
	QT99 1D5AA	1			52, 53			TL	[D5]
4									SEAT BACK, Rear, 3 Passenger
	ZA51 1J3AA	1						A5	[J3]
	ZA51 1D5AA	1						A5	[D5]
	ZA51 1J3AA	1						A7	[J3]
	ZA51 1D5AA	1						A7	[D5]
		1						B5	[D5]
	ZA51 1P7AA	1						B5	[P7]
	ZA51 1J3AA	1						B5	[J3]
		1						B7	[J3]
	ZA51 1D5AA	1						B7	[D5]
	ZA51 1P7AA	1						B7	[P7]
5									CUSHION, Rear Seat, Three
									Passenger
	ZA52 1J3AA	1						A5	[J3], Without Child Seat
	ZA52 1D5AA	1						A5	[D5], Without Child Seat
	ZA49 1J3AA	1						A5	[J3], With Child Seat
	ZA49 1D5AA	1						A5	[D5], With Child Seat
	ZA52 1J3AA	1						A7	[J3], Without Child Seat
	ZA52 1D5AA	1						A7	[D5], Without Child Seat
	ZA49 1D5AA	1						A7	[D5], With Child Seat
	ZA49 1J3AA	1						A7	[J3], With Child Seat
	ZA52 1P7AA	1						B5	[P7]
	ZA52 1J3AA	1						B5	[J3]
	ZA52 1D5AA	1						B5	[D5]
	ZA52 1P7AA	1						B7	[P7]
	ZA52 1D5AA	1						B7	[D5]
	ZA52 1J3AA	1						B7	[J3]
6									SEAT COMPLETE, Rear, Three
									Passenger
	ZJ38 1J3AA	1						A5	[J3], With Child Seat

DODGE - CHRYSLER MINIVAN (RS) SERIES LINE
H = Sport C = Chrysler (AW)

C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited

D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

M = ELX = EX









	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZJ38 1D5AA	1						A5	[D5], With Child Seat
	ZH81 1J3AA	1						A5	[J3], Without Child Seat
	ZH81 1D5AA	1						A5	[D5], Without Child Seat
	ZJ38 1J3AA	1						A7	[J3], With Child Seat
	ZJ38 1D5AA	1						A7	[D5], With Child Seat
	ZH81 1D5AA	1						A7	[D5], Without Child Seat
	ZH81 1J3AA	1						A7	[J3], Without Child Seat
	WV55 1J3AA	1						B5	[J3]
	WV55 1P7AA	1						B5	[P7]
	WV55 1D5AA	. 1						B5	[D5]
	WV55 1J3AA	1						B7	[J3]
	WV55 1D5AA	. 1						B7	[D5]
	WV55 1P7AA	1						B7	[P7]
7									HEADREST, Rear
	ZJ17 1J3AA	1						B5	[J3]
	ZJ17 1D5AA	1						B5	[D5]
	ZJ17 1P7AA	1						B5	[P7]
		1						B7	[P7]
	ZJ17 1J3AA	1						B7	[J3]
	ZJ17 1D5AA	1						B7	[D5]
	UF29 1D5AA	1						SL	[D5]
	UF29 1J3AA	1						SL	[J3]
	UF29 1P7AA	1						SL	[P7]
		1						TL	[P7]
	UF29 1D5AA	1						TL	[D5]
	ZX54 1D5AA	1						RL	[D5]
8									SEAT BACK, 50/50 BENCH, Right
	ZA56 1D5AA	1						B7	[D5]
	745041044	1						B5	[D5]
	ZA56 1J3AA	1						B7	[J3]
	7450 45744	1						B5	[J3]
	ZA56 1P7AA	1						B7	[P7]
	7D00 4D5 4 A	1			FO FO			B5	[P7]
	ZD98 1D5AA	1			52, 53			DL	[D5]
	7D00 4D74 4	1			E0 E0			TL	[D5]
	ZD98 1P7AA	1			52, 53			DL Ti	[P7]
-	7Y62 1D5 \ ^	1						TL	[P7]
	ZX62 1D5AA ZE08 1D5AA	1						RL SL	[D5]
	ZEUG IDUAA	1 1			52, 53			CL	[D5]
		'			JZ, JJ			OL	[D5]


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWI
L = LX, SE D = Dodge (AWD) P = LXI, ES S = Limited M = EL


X = EX

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV





		PART								
ITE	M	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2	ZE08 1J3AA	1			52, 53			CL	[J3]
			1						SL	[J3]
	2	ZE08 1P7AA	1			52, 53			CL	[P7]
			1						SL	[P7]
	9									SEAT BACK, 50/50 BENCH, Left
	2	ZA57 1D5AA	1						B7	[D5]
		705741000	1						B5	[D5]
	4	ZA57 1J3AA	1 1						B7 B5	[J3]
		ZA57 1P7AA	1						B7	[P7]
	4		1						B5	[P7]
	2	ZD99 1D5AA	1			52, 53			DL	[D5]
			1			- ,			TL	[D5]
		ZD99 ZP7AA	1			52, 53			DL	[P7]
			1						TL	[P7]
	2	ZX61 1D5AA	1						RL	[D5]
		ZE09 1D5AA	1						SL	[D5]
			1			52, 53			CL	[D5]
	2	ZE09 1J3AA	1						SL	[J3]
		7500 45744	1			52, 53			CL	[J3]
	4	ZE09 1P7AA	1			50.50			SL	[P7]
10	0		1			52, 53			CL	[P7]
10		ZE00 1D5AA	1						TL	COVER, Seat Back, Right [D5]
		ZE00 1D3AA	1						TL	[P7]
		ZE10 1D5AA	1						SL	[D5]
		ZE10 1J3AA	1						SL	[J3]
		ZX64 1D5AA	1						RL	[D5]
1										COVER, Seat Back, Left
	-	ZX63 1D5AA	1						RL	[D5]
		ZE11 1D5AA	1						SL	[D5]
		ZE11 1J3AA	1						SL	[J3]
		ZE01 1D5AA	1						TL	[D5]
		ZE01 ZP7AA	1						TL	[P7]
12		70544550	,						D-7	CUSHION, 50/50 BENCH, Right
	4	ZA54 1D5AA	1						B7	[D5]
		ZA54 1J3AA	1						B5 B7	[D5] [J3]
	4	<u> </u>	1						в <i>т</i> В5	[J3]
	-	ZA54 1P7AA	1						B7	[P7]
	-		•						٥,	E +1

DODGE - CHRYSLER MINIVAN (RS) SERIES LINE
H = Sport C = Chrysler (AW)

 $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL


X = EX


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						B5	[P7]
	ZE49 1D5AA	1						TL	[D5]
	ZE49 1P7AA	1						TL	[P7]
	ZE66 1D5AA	1						SL	[D5]
	ZE66 1J3AA	1						SL	[J3]
	ZE66 1P7AA	1						SL	[P7]
	ZX66 1D5AA	1						RL	[D5]
13									CUSHION, 50/50 BENCH, Left
	ZA55 1D5AA	1						B7	[D5]
		1						B5	[D5]
	ZA55 1J3AA	1						B7	[J3]
		1						B5	[J3]
	ZA55 1P7AA	1						B7	[P7]
	7550 4554 4	1						B5	[P7]
	ZE50 1D5AA	1						TL	[D5]
	ZE50 ZP7AA	1						TL	[P7]
	ZE67 1D5AA	1						SL	[D5]
	ZE67 1J3AA	1						SL	[J3]
	ZE67 1P7AA	1						SL	[P7]
4.4	ZX65 1D5AA	1						RL	[D5]
14	ZE69 1P7AA	1			52, 53			CL	COVER, Rear Seat Cushion, Right
	ZE69 1J3AA								[P7], Left
	ZE69 1D5AA	1			52, 53 52, 53			CL CL	[J3], Left
	ZE68 1D5AA	1			52, 53 52, 53			CL	[D5], Left
	ZE68 1P7AA	1			52, 53			CL	[D5], Right
	ZE68 1J3AA	1			52, 53 52, 53			CL	[P7], Right [J3], Right
	2L00 133AA	1			32, 33			SL	[J3], Right
	ZE69 1J3AA	1						SL	[J3], Left
	ZE68 1P7AA	<u>'</u> 1						SL	[P7], Right
	ZE69 1P7AA	1						SL	[P7], Left
	ZE69 1D5AA	1						SL	[D5], Left
	ZE68 1D5AA	1						SL	[D5], Right
15		<u>'</u>							COVER, Rear Seat Cushion, Left
.0	ZE52 1D5AA	1						TL	[D5]
	ZE52 ZP7AA	1						TL	[P7]
	ZE61 1D5AA	1						SL	[D5]
	ZE61 1J3AA	1						SL	[J3]
	ZE61 1P7AA	1						SL	[P7]
	ZX67 1D5AA	1						RL	[D5]

DODGE - CHRYSLER MINIVAN (RS) SERIES LINE
H = Sport C = Chrysler (AW)

 $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

X = EX


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	,			-					
16									SEAT COMPLETE, REAR, 50/50
									BENCH, Right
	ZJ84 1D5AA	1						SL	[D5]
	ZJ84 1J3AA	1						SL	[J3]
	ZJ84 1P7AA	1						SL	[P7]
	ZJ86 1D5AA	1						TL	[D5]
	ZJ86 1P7AA	1						TL	[P7]
	ZJ82 1D5AA	1						B7	[D5]
		1						B5	[D5]
	ZJ82 1J3AA	1						B7	[J3]
		1						B5	[J3]
	ZJ82 1P7AA	1						B7	[P7]
		1						B5	[P7]
	ZN18 1D5AA	1						RL	[D5]
17									SEAT COMPLETE, REAR, 50/50
									BENCH, Left
	ZJ85 1D5AA	1						SL	[D5]
	ZJ85 1J3AA	1						SL	[J3]
	ZJ85 1P7AA	1						SL	[P7]
	ZJ87 1D5AA	1						TL	[D5]
	ZJ87 ZP7AA	1						TL	[P7]
	ZJ83 1D5AA	1						B7	[D5]
		1						B5	[D5]
	ZJ83 1J3AA	1						B7	[J3]
		1						B5	[J3]
	ZJ83 1P7AA	1						B7	[P7]
		1						B5	[P7]
	ZN19 1D5AA	1						RL	[D5]



DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport C = Chrysler (AWD) $L = L\dot{X}, SE$ P = LXI, ES

D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD)

BODY 52 = 113 WB **ENGINE** EDZ, ED0 = 2.4L 4 Cyl. 53 = 119 WB

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION DGL = 4 spd. Auto. (41TE) DG0 = All Automatic Transm

M = ELX = EX


S = Limited

Seat Belts, Front Seat Figure IRS-710

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE 1	TRANS	TRIM	DESCRIPTION
	1									EAT BELT, Front Inner, Includes
										Cable, Sensor and Igniter
		WP15 1J3AB								[J3], Left
		WP15 1D5AE								[D5], Left
$\overline{\mathcal{I}}$		WP14 1J3AB							A5	[J3], Right
		WP14 1D5AE							A7	[D5], Right
		WP15 1D5AE WP15 1J3AB							A7	[D5], Left
		WP15 IJ3AB							A7 A7	[J3], Left [J3], Right
		WP15 1P7AB							B5	[P7], Left
		WP15 1D5AE							B5	[D5], Left
		WP14 1P7AE							B5	[P7], Right
		WP14 1D5AE							B5	[D5], Right
		WP15 1J3AB							B5	[J3], Left
3		WP14 1J3AB							B5	[J3], Right
		WP15 1J3AB								[J3], Left
		WP14 1P7AB							B7	[P7], Right
		WP14 1D5AE							B7	[D5], Right
		WP15 1P7AE	1						B7	[P7], Left
		WP15 1D5AE	1						B7	[D5], Left
		WP14 1J3AB	1						B7	[J3], Right
		XP98 1D5AB	1						RL	[D5], Right
		WP15 1D5AD							RL	[D5], Left
		WP14 1P7AE							SL	[P7], Right
		WP14 1D5AE							SL	[D5], Right
		WP15 1J3AB							SL	[J3], Left
		WP14 1J3AB							SL	[J3], Right
		WP15 1D5AE	1							[D5], Left
			1			52, 53			TL	[D5], Left
		WP14 1P7AE				52, 53			TL T	[P7], Right
		WP14 1D5AE				52, 53			TL	[D5], Right
		WP15 1P7AE				52, 53				[P7], Left
		5142 623AA-	1							IRING, Seat
	3	TQ56 BD5AB	1							EAT BELT, Retractor [D5], Right
		TQ56 ZJ3AB	1							[J3], Right
(4)		TQ56 ZP7AB	1							[P7], Right
5		TJ29 BD5AB								[D5], Left
		TJ29 ZJ3AB	1						-	[J3], Left
(9)		TJ29 ZP7AB	1						-	[P7], Left
			•							· · · · · · ·
	-									
	DODGE - CH	RYSLER MINIVA	N (RS)			- FNO:			TDANON	CCIONI
	SERIES H = Sport	LINE C = Chrys	ler (AWD)	52 = 1	DY 113 WB	ENGII EDZ, ED(= 2.4L 4 Cyl.	DGL	TRANSMIS $_{-}$ = 4 spd. $_{A}$	Auto. (41TE)
8	L = LX, SE	D = Dodge	(AWD)	53 = 1	119 WB	EGA = 3.	3L 6 Cyl. 0 = 3.8L 6 Cyl.	DG0) = All Auto	omatic Transm
	P = LXI, ES S = Limited	Y = Chrys K = Dodge	er (FWD)			EGH, EG EGM = 3.	0 = 3.8L 6 Cyl. 3L 6 Cyl. FFV			
	M = EL	3	. ,				•			
	X = EX									

Seat Belts, Front Seat Figure IRS-710



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
	4									BOLT, Seat Belt, Serviced w/Item 2,
										(NOT SERVICED) (Not Serviced)
	5	6036 259AA	2							BOLT, Hex Head
	6	6035 338	2							SCREW, Hex Head Locking, .437-20x1.695
_	7	4680 460AH	2			52, 53				BUTTON, Adjuster
	8									BOLT, [3/8x24x1], (NOT SERVICED)
										(Not Serviced)
	9									EXTENDER, Seat Belt
		5018 505AA	1						A5	
			1						A7	
			1						B5	
			1						B7	
			1						SL	<u> </u>
			1			52, 53			TL	
	10									PLUG, Seat Belt Opening
		UZ12 BD5AA	AR						00	[D5], Right
		UZ12 ZJ3AA	AR						00	[J3], Right
		UZ12 ZP7AA	AR						00	[P7], Right
		UZ13 BD5AA	AR						00	[D5], Left
		UZ13 ZJ3AA	AR						O0	[J3], Left
		UZ13 ZP7AA	AR			_			O0	[P7], Left

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


Seat Belt, Quad Seats Figure IRS-720


2

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-	· ·							
Note: Chil	d Seat Teathe	rs Is							
Note: Chil	d Seat Teathe	r Is Bui	It Into The	Seat Fran	ne With Cu	shion			
1									SEAT BELT, Rear Quad Inner, Rig
	RL00 1D5AB	4						D.E.	and Left
	RL00 1D5AB	1 1						B5 B5	[D5] [J3]
	RL00 105AB	1						B7	[D5]
	RL00 1J3AB	1						B7	[J3]
	RL00 1D5AB	1						SL	[D5]
	RL00 1J3AB	1						SL	[J3]
	RL00 1D5AB	1						TL	[D5]
2	6036 259AA	2							BOLT, Hex Head
DDGE - CHI	RYSLER MINIVAI	N (RS) —							
SERIES	LINE			ODY	ENG				SMISSION
= Sport = LX, SE	C = Chrysl D = Dodge	er (AWD)) 52 = 53 -	= 113 WB = 119 WB	EDZ, ED	0 = 2.4L 4 C; .3L 6 Cyl.	yl. D	GL = 4 s G0 = All	pd. Auto. (41TE) Automatic Transm
= LXI, ES	Y = Chrysl	er (FWD)		- 110 440	EGH, EG	60 = 3.8L 6 C	yl.	20 – All	According Franchis
= Limited	K = Dodge	(FWD)			EGM = 3	3.3L 6 Cyl. FF	V		
= EL									

Seat Belts, Rear Inner, 2 And 3 Passengers Figure IRS-730

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
				0 . –	14 <i>0</i> 00 G								
ote: Cr	nild Seat Teathe	r Is Bui	ilt Into The	Seat Fram	ne With Cu	shion.			SEAT BELT, 2 Passenger Inne				
'	RK95 1D5AA	1						B7	[D5]				
	11100 100/01	1						B5	[D5]				
	RK95 1J3AA	1			52, 53			N5	[J3]				
	11100 100701	1			02, 00			B7	[J3]				
		1						B5	[J3]				
	RK95 1P7AA	1						B7	[P7]				
	11100 11 7701	1						B5	[P7]				
2		•							SEAT BELT, 3 Passenger Inne				
	RK98 1D5AB	1						A5	[D5], Right				
	RK99 1D5AB	1						A5	[D5], Left				
	RK98 1D5AB	1						A7	[D5], Right				
	RK99 1D5AB	1						A7	[D5], Left				
	RK98 1J3AB	1						A7	[J3], Right				
	RK99 1J3AB	1						A7	[J3], Left				
	RK99 1P7AB	1						B5	[P7], Left				
	TF58 1D5AB	1						B5	[D5] 50/50 Seat, Right				
	TF58 1J3AB	1						B5	[J3] 50/50 Seat, Right				
	RK98 1P7AB	1						B5	[P7], Right				
	TF58 1P7AB	1						B5	[P7] 50/50 Seat, Right				
	RK98 1D5AB	1						B5	[D5], Right				
	RK99 1D5AB	1						B5	[D5], Left				
	RK99 1J3AB	1						B5	[J3], Left				
	RK98 1J3AB	1						B5	[J3], Right				
		1						B7	[J3], Right				
	RK98 1P7AB	1						B7	[P7], Right				
	RK99 1J3AB	1						B7	[J3], Left				
	RK99 1P7AB	1						B7	[P7], Left				
	RK99 1D5AB	1						B7	[D5], Left				
	TF58 1D5AB	1						B7	[D5] 50/50 Seat, Right				
	RK98 1D5AB	1						B7	[D5], Right				
	TF58 1P7AB	1						B7	[P7] 50/50 Seat, Right				
	TF58 1J3AB	1						B7	[J3] 50/50 Seat, Right				
	TF59 1D5AB	1						RL	[D5] 50/50 Seat, Left				
	TF58 1D5AB	1						RL	[D5] 50/50 Seat, Right				
	TF59 BD5AB	1						SL	[D5] 50/50 Seat, Left				
	TF58 1P7AB	1						SL	[P7] 50/50 Seat, Right				
	TF59 BD5AB	1						SL					
	TF59 ZJ3AB	1						SL	[J3] 50/50 Seat, Left				

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = FI


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX

Seat Belts, Rear Inner, 2 And 3 Passengers Figure IRS-730



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									
	TF58 1J3AB	1						SL	[J3] 50/50 Seat, Right
	TF58 1D5AB	1						SL	[D5] 50/50 Seat, Right
	TF59 ZP7AB	1						SL	[P7] 50/50 Seat, Left
		1						TL	[P7] 50/50 Seat, Left
	TF59 BD5AB	1						TL	[D5] 50/50 Seat, Left
		1						TL	
	TF58 1D5AB	1						TL	[D5] 50/50 Seat, Right
	TF58 1P7AB	1						TL	[P7] 50/50 Seat, Right
3									BOLT, Seat Belt
	5018 960AA	2						A5	
		1						A7	
		1						B5	
		2						B7	
		4						SL	
		1						TL	
-4	5012 007AB-	1							ANCHOR KIT, Tether-Child Seat



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX

Seat Belts, Rear Second Seat, Outer Figure IRS-740



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote: Ch	ild Seat Teathe	r Is Bui	ilt Into The	Seat Fram	ne With Cu	shion.			
1	4680 233	1			53				BRACKET, Seat Belt
2	6036 259AA	2							BOLT, Hex Head
3									SEAT BELT, 1st Rear Outer
	SL66 BD5AA	1	K, Y		52			00	[D5], Right
	SL66 ZJ3AA	1	K, Y		52			O0	[J3], Right
	SL66 ZP7AA	1	K, Y		52			O0	[P7], Right
	SL68 BD5AB	1			53			O0	[D5], Right
	SL68 ZJ3AB	1			53			O0	[J3], Right
	SL68 ZP7AB	1			53			O0	[P7], Right
	SL69 BD5AB	1			53			O 0	[D5], Left
	SL69 ZJ3AB	1			53			O0	[J3], Left
	SL69 ZP7AB	1			53			O0	[P7], Left
	TJ31 BD5AB	1	K, Y		52			O0	[D5], Left
	TJ31 ZJ3AB	1	K, Y		52			O0	[J3], Left
	TJ31 ZP7AB	1	K, Y		52			O0	[P7], Left
4	4680 460AH	2			52, 53				BUTTON, Adjuster
5	6035 338	2							SCREW, Hex Head Locking, .437-
									20x1.695
-6	6034 455	1			53			O0	BOLT, Hex Head, .437-20x1.80, Also
									Serviced With Seat Belt
-7	5028 506AA-	1	K		12				COVER, Seat Belt Opening, D Pillar
•	6102 141AA-	1			53			O0	SCREW, M6x1x25

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M - EI


P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Seat Belts, Rear Third Seat, Outer Figure IRS-750



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote: Ch	ild Seat Teather	r Is Bui	It Into The	Seat Fram	ne With Cu	shion.			
1									SEAT BELT, 2nd Rear Outer
	SL72 BD5AB	1			53			00	[D5], Without Rear Air, Right
	SL72 ZJ3AB	1			53			00	[J3], Without Rear Air, Right
	SL72 ZP7AB	1			53			00	[P7], Without Rear Air, Right
	SL73 BD5AB	1			53			O0	[D5], Left
	SL73 ZJ3AB	1			53			00	[J3], Left
	SL73 ZP7AB	1			53			00	[P7], Left
	SL74 BD5AB	1			53			00	[D5], With Rear Air, Right
	SL74 ZJ3AB	1			53			O0	[J3], With Rear Air, Right
	SL74 ZP7AB	1			53			00	[P7], With Rear Air, Right
2	6036 259AA	2							BOLT, Hex Head
3									NUT, U, M6x1
	6101 712	4	K, Y		52				Seat Belt Web Guide Attaching
		2			53				Seat Belt Web Guide Attaching
4	6503 967	2			53				SCREW AND WASHER, Hex Hea
									M6x1x25
5	4680 501AA	2	K, Y		52				COVER, Seat Belt Retractor
6									SEAT BELT, Rear Outer
	RK89 BD5AB	1	K, Y		52			00	[D5], Left
	RK89 ZJ3AB	1	K, Y		52			00	[J3], Left
	RK89 ZP7AB	1	K, Y		52			O0	[P7], Left
	RK88 BD5AB	1	K, Y		52			00	[D5], Right
	RK88 ZJ3AB	1	K, Y		52			O0	[J3], Right
	RK88 ZP7AB	1	K, Y		52			O0	[P7], Right
7	6036 365AA	1			53			O0	NUT


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Seat - Rear Attachments Floor Pan Figure IRS-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									ESCUTCHEON, Seat Anchor
	RR27 XDHAA	. 4			52, 53			O0	[D5], Double Rear, Inboard
	RR27 ZJ8AA	4			52, 53			00	[J3], Double Rear, Inboard
	RR27 ZP7AA	4			52, 53			00	[P7], Double Rear, Inboard
2									SCREW, [.164-18x1.250], (NOT
									SERVICED) (Not Serviced)
3									ESCUTCHEON, Seat Anchor
	RR28 XDHAA	4			52, 53			00	[D5], Double Rear, Outboard
	RR28 ZJ8AA	4			52, 53			00	[J3], Double Rear, Outboard
	RR28 ZP7AA	4			52, 53			O0	[P7], Double Rear, Outboard
4									COVER, Rear Floor Escutcheon
	RR30 XDHAA	. 2			52, 53			00	[D5]
	RR30 ZJ8AA	2			52, 53			00	[J3]
	RR30 ZP7AA	2			52, 53			00	[P7]
5									COVER, Rear Floor Escutcheon
	RR31 XDHAA	. 1			52, 53			00	[D5], With Bench Seat
	RR31 ZJ8AA	1			52, 53			00	[J3], With Bench Seat
_	RR31 ZP7AA	1			52, 53			O0	[P7], With Bench Seat
-6	6506 309AA-	10							SCREW AND WASHER, M8x1.
									25x20, Seat Striker Reinforcement

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4									COVER Resilies Cost
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	'	RH88 1D5AA	1						A5	COVER, Recliner Seat [D5], Upper Right
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		RH88 1J3AA	1						A5	[J3], Upper Right
(4)		TZ91 1J3AA	1						A5	[J3], Upper Left
6		TZ91 1D5AA	1						A5	[D5], Upper Left
		RH88 1J3AA	1						A7	[J3], Upper Right
		RH88 1D5AA	1						A7	[D5], Upper Right
		TZ91 1J3AA	1						A7	[J3], Upper Left
		TZ91 1D5AA	1						A7	[D5], Upper Left
		RH88 1D5AA	1						B5	[D5], Upper Right
(5)		RH88 1J3AA	1						B5	[J3], Upper Right
\sim (6)		RH88 1P7AA	1						B5	[P7], Upper Right
		TZ91 1D5AA	1						B5	[D5], Upper Left
		TZ91 1J3AA	1						B5	[J3], Upper Left
		TZ91 1P7AA	1						B5	[P7], Upper Left
(10)		RH88 1P7AA	1						B7	[P7], Upper Right
		RH88 1J3AA	1						B7	[J3], Upper Right
		RH88 1D5AA TZ91 1P7AA	1						B7	[D5], Upper Right
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		TZ91 1J3AA	1						B7 B7	[P7], Upper Left [J3], Upper Left
		TZ91 105AA TZ91 1D5AA	1						В7 В7	[D5], Upper Left
	2	1201 120101	•							SCREW, Tress Head, #8x.5
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ & & \\ &$		4856 025	14						A5	
			14						A7	
			14						B5	
			14						B7	
(16)	3									COVER, Recliner Seat
		RH90 1D5AA	1						A5	[D5], Lower Right
(16) (15)		RH90 1J3AA	1						A5	[J3], Lower Right
		RH91 1J3AA	1						A5	[J3], Lower Left
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \\ \end{array} \begin{array}{c} \\ \end{array} $		RH91 1D5AA	1						A5	[D5], Lower Left
		RH90 1J3AA RH90 1D5AA							A7	[J3], Lower Right [D5], Lower Right
23)		RH91 1J3AA	1						A7 A7	[J3], Lower Left
		RH91 1D5AA	1						A7	[D5], Lower Left
		RH90 1P7AA							B5	[P7], Lower Right
		RH90 1D5AA	1						B5	[D5], Lower Right
		RH90 1J3AA	1						B5	[J3], Lower Right
(18) (21) (22)		RH91 1P7AA	1						B5	[P7], Lower Left
(18) (21) (22)		RH91 1J3AA	1						B5	[J3], Lower Left
	DODGE CU	DVSI ED MINIVAN	(DC)							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	SERIES	RYSLER MINIVAN LINE		BC	DDY	ENGI	INE		TRANS	BMISSION
	H = Sport L = LX, SE	C = Chryslei D = Dodge (r (AWD)	52 =	113 WB 119 WB	EDZ, ED EGA = 3.	0 = 2.4L 4 C	yl. DO	3L = 4 sp	od. Auto. (41TE) Automatic Transm
	P = LXI, ES	Y = Chrysler	r (FWD)	აა =	IIS WD	EGH, EG	60 = 3.8L 6 C	yl.	JU = AII /	nutomatic Hallom
20 (25)	S = Limited M = EL	K = Dodge ((FWD)			EGM = 3	3.3L 6 Cyl. FF	·V		
	X = EX									

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		DU04 4D54 4	4						D.E.	(Dc1
		RH91 1D5AA							B5	[D5], Lower Bight
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		RH90 1D5AA							B7	[D5], Lower Right
		RH90 1J3AA	1						B7	[J3], Lower Right
6		RH90 1P7AA RH91 1J3AA	1						B7 B7	[P7], Lower Right
		RH91 1D5AA	1						<u>В7</u> В7	[J3], Lower Left
		RH91 1D3AA RH91 1P7AA							Б <i>1</i> В7	[D5], Lower Left
	4	KH91 IF/AA	ı						D/	[P7], Lower Left BOLT, Recliner to Seat Back
	4	4897 324AA	4						A5	BOLT, Recilier to Seat Back
		4007 024701	4						A7	
			4						B5	
(5)			4						B7	
	5									BOLT, Recliner
(7) (4) (1)		5018 951AA	4						A5	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4						A7	
(10)			4						B5	
			4						B7	
(12)	6									RECLINER, Seat Back
		5019 398AA	1						A5	With Child Seat, Right
$\setminus (13) \bigcirc \bigcirc \bigcirc$		5019 399AA	1						A5	With Child Seat, Left
(14) (15)		5018 892AA	1						A5	Without Child Seat, Right
		5018 893AA	1						A5	Without Child Seat, Left
		5019 398AA	1						A7	With Child Seat, Right
		5019 399AA	1						A7	With Child Seat, Left
		5018 892AA	11						A7	Without Child Seat, Right
		5018 893AA	1						A7	Without Child Seat, Left
(16)		5019 398AA	1						B5	With Child Seat, Right
		5019 399AA	1						B5	With Child Seat, Left
(16) (15)		5018 892AA	1						B5	Without Child Seat, Right
		5018 893AA	1						B5	Without Child Seat, Left
(13)		5019 398AA	1						B7	With Child Seat, Right
(12)		5019 399AA 5018 892AA	1						B7 B7	With Child Seat, Left Without Child Seat, Right
23		5018 893AA	1						<u>В7</u> В7	Without Child Seat, Right Without Child Seat, Left
	7	3010 093AA	'						D1	CABLE, Recliner
	,	5019 557AA	1						A5	CABLE, Recilier
		0010 007781	1						A7	
			1						B5	_
(18) (21) (22)			1						B7	
	8									PANEL, Seat Back, Two Passenger
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	DODGE - CI SERIES	HRYSLER MINIVAI LINE	N (RS) —	R(DDY	ENGI	NE		TRANS	SMISSION
	H = Sport	C = Chrysl	ler (AWD)) 52 =	113 WB	EDZ, ED	0 = 2.4L 4 Cyl.	. DGL	=4 sp	od. Auto. (41TE)
	$L = L\dot{X}, SE$ P = LXI, ES	Y = Chrysl	er (FWD)	53 =)	119 WB	EGA = 3. EGH, EG	.3L 6 Cyl. i0 = 3.8L 6 Cyl	DG0 I.) = All A	Automatic Transm
(25)	S = Limited	K = Dodge	(FWD)			EGM = 3	.3L 6 Cyl. FFV	′		
(20)	M = EL X = EX									

UJ58 1D5AA 1 A5 [D5], With	_
LU58 1D5AA 1 A5 [D5] With	
	Child Seat
	Child Seat
	out Child Seat
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	out Child Seat
	Child Seat
	Child Seat
	out Child Seat
TX99 1J3AA 1 A7 [J3], With	out Child Seat
UJ58 1D5AA 1 B5 [D5], With	Child Seat
UJ58 1J3AA 1 B5 [J3], With	Child Seat
	Child Seat
(6) 1X99 1D5AA 1 B5 [D5], With	out Child Seat
	out Child Seat
	out Child Seat
UJ58 1D5AA 1 B7 [D5], With	Child Seat
	Child Seat
UJ58 1P/AA 1 B/ [P/], With	Child Seat
	out Child Seat
	out Child Seat
$\backslash \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	out Child Seat
	K, Rear, 2 Passenger, For bers See ILL 610, (NOT
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	D) (Not Serviced)
	Γ, For Part Numbers See
	NOT SERVICED) (Not
Serviced)	
11 SLEEVE, H	eadrest
QT99 1D5AA 2 A5 [D5], Slav	e Cylinder
OT99 1J3AA 2 A5 [J3], Slav	e Cylinder
QT99 1J3AA 2 A5 [J3], Slav QT98 1D5AA 2 A5 [D5], Loc	king
QT98 1J3AA 2 A5 [J3], Lock	ing
	e Cylinder
QT99 1D5AA 2 A7 [D5], Slav QT98 1D5AA 2 A7 [D5], Loci	e Cylinder
QT98 1J3AA 2 A7 [J3], Lock QT99 1P7AA 2 B5 [P7], Slav	
	e Cylinder
	re Cylinder
	e Cylinder
QT98 1D5AA 2 B5 [D5], Lock OT98 1,13AA 2 B5 [D5], Lock	
QT98 1J3AA 2 B5 [J3], Lock	ing
DODGE - CHRYSLER MINIVAN (RS)	
(17) SERIES LINE BODY ENGINE TRANSMISSION	-\
H = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyr. DGL = 4 spd. Auto. (4116) L = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyr. DG0 = All Automatic Trans	sm
\frac{1}{6}\frac{1}{6	
(20) U 盾	
X = EX	

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					<u> </u>				1	
	C	T98 1P7AA	2						B5	[P7], Locking
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		T99 1D5AA	2						B7	[D5], Slave Cylinder
	C	QT99 1J3AA	2						B7	[J3], Slave Cylinder
		T99 1P7AA							B7	[P7], Slave Cylinder
		T98 1D5AA							B7	[D5], Locking
		T98 1P7AA							B7	[P7], Locking
		QT98 1J3AA	2						B7	[J3], Locking
	12	VU50 1J3	4						۸.5	PLUG, Armrest
		VU50 1J3 VU50 1D5	1						A5 A5	[J3] [D5]
		VU50 1J3	1						A7	[J3]
(5)		VU50 1D5	1						A7	[D5]
			1						B5	[D5]
\bigcirc	V	VU50 1P7	1						B5	[P7]
		VU50 1J3	1						B5	[J3]
(10)		VU50 1D5	1						B7	[D5]
		VU50 1P7	1						B7	[P7]
		VU50 1J3	1						B7	[J3]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	13	503 287	4						A5	SCREW, Pan Head, M8x1.25x41.5
(14) (15)	0	303 201	1						A7	
			1						B5	
$\begin{array}{c} \begin{array}{c} \\ \\ \end{array} \end{array} $			1						B7	
	14									WASHER, Wave, .520x.745
	4	882 234	1						A5	
			1						A7	
(16)			1						B5	
	15		1						B7	ARMREST, Seat, For Part Numbers
(16) (15)										See ILL, (NOT SERVICED) (Not
										Serviced)
(13) (12)	16									SCREW, Special Head, M8x1.
										25x32.5, Serviced in Seat Back
23										Only, (NOT SERVICED) (Not
										Serviced)
	17									SCREW, Tress Head, #8x.5, [8x1/2
		050.005	4.4						^ <u>_</u>	Truss Head]
	4	856 025	14 14						A5 A7	
(18) (21) (22)			14						B5	
			• •						20	
	DODGE - CHR' SERIES	LINE		BC	DDY	ENGI	NE		TRANS	SMISSION
	H = Sport L = LX, SE	C = Chrysl D = Dodge	ler (AWD)	52 =	113 WB 119 WB	EDZ, EDG EGA = 3.	$0 = 2.4L 4 C_1$	yl. Do	GL = 4 sp	od. Auto. (41TE) Automatic Transm
(25)	P = LXI, ES	Y = Chrysl K = Dodge	ler (FWD)	55 =	טא פוי	EGH, EG	0 = 3.8L 6 C	yl.	00 = All A	Automatic Transm
20 (23)	S = Limited M = EL	K = Dodge	e (FWD)			EGM = 3	.3L 6 Cyl. FF	V		
W W	X = EX									


PART

2 1 9 8 BOLT, RISER 8 5080 873AA 8 A5 A7	
2 1 8 BOLT, RISER 5080 873AA 8 A5	
8 5080 873AA 8 A5	
8 A7	
6 B5 B7	
8 B7 COVER, Seat Rise	er, Two Passenger
UE48 1D5AA 1 A5 [D5], Right	er, rwo rassenger
3 UE48 1J3AA 1 A5 [J3], Right	
UE49 1D5AA 1 A5 [D5], Left	
UE49 1J3AA 1 A5 [J3], Left	
(6) UE48 1J3AA 1 A7 [J3], Right	
UE48 1D5AA 1 A7 [D5], Right UE49 1J3AA 1 A7 [J3], Left	
LIE49 1DEAA 1	
10 UE48 1J3AA 1 UE48 1J3AA 1 B5 [J3], Right	
UE48 1P7AA 1 B5 [P7], Right	
DO [DO], Leit	
UE49 1P7AA 1 B5 [P7], Left UE49 1J3AA 1 B5 [J3], Left	
UE49 1J3AA 1 B5 [J3], Left UE48 1J3AA 1 B7 [J3], Right	
UE48 1P7AA 1 B7 [P7], Right UE48 1D5AA 1 B7 [D5], Right	
UE49 1P7AA 1 B7 [P7], Left	
(16) UE49 1J3AA 1 B7 [J3], Left 20 RISER, Seat	
16 (15) 5018 963AA 2 A5 2 A7	
B7	
TIANDLE, Geat No.	ser
1 A5 Right 1 A7 Right	
1 B5 Right 4874 419AB 1 A7 Left	
1 B5 Left	
1 B7 Left	
DODGE - CHRYSLER MINIVAN (RS)	
SERIES LINE BODY ENGINE TRANSMISSION H = Sport C = Chrysler (AWD) 52 = 113 WB EDZ, ED0 = 2.4L 4 Cyl. DGL = 4 spd. Auto. (41TE)	
L = LX, SE D = Dodge (AWD) 53 = 119 WB EGA = 3.3L 6 Cyl. DG0 = All Automatic Transm	
S = Limited K = Dodge (FWD) EGM = 3.3L 6 Cyl. FFV	
M = EL X = EX	


	ITEM	PART		LINE	ernice	BODY	ENGINE	TDANC	TDIM	DESCRIPTION
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1						A5	Left
	22		'							HANDLE, Latch Release
8		4874 420	1						A7	
			1						A5	
			1						B7 B5	
	23		'						ы	SCREW, Tress Head, #8x.5
		4856 025	14						A5	,,
			14						A7	
			14						B5 B7	
(5) (6)	-24		14						В/	SPRING KIT, Rear Seat Riser
		5093 845AA-	. 1						A5	or raine ran, mean coal raise
7) (1)			1						A7	
			1						B5	
	25		1						B7	CUP HOLDER, Rear Seat
		5102 309AA	1						A5	OOI HOLDER, Real Geat
			1						A7	
			1						B5	
(14) (15)			1						B7	
$\frac{1}{2}$										
(16)										
(16) (15)										
(13)										
23)										
14)										
(18) (21) (22)										
	DODGE - CH SERIES	RYSLER MINIVA	N (RS) —		ODY	ENG			TPAN	ISMISSION
	H = Sport	LINE C = Chrys	sler (AWD)) 52 =	= 113 WB	EDZ, ED	INE 0 = 2.4L 4 Cy	ıl. D	GL = 4 s	spd. Auto. (41TE) Automatic Transm
(25)	H = Sport L = LX, SE P = LXI, ES	D = Dodg Y = Chrys K = Dodg	e (AWD) sler (FWD)	53 = 1	= 119 WB	EGA = 3 EGH, EG	.3L 6 Cyl. 60 = 3.8L 6 C 3.3L 6 Cyl. FF	yl.	GU = All	Automatic Iransm
(20)	S = Limited	K = Dodg	e (FWD)			EGM = 3	3.3L 6 Cyl. FF	V		
	M = EL X = EX									
	AR = Use a	as required -:	= Non illu	strated par	t #=New	this model	vear			September 19, 2005


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		NOMBLIX	<u> </u>	LINE	OLIVIEG	5051	LITOINE	TRAITO	1	DECOM NON
	1									PANEL, Quad
		QU91 1D5AA	1						B5	[D5], Right & Left
		QU91 1J3AA	. 1						B5	[J3], Right & Left
		QU91 1D5AA							B7	[D5], Right & Left
		QU91 1J3AA	. 1						B7	[J3], Right & Left
			1						SL	[J3], Right & Left
		QU91 1D5AA	\ 1						SL 	[D5], Right & Left
			1						TL	[D5], Right & Left
	2		1						RL	[D5], Right & Left SCREW, Panel Attaching, (NOT
	2									SERVICED) (Not Serviced)
	3									CABLE, Recliner
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_	5018 884AA	1						B5	0, 1322, 1.00mmor
(13)			1						B7	
			1						RL	
			1						SL	
$\begin{array}{c} (15) \\ \hline \end{array}$			1						TL	
	4									PLUG, Armrest
		WU50 1D5	1						B5	[D5]
		WU50 1J3	1						B5	[J3]
		WU50 1D5 WU50 1J3	1						B7 B7	[D5] [J3]
8		WU50 1D5	1						RL	[D5]
		17000 120	1						SL	[D5]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		WU50 1J3	1						SL	[J3]
$(27) \qquad \qquad$		WU50 1D5	1			52, 53			TL	[D5]
	5									SCREW, Pan Head, M8x1.25x41.5
		6503 287	1						B5	
			11						B7	
			1						SL	
(13)	0		1			52, 53			TL	WASHER, Wave, .520x.745
	6	4882 234	1						B5	WASHER, Wave, .520x.745
(21)		4002 204	1						B7	
			1						RL	
			1						SL	
			1						TL	
	7									ARMREST, Seat, For Part Numbers
										See Quad Seat Illustration, (NOT
$\begin{array}{c c} & & & \\ & & & \\ \hline \end{array}$										SERVICED) (Not Serviced)
19										
25										
	DODGE - CH	RYSLER MINIVA	N (RS) —							
	SERIES H = Sport	LINE C = Chrys	sler (AWD)) 52 =	ODY = 113 WB	ENG EDZ, ED	INE 0 = 2.4L 4 C _!	yl. D	TRAN GL = 4 s	SMISSION pd. Auto. (41TE)
	L = LX, SE P = LXI, ES	D = Dodge Y = Chrys	e (AWD)	53 =	= 119 WB	EGA = 3	.3L 6 Cyl. 30 = 3.8L 6 C	D	G0 = All	Automatic Transm
	S = Limited	Y = Chrys K = Dodge	e (FWD))		EGM = 3	3.8L 6 C 3.3L 6 Cyl. FF	yı. V		
	M = EL X = EX	-								


>>>




PART












Rear Seat - 3 Passenger Attaching Parts, Straight Bench Figure IRS-825




Rear Seat - 3 Passenger Attaching Parts, Straight Bench Figure IRS-825




Rear Seat - 3 Passenger Attaching Parts, Straight Bench Figure IRS-825




Rear Seat - 3 Passenger Attaching Parts, Straight Bench Figure IRS-825




Rear Seat, 3 Passenger, 50/50 Seat, Attaching Parts Figure IRS-830





Rear Seat, 3 Passenger, 50/50 Seat, Attaching Parts Figure IRS-830



Rear Seat, 3 Passenger, 50/50 Seat, Attaching Parts Figure IRS-830







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Rear Header
	TQ49 BD5AA	1						00	[D5]
	TQ49 ZJ3AA	1						00	[J3]
	TQ49 ZP7AA	1						00	[P7]
2	6505 537AA	5						00	CLIP, Side Molding
3									MOLDING, Liftgate, w/Attaching
									Clips
	RS34 BD5AB	1			13, 53			00	[D5]
	RS34 ZJ3AB	1			13, 53			00	[J3]
	RS34 ZP7AB	1			13, 53			O0	[P7]
	SR62 BD5AC	1	K, Y		12, 52			00	[D5]
	SR62 ZJ3AC	1	K, Y		12, 52			O0	[J3]
	SR62 ZP7AC	1	K, Y		12, 52			O0	[P7]
-4	55364 097AA-	AR							TAPE, Body Side, Panel Holes,
									Liftgate,Inner
5									PANEL, Liftgate Trim Upper
	RV08 BD5AC	1			52, 53			00	[D5] With Power Liftgate
	RV08 ZJ3AC	1			52, 53			00	[J3] With Power Liftgate
	RV08 ZP7AC	1			52, 53			O0	[P7] With Power Liftgate
	SH50 BD5AC	1						00	[D5]
	SH50 ZJ3AC	1						00	[J3]
•	SH50 ZP7AC	1						00	[P7]
6	D074 DD540							00	PANEL, Liftgate
	RS74 BD5AC	1						00	[D5]
	RS74 ZJ3AC	1 1						00	[J3]
7	RS74 ZP7AC	ı						O0	[P7] HANDLE, Liftgate
'	RS75 BD5AB	1						00	[D5]
	RS75 ZJ3AB	1						00	[J3]
	RS75 ZP7AB	<u>'</u> 1						00	[P7]
8	0154 806	2						00	SCREW, Round Head, .164-15x1.0
9	6035 498	2							NUT, Spring Type, .164-7.5
10		-							PLUG, Trim Panel
	RS76 BD5AA	1						00	[D5]
	RS76 ZJ3AA	1						00	[J3]
	RS76 ZP7AA	1						00	[P7]
11	5054 704AC	1							WEATHERSTRIP, Liftgate Opening
									Secondary Upper
12	4717 559AE	1							WEATHERSTRIP, Liftgate Opening
									Primary Body Opening
-13									PLATE, Scuff

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TM46 BD5AA	- 1			52, 53			O0	[D5]
	TM46 ZJ3AA-	1			52, 53			O0	[J3]
	TM46 ZP7AA	- 1			52, 53			00	[P7]
14									COVER, Lamp Opening
	WS39 BD5AA	. 1						00	[D5]
	WS39 ZJ3AA	1						O0	[J3]
	WS39 ZP7AA	. 1						O0	[P7]
-15	6505 918AA-	1						O0	FASTENER, Door Trim Panel



DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Group – SRS

Body Sheet Metal Except Doors



SRS-200	SRS-300	SRS-400	SRS-500
Floor Pans	Plugs	Front Fenders	Hood and Hood Release
	© 0		
SRS-600	SRS-700	SRS-800	SRS-900
Cowl and Dash Panel	Glass and Rear View Mirror	Aperture Panel	Quarter Panel and Pillars


Group – SRS Body Sheet Metal Except Doors



GROUP SRS - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SRS-210
Plugs	
Plugs	Fig. SRS-310
Front Fenders	
Front Fender and Shield	Fig. SRS-410
Shields	Fig. SRS-420
Hood and Hood Release	E: 000 540
Hood and Hinge	Fig. SRS-510 Fig. SRS-520
	Fig. 3N3-320
Cowl and Dash Panel Cowl And Dash Panel	Fig. SRS-610
	1 ig. 5115-010
Glass and Rear View Mirror Glass , Windshield and Rear Quarters	Fig. SRS-710
Aperture Panel	1 ig. 5115-7 10
Body Front Pillar and Aperture Panel	Fig. SRS-810
Body Pillar - Sliding Door	Fig. SRS-815
Quarter Panel and Pillars	_
Quarter Panel With Sliding Door Inner Panel Parts	Fig. SRS-910
Quarter Panel With Sliding Door Outer Panel Parts	Fig. SRS-915
Seals and Weatherstrip	
Weatherstrips	Fig. SRS-1010
Roof Panels	
Roof Panel	Fig. SRS-1110
Sunroof	Fig. SRS-1120
Sunroof - Attaching Parts	Fig. SRS-1130
Liftgate Panel	E: 000 1011
Liftgate Panel	Fig. SRS-1310 Fig. SRS-1320
Liftgate Panel Attaching Parts	Fig. SRS-1330
Luggage Rack	g. 2112 1 00 0
Luggage Rack	Fig. SRS-1610
	•

Floor Pan Figure SRS-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PAN PACKAGE, Floor
	5019 510AB	1			13, 53				
	5019 511AA	1	K, Y		52				
2	5020 140AA	2							BRACKET AND HINGE, Floor Pan
									Rear Suspension
3									PANEL PACKAGE, Body Side Sill
	5018 826AB	1	K, Y		12, 52				Right
	5018 827AB	1	K, Y		52				Left
	5018 374AC	1			13, 53				Right
	5018 375AB	1			13, 53				Left
4	4716 378AB	4							REINFORCEMENT, Seat Belt Swive
5									BRACKET, Suspension Hanger
	5020 150AA	1			13, 53				Right
	5020 151AA	1			13, 53				Left
	5020 160AA	1	K, Y		12, 52				Right
	5020 161AA	1	K, Y		12, 52				Left
6	5020 140AA	2							BRACKET AND HINGE, Floor Pan
									Rear Suspension
7	4716 518	1							BRACKET, Wheel House
8	4716 688	2							BRACKET, Tie Down


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Plugs Figure SRS-310



		PART								
ITEN	И	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-								
1	_	1351 304	1			13, 53				PLUG, A/C Plumbing Access
2	: 5	55257 380AB	2			-,				PLUG
3		5020 250AC	2							PLUG, ABS Wiring, Rear
										Wheelhouse
4	. 4	1696 947	1			13, 53				PLUG, Front Side Rail
5		1646 971	1							PLUG, Floor Pan, Front
6	5	55257 380AB	2							PLUG, Dash Panel Parking Brake
7	. 5	5020 263AA	1							PLUG, Lower Left E-Coat Drain,
										Dash Panel
8		4860 866AB	1							PLUG, Lower Right E-Coat Drain,
										Dash Panel
9	_	4860 417AA	4							PLUG, Drain Hole Side Sill
10	_	4860 866AB	1							PLUG, Side Sill E Coat Drain
11		4860 417AA	4							PLUG, Rear Wheel/House
12	. 5	55257 380AB	2							PLUG
13	. 4	4780 615AB	2							PLUG, Body, .75 Diameter
14	. 5	55176 729AA	2							PLUG, Cowl Side
15		4860 222	2							PLUG
16	. 4	4860 223	2							PLUG, Shock Tower Hole
17	· ∠	4860 223	2							PLUG, Shock Tower Hole
18	_	1860 346	2							PLUG, Shock Tower, Right & Left
19		1083 788	1							PLUG, Underbody Access, Lift Gate
										Panel Vent Hole
-20	5	5020 510AA-	2			13, 53				PLUG, Seat Pocket Channel PLP
										(Rubber)
-21	5	5072 274AA-	1							PLUG, Sill, Button

DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWE
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M = EL
Y = EY


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Front Fender and Shield Figure SRS-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4057 000 A D								SHIELD, Wheelhouse
	4857 222AB	1							Right
2	4857 223AB	1							Left
-2	6504 611	2							NUT, Hex Flange, M6x1, Spat To Fender
3									REINFORCEMENT, Front Side Ra
									to Sill
	4860 530AB	1							Right
	4860 531AB	1							Left
4									FENDER PACKAGE, Front
	5018 442AA	1							Right
	5018 443AA	1							Left
	5018 444AA	1							Export, Right
5									PANEL PACKAGE, Fender Side
									Shield
	5018 448AA	1							Right
	5018 447AA	1							Left
6									BEAM PACKAGE, Front Fender
									Shield
	5018 560AB	1							Right
	5018 561AB	1							Left
7									TOWER PACKAGE, Front
									Suspension
	5018 458AB	1							Right
	5018 459AB	1							Left
-8	4860 223	2							PLUG, Shock Tower Hole, Right &
									Left
9									BRACKET, Body Side Aperture
	4860 896AC	11							Right
	4860 897AC	1							Left
10									SILENCER, Cowl Side
	4860 682AE	1							Right
	4860 683AE	1							Left
11	6501 916	4							RETAINER, Push On
12	4005								BRACKET, Isolator
	4860 724AA	1							Strut Tower to Dash, Right
	4860 725AA	1							Strut Tower to Dash, Left
-13	6503 641	AR							SCREW, M7X1.25X16.00

DODGE - CHRYSLER MINIVAN (RS)


SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)
M - EI P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Shields Figure SRS-420





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	I I KIIWI	DESCRIPTION
1	4860 455AB	1							HOOD
2	+000 +33AB								HINGE, Hood
_	4860 686AA	1							Body Half to Hood, Right
	4860 687AA	1							Body Half to Hood, Left
3	.000 00.7	·							HINGE PACKAGE, Hood
	5018 602AA	1							Hood Half, Right
	5018 603AA	1							Hood Half, Left
-4	6502 674	4							SCREW, Hex Flange Head Pilot
									M6x1x30, Hood Hinge to Hood
-5	6503 617	2							SCREW, Hex Head, M8x1.25x2
									Hood Hinge Pivot
-6	4860 373AC-	2							BUSHING, Hood Hinge Pivot
7	4860 680AA	1							SILENCER, Hood
-8	6504 135	14							PIN, Push In, M6.3x15 LG
9									SEAL, Hood
	4860 692AA	1							Right
	4860 899AA	1							Left
-10	4215 966	1							LABEL, Equipment Identification
									Equipment Identification

X = EX

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Hood Release And Related Parts Figure SRS-520



Cowl And Dash Panel Figure SRS-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4717 553AF	1							PANEL, Cowl Top
-2	6034 912	2							SCREW, Pan Head, .19-16x.75,
									Cowl Grille Attaching
3	4860 869AC	1							PANEL, Cowl And Plenum
4									BRACE, Cowl Plenum To Cowl Side
	4674 618AB	1							Right
	4674 619AB	1							Left
5	4860 754AB	1							REINFORCEMENT, Cowl Plenum
6	4860 742AB	1							SUPPORT, Cowl Plenum
7									BRACE, Cowl Grille
	5018 660AA	1							Right
	5018 661AA	1							Left
8	5080 937AA	1							HOUSING PACKAGE, Wiper
									Nosecone
-9	4717 526AB-	1							WEATHERSTRIP, Hood to Cowl
10									BRACE, Cowl Grille
	5018 662AA	1							Right
	5018 663AA	1							Left
11									PANEL PACKAGE, Cowl Side
	5018 456AC	1							Right
	5018 457AC	1							Left
12	5020 317AA	1							SEAL, Cowl, Lower Drain
13	4860 376AA	1							BRACKET, Steering Column
14	5020 115AA	1							REINFORCEMENT, Dash Panel Bel
15	5020 108AA	1							SUPPORT, Steering Column
16	5020 293AA	1							REINFORCEMENT, Dash Panel
									Accelerator
17	5020 277AA	1							PLATE, Air Bag Module
18	5020 113AC	1							PANEL, Dash
19	5020 110AD	1							PANEL, Dash, Lower
20	4716 318	1							BRACKET, Dash Panel Heat Shield
21	5020 114AA	1							BRACKET, Dash Panel Heat Shield
22	5020 047AA	1							REINFORCEMENT, Instrument
									Panel
23									PANEL PACKAGE, Cowl Side
	5018 456AC	1							Right
	5018 457AC	1							Left
24	4860 200AE	2							BRACKET, Fender to Cowl Grille
-25	4860 375AB-	2							GROMMET
26									NUT, Push On, M6, (NOT
									SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD) P = LXI, ES S = Limited M = EL

X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Cowl And Dash Panel Figure SRS-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5020 261AB	1							PANEL, Dash Upper
28									PANEL, Dash Panel Wheelhouse,
									(NOT SERVICED) (Not Serviced)
29	4860 750AA	1							PANEL, Cowl Plenum Support
-30	6030 441	2							PIN, Retainer, Cowl Top Damper
-31	4860 785AA-	1							AIR DAM, Plenum Assy., Upper
-32	6100 583	2							BOLT AND CONED WASHER, Hex
									Head, M8x25x20, To Cowl Side
									Bracket, Instrument Panel

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE

X = EX


C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) H = Sport L = LX, SE P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Glass, Windshield and Rear Quarters Figure SRS-710



Glass , Windshield and Rear Quarters Figure SRS-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00, (NOT
									SERVICED) (Not Serviced)
13									LATCH, Vent Window
	5018 144AA	1			13, 53				Right,Manual
		1	K, Y		12, 52				Right,Manual
	5018 145AA	1			13, 53				Left,Manual
		1	K, Y		12, 52				Left,Manual
14									SCREW AND WASHER, M6X1.
									00X25.00, (NOT SERVICED) (Not
									Serviced)
15									WEATHERSTRIP, Rear Aperture
									Panel Glass
	4717 591AA	2			53				
	4717 977AA	2	K, Y		52				
16	55176 729AA	2							PLUG, Cowl Side
17	4860 883AA	2							PLATE, Window Regulator, Rear
-18	6036 548AA-	1							SCREW, Rearview Mirror Mtg to
									Windshield
-19	5020 386AC-	2							SPACER, Liftgate Glass
20									PANEL, Rear Quarter Window Plug
	XU88 1B8AB	1	K		13				[PB8], Right
	XU88 1ELAB	1	K		13				[PEL], Right
	XU88 1S2AB	1	K		13				[PS2], Right
	XU88 1W1AB	1	K		13				[PW1], Right
	XU89 1B8AB	1	K		13				[PB8], Left
	XU89 1ELAB	1	K		13				[PEL], Left
	XU89 1S2AB	1	K		13				[PS2], Left
	XU89 1W1AB	1	K		13				[PW1], Left
	XU90 1B8AB	1	K		12				[PB8], Right
	XU90 1ELAB	1	K		12				[PEL], Right
	XU90 1S2AB	1	K		12				[PS2], Right
	XU90 1W1AB	1	K		12				[PW1], Right
	XU91 1B8AB	1	K		12				[PB8], Left
	XU91 1ELAB	1	K		12				[PEL], Left
	XU91 1S2AB	1	K		12				[PS2], Left
	XU91 1W1AB	1	K		12				[PW1], Left

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE
H = Sport C = Chrysler (AWD)
L = LX, SE D = Dodge (AWD)
P = LXI, ES Y = Chrysler (FWD)
S = Limited K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

P = LXI, ES S = Limited M = EL X = EX

Body Front Pillar and Aperture Panel Figure SRS-810




Body Pillar - Sliding Door Figure SRS-815



ITEM	PART NUMBER	QTY	LINE SER	IES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•		•	•	•		•	
1								TRACK, Sliding Door, Upper
	4717 888AB	1						Right
	4717 889AB	1						Left
2	6505 881AA	5						NUT AND WASHER, Hex Nut-Cone
								Washer, M6 x 1.00, Sliding Door
								Upper Track
3	6100 557	2						BOLT AND CONED WASHER, Hex
								Head, M6x20x14
4	4747 50440							STRIKER, Sliding Door Stop
	4717 584AC	1						Right
_	4717 585AC	1						Left
5	4747 570 45	4						TRACK, Sliding Door
	4717 576AE	1						Right
6	4717 577AE	1						Left STRIKER, Sliding Door Stop
6	4717 958AC	1						Power Sliding Door Stop
	4717 936AC	ı						
	4717 959AC	1						Right Left
7	4717 959AC	'						TRACK, Sliding Door
,	4717 618AG	1						Right,Lower
	4717 610AG	1						Left,Lower
8	6504 423	5						NUT AND WASHER, Hex, M6x1,
U	0004 420	3						Track Attaching, Sliding Door,
								Center
9								TRACK, Sliding Door
	4717 736AF	1		13, 53				Right
	4717 737AF	1		13, 53				Left
	4717 986AF	1	K, Y	12, 52				Right
	4717 987AF	1	K, Y	12, 52				Left
10	6036 344AA	1	,	, -				NUT, Plastic Snap-in
11								COVER, Sliding Door Track
	4717 734AB	1		13, 53				Right
	4717 735AB	1		13, 53				Left
	4717 988AB	1	K, Y	12, 52				Right
	4717 989AB	1	K, Y	12, 52				Left
12								SCREW, [.164-18x.625], (NOT
								SERVICED) (Not Serviced)
13	4894 095AA	2						STABILIZER, Sliding Door
14								SCREW, M6x1.0x22mm, (NOT
								SERVICED) (Not Serviced)
	4717 376	1						SEAL, Catch

Quarter Panel With Sliding Door Inner Panel Parts Figure SRS-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Quarter Panel
	4860 616AC	1			13, 53				Right, Quarter Panel,Inner,Upper,D
	1000 01710				40 =0				Pillar
	4860 617AC	1			13, 53				Left, Quarter Panel,Inner,Upper,D
	4000 000 A D		17. 17		40.50				Pillar
	4860 808AB	1	K, Y		12, 52				Right, Quarter Panel,Inner,Upper,D
	4000 000 A D	4	IZ X		40.50				Pillar
	4860 809AB	1	K, Y		12, 52				Left, Quarter Panel,Inner,Upper,D
									Pillar
2	4000 040AD	4	IZ V		40.50				REINFORCEMENT, Quarter Panel
	4860 810AD	1	K, Y		12, 52				Right, Quarter Panel,Inner,D Pillar, Lower
	4860 811AD	4	K V		10 50				
	4000 011AD	1	K, Y		12, 52				Left, Quarter Panel,Inner,D Pillar, Lower
	4860 612AC	1			13, 53				Right, Quarter Panel,Inner,D Pillar,
	4000 012AC	'			13, 33				Lower
	4860 613AC	1			13, 53				Left, Quarter Panel,Inner,D Pillar,
	1 000 013A0	<u>'</u>			10, 00				Lower
3	4860 806AA	2	K, Y		12, 52				REINFORCEMENT, Shoulder Belt
4	4716 402	2	, .		13, 53				TAPPING PLATE, Shoulder Belt
5		_			. 0, 00				EXHAUSTER, Quarter Panel
	5005 510AA	1	K, Y		12, 52				Right
	5005 511AA	1	K, Y		12, 52				Left
	5005 512AA	1			13, 53				Right
	5005 513AA	1			13, 53				Left
6	5005 066AA	1			13, 53				PATCH, Replaces Exhuster When
									Equipment With [HBB] Rear Air
7	4857 227AA	1							SHIELD, Wheelhouse, Left,Rear
8									REINFORCEMENT, Body Side
									Aperture
	4860 584AC	1							Right
	4860 585AC	1							Left
-9	4886 364AA-	1							REINFORCEMENT PACKAGE, Body
									Side Aperture, Tapping Plate For
									Striker, Right & Left
10	4860 301	AR							TAPPING PLATE, Striker
11									TROUGH PACKAGE
	5018 516AE	1							Right
	5018 517AE	1							Left
12									PANEL, Quarter Inner

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV


TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

X = EX

AR = Use as required -= Non illustrated part # = New this model year

>>

Quarter Panel With Sliding Door Inner Panel Parts Figure SRS-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									- 1.1.
	5020 470AA	1	K, Y		12, 52				Right
	5020 471AA	1	K, Y		12, 52				Left
	5020 466AA	1			13, 53				Right
4.0	5020 467AA	1			13, 53				Left
13									REINFORCEMENT, Quarter Pan
	4860 614AB	1			13, 53				C-Pillar, Right,Lower
	4860 615AB	1			13, 53				C-Pillar, Left,Lower
14									SUPPORT, B-Pillar
	4860 684AA	1							Panel To Body Side Sill, Right
	4860 685AA	1							Panel To Body Side Sill, Left
15									REINFORCEMENT, Jacking
	4860 582AB	1							Right
	4860 583AB	1							Left
	4860 798AA	1			13, 53				Right,Rear,Quarter
	4860 799AA	1			13, 53				Left,Rear,Quarter
16									WHEELHOUSE, Rear Outer
	4860 608AB	1							Right
	4860 609AB	1							Left
17									EXTENSION, Wheel House
	4860 814AA	1	K, Y		12, 52				Outer Lower To Wheelhouse In
									Right
	4860 815AA	1	K, Y		12, 52				Outer Lower To Wheelhouse In
									Left
	4860 618AA	1			13, 53				Outer Lower To Wheelhouse In
									Right
	4860 619AA	1			13, 53				Outer Lower To Wheelhouse In
									Left
18									WHEELHOUSE, Rear Inner
	5080 894AA	1							With Lip For Attaching, Right
	5080 895AA	1							With Lip For Attaching, Left
19	4716 394	2							PLATE, Seat Belt, Wheelhouse In
									2nd Rear Seat Belt Swivel
									Mounting
-20	6501 916	5							RETAINER, Push On
-21									SILENCER, Wheelhouse
	5028 180AB-	1							Combo, Right
	5028 181AB-	1			13, 53				Combo, Left
22	4716 518	1							BRACKET, Wheel House, Jack
									Stowage
23	6501 916	4							RETAINER, Push On

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


X = EX

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



Quarter Panel With Sliding Door Inner Panel Parts Figure SRS-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		··		1	1			1	1
-24	5005 066AA-	1			13, 53				PATCH, Exhust Opening, Body Sid
					,				Aperture Rear
-25									PLUG, Quarter Trim Panel
	4860 934AA-	1							Right
	4860 935AA-	1							Left
-26	4860 217	3			52, 53				PAD, Quarter Panel
					, ••				,

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

C = Chrysler (AWD) D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm


Quarter Panel With Sliding Door Outer Panel Parts Figure SRS-915

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	47	- 5-1-		· •	Damala		الم مراجعة	l - bala	Late Destancy ill have to deill ha
		a hole	and a slo	t for claddir	ng, Paneis	may come	without tr	ne hoie	and slot, Dealer will have to drill ho
and sl									
1	4717 598AC	1							STRIKER, Door
-2	·-·								BUMPER, Sliding Door
	4717 756AB-	1							Right
	4717 757AB-								Left
3	6507 633AA	2							SCREW, Oval Head, M8x1.25x39
									Sliding Door Latch Striker Attach
4	4675 987AB	1							STRIKER, Sliding Door Stop
5	6100 557	2						_	BOLT AND CONED WASHER, He
									Head, M6x20x14
-6	6503 526	1							SCREW, Truss Head, M6x1x15,
									Stop, Sliding Door
7									PANEL, Roof Rail Outer
	4860 598AC	1							Right
	4860 599AC	1							Left
8									TRACK, Sliding Door
	4717 888AB	1							Right
	4717 889AB	1							Left
-9	6505 881AA-	5							NUT AND WASHER, Hex Nut-Cor
									Washer, M6 x 1.00
10									WEATHERSTRIP, Sliding Door
									Secondary
	4717 630AG	1							Right
	4717 631AG	1							Left
11									WEATHERSTRIP, Sliding Door
	5020 550AD	1							Right
	5020 551AD	1							Left
12									PANEL PACKAGE, Roof Rail Slid
									Door Track
	5073 016AA	1							Right
	5073 017AA	1							Left
13									WEATHERSTRIP, Sliding Door
									Secondary
	4717 792AA	1							Lower, Right
	4717 795AA	1							Lower, Left
14									TRACK, Sliding Door
	4717 736AF	1			13, 53				Center Track, Right
	4717 737AF	1			13, 53				Center Track, Left
	4717 986AF	1	K, Y		12, 52				Center Track, Right
DGE - CI	CHRYSLER MINIVAI	N (RS) —	В	BODY	ENG	INE		TRAN	SMISSION
= Sport	C = Chrysl	` ') 52 =	= 113 WB	EDZ, ED	00 = 2.4L 4 C		GL = 4 sp	pd. Auto. (41TE)
= LX, SE = LXI, ES				= 119 WB		3.3L 6 Cyl. 30 = 3.8L 6 C		G0 = AII	Automatic Transm
= Limited = EL = EX			,			3.3L 6 Cyl. FF			

Quarter Panel With Sliding Door Outer Panel Parts Figure SRS-915



	PART							
ITEM	NUMBER	QTY	LINE	SERIES BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4717 987AF	1	K, Y	12, 52				Center Track, Left
-15		•	, .	12, 02				COVER, Sliding Door Track
	4717 734AB-	1		13, 53				Right
	4717 735AB-	1		13, 53				Left
	4717 988AB-	1	K, Y	12, 52				Right
	4717 989AB-	1	K, Y	12, 52				Left
-16	6036 344AA-	1	,	•				NUT, Plastic Snap-in, Plastic Snap-l
								Cover Center Track
17								PANEL PACKAGE, Body Side
								Aperture Rear
	5018 520AB	1		13, 53				Right
	5018 521AB	1		13, 53				Left
	5018 534AB	1	K, Y	12, 52				Right
	5018 535AB	1	K, Y	12, 52				Left
18								EXTENSION, Tail Lamp Opening
	4860 578AA	1						Right,Upper
	4860 579AA	1						Left,Upper
19								EXTENSION, Tail Lamp Opening
	4860 696AB	1						Right,Lower
	4860 697AB	1						Left,Lower
20								EXTENSION, Body Side Aperture
	4860 588AA	1		13, 53				Right
	4860 589AA	1		13, 53				Left
21	4860 877AA	2	K, Y	12, 52				PLATE, Jack Locator
22								PANEL, Sill
	4860 574AA	1						Right
	4860 575AA	1						Left
23								RAIL, Roof Side
	4860 994AB	1						Right
	4860 995AB	1						Left
24								SUPPORT, Jack, (NOT SERVICED)
								(Not Serviced)
25	4860 572AE	1						DOOR, Fuel Fill
-26	4860 704AB-	1						SPRING, Fuel Filler Door
27	4860 590AE	1						HOUSING, Fuel Filler
28								TRACK, Sliding Door
	4717 618AG	1						Right,Lower
	4717 619AG	1				<u>-</u>		Left,Lower
-29	5020 312AB-	2						STUFFER, Sliding Door Track Lowe
-30	6503 014	2						NUT AND WASHER, Hex, M6x1
31								SUPPORT, Sliding Door Track

DODGE - CHRYSLER MINIVAN (RS) -SERIES LINE H = Sport C = Chrysler (AW)

C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited M = EL

X = EX


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

Quarter Panel With Sliding Door Outer Panel Parts Figure SRS-915



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4860 628AB	1							Right
		4860 629AB	1							Left
	32									REINFORCEMENT PACKAGE,
										Sliding Door
		5018 460AB	1							Right
		5018 461AB	1							Left
	33									PANEL, B Pillar Inner
		5020 494AA	1							Right
_		5020 495AA	1							Left
	34									REINFORCEMENT, Jacking
		4860 582AB	1							Right
		4860 583AB	1							Left
		4860 798AA	1			13, 53				Right
		4860 799AA	1			13, 53				Left
	35									EXTENSION, Wheel House
		4860 618AA	1			13, 53				To Wheelhouse Inner, Right
		4860 619AA	1			13, 53				To Wheelhouse Inner, Left
		4860 814AA	1	K, Y		12, 52				To Wheelhouse Inner, Right
		4860 815AA	1	K, Y		12, 52				To Wheelhouse Inner, Left

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

M = ELX = EX

H = Sport C = Chrysler (AWD) D = Dodge (AWD) Y = Chrysler (FWD) K = Dodge (FWD) $L = L\dot{X}, SE$ P = LXI, ES S = Limited


BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl.

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

Weatherstrips Figure SRS-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 111	NOMBER	Q I I	LINE	OLIVIES	l BOD1	LIVOINE	IIIAIIO	1 1111111	DEGOMI HON
1									WEATHERSTRIP, Sliding Door
									Secondary
	4717 792AA	1							Right,Lower
	4717 795AA	1							Left,Lower
2	4717 728AC	2							WEATHERSTRIP, Front Door, Boo
									Mounted, Right & Left
3	4894 534AA	2			52, 53				WEATHERSTRIP, Sliding Door B
									Pillar
4									WEATHERSTRIP, Sliding Door
	5020 550AD	1							Opening, Right
	5020 551AD	1							Opening, Left
5									COVER, Sliding Door Track
	4717 734AB	1			13, 53				Right
	4717 735AB	1			13, 53				Left
6									WEATHERSTRIP, Sliding Door
									Secondary, Upper
	4717 630AG	1							Right
	4717 631AG	1							Left
7	4894 383AA	1							LABEL, Power Liftgate
8	5054 704AC	1							WEATHERSTRIP, Liftgate Opening
									Upper,Secondary
9	4717 559AE	1							WEATHERSTRIP, Liftgate Opening
									Primary Body Opening

X = EX

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Roof Panel Figure SRS-1110

(3) 4

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							_
1									ROOF
	4860 499AB	1			13, 53				
	4860 829AB	1	K, Y		12, 52				
2	4860 972AB	1			13, 53				ROOF, Sunroof
3	4860 674AB	1							FRAME, Windshield
4									BOW, Roof, Number 1 and 4
	4860 707AC	2			13, 53				
		1	K, Y		12, 52				
5	4860 710AE	2							BOW, Roof, Number 2 and 3
6	4860 675AB	1							REINFORCEMENT, Liftgate Opening

X = EX


DODGE - CHRYSLER MINIVAN (RS) —
SERIES LINE
H = Sport C = Chrysler (AWD
L = LX, SE D = Dodge (AWD) C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD) P = LXI, ES S = Limited M = EL

BODY 52 = 113 WB 53 = 119 WB ENGINE EDZ, ED0 = 2.4L 4 Cyl.

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Sunroof Figure SRS-1120



	PART	1 '	1	'		1	1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 951AA	1			52, 53				FRAME, Sunroof
2									STUD, Collar [M5x0.8x300.00] Rear
									Video Screen To Sunroof Frame,
									(NOT SERVICED) (Not Serviced)
3	6101 651	2							SCREW, Hex Head, M6x1x16
4	6507 225AA	8							SCREW AND WASHER, Hex Head,
									M6x1x20, Module To Roof
5	6502 751	1							NUT/RIVET, Round, M6.00 x 1.00 x
									15.00
-6	4860 223	2							PLUG, Shock Tower Hole, Sunroof
									Drain Tube Hole, Sunroof Drain
									Tube Hole, Right & Left
7	5020 018AA	1							TUBE, Sunroof Drain, Front, Upper
8									TUBE, Sunroof Drain
	4860 974AB	1							Right
	4860 975AB	1							Left

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


X = EX

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

BODY 52 = 113 WB 53 = 119 WB

Sunroof - Attaching Parts Figure SRS-1130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TUBE, Sunroof Drain
	5020 158AB	1							Right,Rear
	5020 159AB	1			13, 53				Left,Rear
2									WIRING, See Group 8 ILL 1505,
									(NOT REQUIRED)
3	XJ95 BD1AA	1			52, 53				TRIM LACE, Sunroof
4	XV80 BD1AB	1			52, 53				SUNSHADE, Sunroof
5	5093 945AA	1			52, 53				GLASS, Sunroof
6	5093 946AA	1			52, 53				MOTOR, Sunroof
7	5093 948AA	1			52, 53				CHANNEL, Sunroof Drain
-8	5093 950AA-	1			52, 53				DEFLECTOR, Sunroof Wind

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)


M = EL

Y = EY

X = EX

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV BODY 52 = 113 WB 53 = 119 WB

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5135 945AA	1							LIFTGATE
-2									HINGE, Liftgate
	4860 294AC-	1							Right
	4860 295AC-	1							Left
3	4860 301	AR							TAPPING PLATE, Striker
-4									SHIM, (NOT SERVICED) (Not
									Serviced)
5	4716 474	1							REINFORCEMENT AND NUT,
									Liftgate Striker, Liftgate Striker
									Attach
6									EXTENSION, Liftgate Opening
	4860 812AA	1	K, Y		12, 52				Right
	4860 813AA	1	K, Y		12, 52				Left
	4860 604AB	1			13, 53				Right
	4860 605AB	1			13, 53				Left
7	5020 042AA	1							PANEL, Liftgate Opening
8									REINFORCEMENT, Liftgate Openin
	5020 041AB	1			13, 53				Lower
	5020 091AA	1	K, Y		12, 52				Lower
9			•		•				REINFORCEMENT, Liftgate Openin
	5020 043AA	1			13, 53				Lower, Front
	5020 093AA	1	K, Y		12, 52				Lower, Front
-10	6506 865AA-	4	,		, -				SCREW AND WASHER, Hex Head
. •									M8-1.25x32.00
-11	6504 535	2							SCREW, Hex Flange Head, M8x1.
									25x20
12	4674 789	1							REINFORCEMENT, Liftgate Openin
	.5	•							

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Liftgate Panel Attaching Parts Figure SRS-1320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Liftgate
	4717 674AE	1							With Power Liftgate, Cinch, Withou
									Cables, Power Door Locks
	4717 992AD	1							Manual
	5019 039AA	1							Without Power Tailgate and
									Without Cables, Power Locks
-2									ACTUATOR, Power Latch
	5017 678AA-	1							Without Power Tailgate and Power
									Door Locks
	5017 887AA-	1							With Power Tailgate
3	4717 921AB	1							ROD, Liftgate Handle to Latch
4	6504 212	3							SCREW, Large Round Washer Head
									Lock, M6x1.00x20.00
5	4860 999AD	2							BUMPER, Rubber
6	6504 324	4							SCREW AND WASHER, Hex Head
7	4860 873AC	2							BUMPER, Liftgate
8	6506 865AA	4							SCREW AND WASHER, Hex Head,
									M8-1.25x32.00, Liftgate Hinge To
									Body Attaching
9	6504 535	2							SCREW, Hex Flange Head, M8x1.
									25x20, Liftgate Hinge Slide
									Fastener
10	4894 554AC	2							PROP, Liftgate
11	6503 533	2							SCREW, Flange Head, M8x1.25x26
12	4717 707AA	1							STRIKER, Liftgate
13									SENSOR, Pinch
	4894 032AD	1							Right
	4894 033AD	1							Left
14	0153 922	8							SCREW AND WASHER, Round
									Head, .164-15x.625
-15	5020 037AB-	2							BUMPER, License Plate, Liftgate
-16	5020 315AA-	AR							SHIM, Liftgate Overslam
17									RIVET, Blind Bulb, [.250x.795], (NOT

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Liftgate Panel Attaching Parts Figure SRS-1330



2 01 3 65 4 50 50	NUMBER 504 990AA 153 856 507 024AA	2 2	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 01 3 65 4 50 50	153 856								
2 01 3 65 4 50 50	153 856								
3 65 4 50 50 50		2							NUT, Rivet, Liftgate
50 50 50	507 024AA								SCREW, Tapping, .19-16x.625
50 50 50		2							SCREW
50 50 50									HANDLE, Liftgate, Requires
50 50 50									Electrical Components See Group
50 50 50									8 - ILL 815 and 1505
50 50	019 202AA	1							Chrome, With Wing Emblem
50	019 199AA	1							Black, Without Power Locks [L]
	019 200AA	1							Black, With Power Locks [L]
D	019 201AA	1							Service Dealer Paint, Without
D									Power Liftgate [P]
D		1							Service Dealer Paint, Without
D									Power Liftgate [H]
L.	S75 BD5AB	1							[D5]
R	S75 ZJ3AB	1							[J3]
5 50	096 296AA	1							MOTOR AND GEAR, Power Liftgate
-6 50	019 036AA-	1							MOTOR, Liftgate
-7 48	894 383AA-	1							LABEL, Power Liftgate
8 65	507 375AA	3							SCREW, Hex Head, M6x1x25
-9 50	083 376AA-	1							ARM & LINK PACKAGE, Power
									Liftgate
-10 50	019 038AA-	1							ACTUATOR
-11 50	019 047AA-	1							STRUT, Bracket
-12 50	020 037AB-	2							BUMPER, License Plate, Liftgate
-13 48	860 786AB-	2							NUT, Plastic Snap-in, License Plate
									Attach

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Luggage Rack Figure SRS-1610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•			•		
1									SKID STRIP, Luggage Rack, (NOT
									REQUIRED)
2									RAIL, Luggage Rack Side
	4857 258AL	1			13, 53				Black, Right
	4857 259AL	1			13, 53				Black, Left
	4857 320AL	1	K, Y		12, 52				Black, Right
	4857 321AL	1	K, Y		12, 52				Black, Left
	SA46 ABEAL	1			53				[PBE], Right,Side Rail
	SA46 AP4AL	1			53				[PP4], Right,Side Rail
	SA46 AXRAL	1			53				[PXR], Right,Side Rail
	SA46 BB8AL	1			53				[PB8], Right,Side Rail
	SA46 BR8AL	1			53				[PR8], Right,Side Rail
	SA46 SW1AL	1			53				[PW1], Right,Side Rail
	SA46 WELAL	1			53				[PEL], Right,Side Rail
	SA46 WS2AL	1			53				[PS2], Right,Side Rail
	SA46 YJRAL	1			53				[PJR], Right,Side Rail
	SA46 ZDRAL	1			53				[PDR], Right,Side Rail
	SA46 ZKJAL	1			53				[PKJ], Right,Side Rail
	SA47 ABEAL	1			53				[PBE], Left,Side Rail
	SA47 AP4AL	1			53				[PP4], Left,Side Rail
	SA47 AXRAL	1			53				[PXR], Left,Side Rail
	SA47 BB8AL	1			53				[PB8], Left,Side Rail
	SA47 BR8AL	1			53				[PR8], Left,Side Rail
	SA47 SW1AL	1			53				[PW1], Left,Side Rail
	SA47 WELAL	1			53				[PEL], Left,Side Rail
	SA47 WS2AL	1			53				[PS2], Left,Side Rail
	SA47 YJRAL	1			53				[PJR], Left,Side Rail
	SA47 ZDRAL	1			53				[PDR], Left,Side Rail
	SA47 ZKJAL	1			53				[PKJ], Left,Side Rail
3									SUPPORT, Luggage Rack
	5018 686AA	1			53				Black, Right, Front
		1	K, Y		52				Black, Right, Front
	TY20 ABEAA	1			53				[PBE], Right,Front
	TY20 AP4AA	1			53				[PP4], Right,Front
	TY20 AXRAA	1			53				[PXR], Right,Front
	TY20 BB8AA	1			53				[PB8], Right,Front
	TY20 BR8AA	1			53				[PR8], Right,Front
	TY20 SW1AA				53				[PW1], Right,Front
	TY20 WELAA	1			53				[PEL], Right,Front
	TY20 WS2AA	1			53				[PS2], Right,Front

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL


Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Luggage Rack Figure SRS-1610



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		TY20 YJRAA	1			53				[PJR], Right,Front
_		TY20 ZDRAA	1			53				[PDR], Right,Front
		TY20 ZKJAA	1			53				[PKJ], Right,Front
	4									SUPPORT, Luggage Rack
		5018 687AA	1	K, Y		12, 52				Black, Left, Front
_			1			13, 53				Black, Left, Front
		TY21 ABEAA	1			53				[PBE], Left,Front
		TY21 AP4AA	1			53				[PP4], Left,Front
_		TY21 AXRAA	1			53				[PXR], Left,Front
		TY21 BB8AA	1			53				[PB8], Left,Front
		TY21 BR8AA	1			53				[PR8], Left,Front
		TY21 SW1AA	1			53				[PW1], Left,Front
_		TY21 WELAA	1			53				[PEL], Left,Front
		TY21 WS2AA	1			53				[PS2], Left,Front
		TY21 YJRAA	1			53				[PJR], Left,Front
		TY21 ZDRAA	1			53				[PDR], Left,Front
_		TY21 ZKJAA	1			53				[PKJ], Left,Front
	5									SUPPORT, Luggage Rack, Center
										Serviced in Side Rails, (NOT
										SERVICED) (Not Serviced)
_	6									RAIL, LUGG RACK CROSS
		4857 436AK	2							Black, With Stanchions
		TD90 ABEAK	2							[PBE] With Stanchions
		TD90 AP4AK	2							[PP4] With Stanchions
_		TD90 AXRAK	2							[PXR] With Stanchions
		TD90 BB8AK	2							[PB8] With Stanchions
		TD90 BR8AK	2							[PR8] With Stanchions
		TD90 SW1AK								[PW1] With Stanchions
_		TD90 WELAK								[PEL] With Stanchions
		TD90 WS2AK	2							[PS2] With Stanchions
		TD90 YJRAK	2							[PJR] With Stanchions
		TD90 ZDRAK	2							[PDR] With Stanchions
_		TD90 ZKJAK	2							[PKJ] With Stanchions
	7									SUPPORT, Luggage Rack, Rear
										Serviced in Side Rail, (NOT
										SERVICED) (Not Serviced)
_	8	6504 432	10							SCREW, Pan Head, M6-1.00x29.00
	9	6504 710	AR							NUT/RIVET, M6x1.00x13.50
	-10	5018 688AB-	1							RUB STRIP, Lugg Rack Cross

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Group – LBLS

Labels All Vehicle Locations






GROUP LBLS - Labels All Vehicle Locations

Illustration Title	Group-Fig. No.
Interior	
Instrument Panel and Visors	Fig. LBLS-110
Seats	Fig. LBLS-120
Under Hood	
Engine Compartment	Fig. LBLS-210
Doors	
Doors and Pillars	Fig. LBLS-310
Exterior	
Fuel Filler Door and Spare Tire	Fig. LBLS-410

Instrument Panel and Visors Figure LBLS-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1102	٠		0220			110.110		2200
1	4787 437AA	2							LABEL, Air Bag Warning
2	4853 156AA	2			52, 53				LABEL, Air Bag Warning, Spanis
3									LABEL, Tire Pressure, (NOT
									SERVICED) (Not Serviced)
4									LABEL, Air Bag Warning
	4595 748AA	1							Export
	4595 749AA	1							English-French
5	4851 416AA	1			52, 53				LABEL, Air Bag Warning, Spanis
6									WARRANTY CARD, (NOT
									SERVICED) (Not Serviced)
7									MANUAL, Owners, (NOT
									SERVICED) (Not Serviced)

DODGE - CHRYSLER MINIVAN (RS) — SERIES LINE

H = Sport L = LX, SE P = LXI, ES S = Limited M = EL C = Chrysler (AWD)
D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)


BODY 52 = 113 WB 53 = 119 WB


ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Seats Figure LBLS-120

	PART]			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4705 925AA	1							LABEL, Seat Attach
-2	5028 327AA-	1							LABEL, Warning
INGE - CH	HRYSLER MINIVAI	N (RS)							
SERIES	LINE		B	SODY	ENGI	INE	_	TRAN	SMISSION
= Sport = LX, SE	C = Chrysl D = Dodge	er (AWD) = (AWD)	52 = 53 :	= 113 WB = 119 WB	EDZ, ED EGA = 3	00 = 2.4L 4 Cy 3.3L 6 Cyl.	yl. Dı Dı	GL = 4 s _l G0 = All <i>i</i>	pd. Auto. (41TE) Automatic Transm
= LXI, ES	Y = Chrysl	ler (FWD)			EGH, EG	30 = 3.8L 6 C	yl.	•	Talendaria Talendaria
= Limited = EL	K = Dodge	; (FWD)			EGIM = 3	3.3L 6 Cyl. FF	V		
= EX									






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				<u> </u>		I			
1									LABEL, Emission
	4809 940AA	1				EDZ			[NAS]
	4809 942AA	1				EGA			[NAS]
	4809 944AA	1				EGA,			[NA1]
	4809 946AA	1				EGH EGH			[NAS]
2	4003 340AA	'				LOIT			LABEL, Coolant Warning, (NOT
_									SERVICED) (Not Serviced)
3	4266 685	1							LABEL, Coolant Reserve Cap,
									French
4	4266 619	1							LABEL, Fan Caution, French/Englis
5	5005 501AE	1							LABEL, Fan Caution, A/C Spec &
									Belt Rtg.
DGE C	LIDVOI ED MINIVA	NI (DC)							
DGE - C ERIES : Sport	HRYSLER MINIVA LINE C = Chrys			ODY = 113 WB	ENG	NE 0 = 2.4L 4 Cy			SMISSION pd. Auto. (41TE)

L = LX, SE P = LXI, ES S = Limited M = EL X = EX D = Dodge (AWD)
Y = Chrysler (FWD)
K = Dodge (FWD)

53 = 119 WB

EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Air Bag Warning
	4649 282AA	2							
	4649 281AA	2							English-French
2									LABEL, Certification, (NOT
									SERVICED) (Not Serviced)
3	4040 858	1							OVERLAY, Vehicle Certification
4									LABEL, National Safety Mark, (NOT
									SERVICED) (Not Serviced)
5									LABEL, Export, (NOT SERVICED)
									(Not Serviced)
6	4716 878	1							LABEL, Exhaust Gas Warning
7									LABEL, Power Liftgate
	4894 383AA	1							
	4894 386AA	1							English-French
-8	4894 097AB-	1							LABEL, Child Protection Lock,
									Sliding Doors
9									LABEL, Cargo Van Warning, (NOT
									SERVICED) (Not Serviced)
10	4894 046AA	1							LABEL, Door Sliding Power
									Operating Instructions
-11	5020 533AA-	1							LABEL, Mercury Warning, Left B
									Pillar, French/Canadian

DODGE - CHRYSLER MINIVAN (RS)

SERIES LINE

H = Sport C = Chrysler (AWD)

L = LX, SE D = Dodge (AWD)

P = LXI, ES Y = Chrysler (FWD)

S = Limited K = Dodge (FWD)

M = EL

Y = EY

BODY 52 = 113 WB 53 = 119 WB

ENGINE EDZ, ED0 = 2.4L 4 Cyl. EGA = 3.3L 6 Cyl. EGH, EG0 = 3.8L 6 Cyl. EGM = 3.3L 6 Cyl. FFV

TRANSMISSION
DGL = 4 spd. Auto. (41TE)
DG0 = All Automatic Transm

Fuel Filler Door and Spare Tire Figure LBLS-410

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					•					LABEL, Unleaded Fuel Only, (NOT
- -	2									REQUIRED) LABEL, Fuel, Flex Fuel, (NOT
		4284 105	1							REQUIRED) LABEL, Spare Tire Storage
- -	-4	52110 391AB	3- 1							LABEL, Jack Caution
		52110 392AE	3- 1							French
12										
3										
70										
	H = Sport L = LX, SE P = LXI, ES S = Limited	RYSLER MINIVA LINE C = Chrys D = Dodgr Y = Chrys K = Dodge	sler (AWD) e (AWD) sler (FWD) e (FWD)	B) 52: 53:	ODY = 113 WB = 119 WB	ENG EDZ, ED EGA = 3 EGH, EG EGM = 3	INE 10 = 2.4L 4 C .3L 6 Cyl. 50 = 3.8L 6 C 3.3L 6 Cyl. FF	yl. D D Cyl. =V	TRAN: GL = 4 sp G0 = All /	SMISSION od. Auto. (41TE) Automatic Transm
	M = EL X = EX	i – Douge	((LOW - C	0 Oyi. 11	•		